

```
In [16]: %runfile 'C:/Users/IT CITY/Desktop/Github/Practice/python-exercises-Armin-Shamsollahi/Session_07/question_01.py' --wdir
Enter your sentence :
Learning Python is an exciting journey because programming helps us
solve problems and build useful applications. Every day we practice
new concepts and improve our skills through simple exercises and
challenging projects. Level and radar are examples of palindrome
words, while Python and programming are common words in this text.
When we make mistakes, we should review our code carefully and try
again. Good programmers are patient, curious, creative, and willing
to learn from their mistakes. In 2026, Python remains a popular
programming language for beginners and professionals, and many
developers use it to create websites, automate tasks, analyze data,
and build intelligent systems.

{'words': 104, 'letters': 570, 'digits': 4, 'most_common_letter':
'e', 'most_common_word': 'and', 'longest_word': 'professionals,',
'shortest_word': 'a', 'palindrome_words_count': 3, 'uppercase': 9,
'lowercase': 561}
```

```
In [18]: %runfile 'C:/Users/IT CITY/Desktop/Github/Practice/
python-exercises-Armin-Shamsollahi/Session_07/untitled3.py' --
wdir
{'customer': 'Ali', 'products': ('Laptop', 'Mouse', 'Keyboard'),
'discount': 10, 'tax': 9, 'shipping': 200000, 'final_price':
1926560.0}
```

```
In [19]: %runfile 'C:/Users/IT CITY/Desktop/Github/Practice/
python-exercises-Armin-Shamsollahi/Session_07/untitled3.py' --
wdir
{'customer': 'Ali', 'products': ('Laptop', 'Mouse', 'Keyboard'),
'discount': 10, 'tax': 9, 'shipping': 200000, 'final_price':
1926560}
```

```
In [7]: %runfile 'C:/Users/IT CITY/Desktop/Github/Practice/
python-exercises-Armin-Shamsollahi/Session_07/question_03.py' --
wdir
{'person_informaiton': {'Ali': {'deposits': 5000000,
'withdrawals': 1500000, 'balance_change': 3500000,
'transactions': 3}, 'Sara': {'deposits': 8000000, 'withdrawals':
2000000, 'balance_change': 6000000, 'transactions': 2}, 'Reza':
{'deposits': 10000000, 'withdrawals': 0, 'balance_change':
10000000, 'transactions': 1}}, 'max_deposit': 'Reza',
'max_withdraw': 'Sara', 'most_active': 'Ali'}
```

```
In [13]: %runfile 'C:/Users/IT CITY/Desktop/Github/Practice/  
python-exercises-Armin-Shamsollahi/Session_07/question_04.py' --  
wdir  
[('Reza', 'deposit', 150000000, 30), ('Sara', 'withdraw',  
60000000, 21), ('Ali', 'withdraw', 5000000, 14), ('Ali',  
'withdraw', 6000000, 15)]
```

```
In [16]: %runfile 'C:/Users/IT CITY/Desktop/Github/Practice/  
python-exercises-Armin-Shamsollahi/Session_07/question_05.py' --  
wdir  
{ 'successful_logins': 2, 'failed_logins': 3, 'suspicious_users':  
['Sara'], 'operations': {'Ali': 2, 'Sara': 3, 'Reza': 1}}
```