



Prof.	L m	Elox. auß. mm	Abw. me. mm
3991001	6.5	89	22
3991002	6.5	100	22
3991003	6.5	90	28
3991004	6.5	92	31
3991005	6.5	95	34
3991006	6.5	110	38
3991007	6.5	116	41
3991008	6.5	120	43
3991009	6.5	124	45
3991010	6.5	130	48
3991011	6.5	136	51
3991012	6.5	140	53
3991013	6.5	146	56
3991014	6.5	154	60




3991001




3991002




3991003




3991004




3991005




3991006




3991007




3991008




3991009




3991010




3991011




3991012



3991013



3991014



Bautiefe 70 mm Blendrahmen- und Flügelprofile

Glasleisten- profile Nr.	Breite mm	Falz- lichte mm	Füllungsdicke / mm zul. Dickentoleranz ^{+1.5} ₋₁ mm mit Einrolldichtung Nr.:			
			190522 2x blau	190523 2x rot	190524 2x grün	190755 2x weiss
3991001	2	53,5	44	43	42	41
3991002	5	50,5	(41)	40	39	38
3991003	9	46,5	37	36	35	34
3991004	12	43,5	(34)	33	32	31
3991005	15	40,5	(31)	30	29	28
3991006	19	36,5	27	26	25	24
3991007	22	33,5	(24)	23	22	21
3991008	24	31,5	(22)	(21)	20	19
3991009	26	29,5	(20)	(19)	18	17
3991010	29	26,5	(17)	16	15	14
3991011	32	23,5	(14)	13	12	11
3991012	34	21,5	(12)	(11)	10	9
3991013	37	18,5	(9)	8	7	6
3991014	41	14,5	5	4	3	2



ANWENDBARE FÜLLUNGEN

Stand 06.2014: max. zulässige Glastypen und Glasformate

PROMAT (GLAVERBEL) Brandschutzgläser

	Typ	Glasdicke	Fläche [m²]	max. zulässige Formate
PROMAGLAS EW 30	15/1-0	ab 7mm	1,8	1500mm x 1200mm
PYROBEL EW 30	15/2-0 (15/2-3)	ab 12mm	1,8	1500mm x 1200mm
			3	1300mm x 2300mm
			3	2300mm x 1300mm

SCHOTT Brandschutzgläser

PYRANOVA EW30	S3.1.10	10 mm	2,75	1230mm x 2150mm
				2150mm x 1230mm

VETROTECH (SAINT GOBAIN) Brandschutzgläser

Contraflam Lite EW30	SGG 30	ab 13mm	3,5	1200mm x 2900mm
			1,1	2100mm x 500mm

PILKINGTON Brandschutzgläser

PYRODUR EW 30	30-201	ab 10mm	2,2	1100mm x 2000mm
	30-251	ab 24 mm	2,2	1100mm x 2000mm

Stand 05.2012: zulässige Paneelaufbauten und max. Abmessungen

PANEELE

Aufbau: 1mm Alublech - 10mm Promatect H - 1mm Alublech	14 mm	1,6	1000mm x 1600mm
		1,6	1600mm x 1000mm

Verkleben mit Promatkleber 84