





grade_checker.py - C:/Users/Armont/Desktop/grade_checker.py (3.13.15)
File Edit Format Run Options Window Help
grade = int(input("enter your grade (0-100): "))
if grade >= 90:
print("Your grade is: A")
elif grade >= 80:
print("Your grade is: B")
elif grade >= 70:
print("Your grade is: C")
elif grade >= 60:
print("Your grade is: D")
else:
print("Your grade is: F")
message = "Congratulations you passed!" if grade >= 70 else "sorry try again!"
print(message)
IDLE Shell 3.13.15
Edit Shell Debug Options Window Help
Python 3.13.15 (tags/v3.13.15:4061bc4, Aug 5 2026, 13:05:39) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
========== RESTART: C:/Users/Armont/Desktop/lab 5.py ==========
enter your grade (0-100): 65
Your grade is: D
sorry try again!
72
72
========== RESTART: C:/Users/Armont/Desktop/lab 5.py ==========
enter your grade (0-100): 83
Your grade is: B
Congratulations you passed!


list lab.py - C:/Users/Armont/Desktop/list lab.py (3.13.15)
File Edit Format Run Options Window Help
numbers = [5, 23, 7, 22, 9]
print("Original list:", numbers)
print("sorted list:", sorted(numbers))
numbers.sort()
print("sorted list:", numbers)
numbers.append(8)
del numbers[3]
print("List after removing an element:", numbers)
numbers.reverse()
print("List after reverse:", numbers)
IDLE Shell 3.13.15
File Edit Shell Debug Options Window Help
Python 3.13.15 (tags/v3.13.15:4061bc4, Aug 5 2026, 13:05:39) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
========== RESTART: C:/Users/Armont/Desktop/lab 5.py ==========
enter your grade (0-100): 65
Your grade is: D
sorry try again!
>>> 72
72
>>>
========== RESTART: C:/Users/Armont/Desktop/lab 5.py ==========
enter your grade (0-100): 83
Your grade is: B
Congratulations you passed!
>>>
========== RESTART: C:/Users/Armont/Desktop/list lab.py ==========
Original list: [5, 23, 7, 22, 9]
sorted list: [5, 7, 9, 22, 23]
sorted list: [5, 7, 9, 22, 23]
List after removing an element: [5, 7, 9, 23, 8]
List after reverse: [8, 23, 9, 7, 5]
>>>


test.py - C:/Users/Armont/AppData/Local/Programs/Python/Python313/test.py (3.13.15)
File Edit Format Run Options Window Help
numbers = [4, 3, 12, 17, 9]
print(numbers)
for i in range(len(numbers)):
for j in range(len(numbers) - 1):
if numbers[j] > numbers[j + 1]:
temp = numbers[j]
numbers[j] = numbers[j + 1]
numbers[j + 1] = temp
print(numbers)
print("Sorted list:", numbers)
IDLE Shell 3.13.15
e Edit Shell Debug Options Window Help
Python 3.13.15 (tags/v3.13.15:4061bc4, Aug 5 2026, 13:05:39) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>
=== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/test.py ===
[4, 3, 12, 17, 9]
[3, 4, 12, 9, 17]
[3, 4, 9, 12, 17]
[3, 4, 9, 12, 17]
[3, 4, 9, 12, 17]
[3, 4, 9, 12, 17]
Sorted list: [3, 4, 9, 12, 17]
>


exmple.py - C:/Users/Armont/AppData/Local/Programs/Python/Python313/exmple.py (3.13....
File Edit Format Run Options Window Help
Part 3: Logic and Bitwise Operations
first = input("enter true or false")
first = first == "True"
second = input("enter true or false")
second = second == "True"
print("AND result:", first and second)
print("or result", first or second)
print("not result", not first, not second)
IDLE Shell 3.13.15
File Edit Shell Debug Options Window Help
Python 3.13.15 (tags/v3.13.15:4061bc4, Aug 5 2026, 13:05:39) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>
== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/exmple.py ==
enter true or false5
enter true or false3
AND result: False
or result False
not result True True
>>
== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/exmple.py ==
enter true or falsetrue
enter true or falsefalse
AND result: False
or result False
not result True True
>>
== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/exmple.py ==
enter true or falseTrue
enter true or falseFalse
AND result: False
or result True
not result False True
>>


IDLE Shell 3.13.15
File Edit Shell Debug Options Window Help
enter true or false3
AND result: False
or result False
not result True True
>>>
== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/exmple.py ==
enter true or falsetrue
enter true or falsefalse
AND result: False
or result False
not result True True
>>>
== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/exmple.py ==
enter true or falseTrue
enter true or falseFalse
AND result: False
or result True
not result False True
>>>
==== RESTART: C:/Users/Armont/AppData/Local/Programs/Python/Python313/bin.py ===
0b101
0b11
0b1
0b111
0b110
Traceback (most recent call last):
File "C:/Users/Armont/AppData/Local/Programs/Python/Python313/bin.py", line 9,
in <module>
print(bin(~a, ~b))
TypeError: bin() takes exactly one argument (2 given)
>>>
0b101
0b11
0b1
0b111
0b110
-0b110
-0b100
>>>
bin.py - C:/Users/Armont/AppData/Local/Programs/Python/Python313/bin.py (3.13.15)
File Edit Format Run Options Window Help
a = 5
b = 3
print(bin(a))
print(bin(b))
print(bin(a & b))
print(bin(a | b))
print(bin(a ^ b))
print(bin(~a))
print(bin(~b))