



How to manage your ARMS-MBON data and metadata

Katrina Exter (VLIZ) Jan. 2023

Scope of this guide

In this guide we explain

- How to start managing your ARMS-MBON metadata and data when you begin in the project
- How to continue managing your ARMS-MBON (meta)data in PlutoF after each sampling event
- What happens after you have shipped your samples
- The importance of using the correct identifiers for your observatory, units, events, material samples and images

Contact for help

Network coordinator: Matthias Obst, University Gothenburg, matthias.obst@marine.gu.se

Data management : Katrina Exter, VLIZ, <u>katrina.exter@vliz.be</u>; Ioulia Santi, EMBRC, <u>ioulia.santi@embrc.eu</u> Sequencing/ENA submission: Christina Pavloudi, <u>cpavloud@hcmr.gr</u>; Ioulia Santi, EMBRC, <u>ioulia.santi@embrc.eu</u>

Documentation

https://github.com/arms-mbon/Documentation: for the Handbook, SOPs, the Access and Benefit Sharing guide, and the Data Management Plan

https://github.com/arms-mbon/Templates: various spreadsheet templates for you to use when submitting images, manual observations, and when setting your IDs in PlutoF

Websites

ASSEMBLE Plus: http://arms-mbon.org/ = https://arms-mbon.org/ = https://www.assembleplus.eu/research/ARMS-MBON

ARMS-MBON GitHub: https://github.com/arms-mbon and https://data.arms-mbon.org

Overview googlesheet: https://docs.google.com/spreadsheets/d/1j3yuY5lmoPMo91w6e3kkJ6pmp1X6FVGUtLealuKJ3wE/

EMO BON: https://www.embrc.eu/emo-bon

Updates since last version: EMO BON!

As of summer 2022/early 2023, ARMS-MBON is no longer running under the ASSEMBLE Plus project, but has been merged with EMBRC's EMO BON project.

That means a small number of changes to the way that the ARMS-MBON data and metadata are collected and how the sequences are produced (the omics protocols). The sampling protocols are not changed, and we will still be using PlutoF to upload ARMS images and manual observations, to describe the observatories and ARMS units, and to indicate that sampling events have occurred.

Under ASSEMBLE Plus we also used a google sheet to share the metadata on observatories, events, material samples, and ENA submissions. Under EMO BON this will no longer be used, instead each observatory will have a google-based logsheet in which they will add their event and sample metadata. The process of working with these logsheets is not described here, instead you will be in contact with the EMO BON secretariat (Ioulia Santi, contact details are on slide 2) about this.

We understand that people may find it annoying to have to add metadata to these logsheets and to PlutoF: to be noted is that the EMO BON logsheets are the most important place to add correct metadata, while PlutoF is mainly used for the ARMS images and any descriptive/observation spreadsheets.

Starting in the ARMS-MBON project

Step 1a: registration



It is no longer possible to register for the ARMS-MBON project via the ASSEMBLE Plus website. An "expression of interest" form will be created, but meanwhile if you want to join the ARMS-MBON project (or just ask questions), please contact

Network coordinator: Matthias Obst, University Gothenburg, matthias.obst@marine.gu.se

EMO BON secretariat : Ioulia Santi, EMBRC, ioulia.santi@embrc.eu

What information do you need to provide when you join ARMS-MBON?

You will be requested to choose an **Observatory ID**. This is explained in the <u>ARMS-MBON Handbook</u> and should be

- one word
- no spaces, hyphens, etc

E.g. "Koster". The Observatory ID is fixed for all time.

The Observatory identifies a region in which you will place your ARMS unit(s). Most partners chose to use only one Observatory, but if you are using regions that are widely dispersed or in very different environments, it may be helpful to define more than one Observatory.

You will be requested to chose the IDs for your **ARMS units**, which must be unique and permanent, as explained in the <u>ARMS-MBON Handbook</u>, and should be

- one word
- without spaces, hyphens, etc

E.g. "VH1". These IDs are not fixed to the physical unit itself, rather to the location in which it is placed. If you place a new unit in the same location as a previous one, it keeps that place's ID. If you place a unit in a new location, you need to define a new ID

Starting in the ARMS-MBON project: registration

Starting in the ARMS-MBON project

Step 1b: register with PlutoF



Once you are accepted in ARMS MBON, you need to register with PlutoF

- Register with PlutoF on https://plutof.ut.ee/#/register
- Once registered, contact Matthias Obst to be added to the ARMS-MBON space (https://plutof.ut.ee/#/study/view/81139)

PlutoF is the data-management platform used by ARMS-MBON. You will describe your Observatory and ARMS units there, and after each ARMS unit retrieval, you will upload your metadata and data files (images and manual observations) there. ASVs and species information are also managed there by the ARMS-MBON management team.

The sampling teams (i.e. you) are expected to keep their PlutoF account up-to-date and to conform to the metadata requirements as outlined in the Handbook


Working in PlutoF Step 2a: The ARMS-MBON project home page



Once you have a PlutoF account and access to the ARMS-MBON project, you need to define your Observatory(ies) and ARMS unit(s)

1. Log on to https://plutof.ut.ee/#/study/view/81139


The "European ARMS program" general information is at the top of the home page of the ARMS-MBON project




Step 2b: The ARMS-MBON project home page

Look to see if your Observatory is present. Below the *General Data* is a map, and below the map, are two listings of *Sampling Areas*. In PlutoF, both Observatories *and* ARMS units are called "sampling areas".

- The first list mixes the Observatories and units
- The second list is hierarchical, showing the Observatories and, upon a click on the circle, its ARMS units






Step 3a: Defining your Observatory



If your Observatory and/or your ARMS units are not present, you need to add them

Adding a new Observatory

1. Create a new Sampling Area by clicking "new" above the Sampling Areas list




Step 3b: Defining your Observatory




- 2. Fill in the following fields in the *General Data* section to define your Observatory:
 - a. Name = Observatory ID as selected by you when you registered
 - b. Country
 - c. Latitude and Longitude (either search and click on the map, or type them in)
- 3. (Ignore the field *Parent sampling area* because the Observatory is already the top-most sampling area level)

4. Click to "Add measurement", select "Depth max", enter your value. You can chose to also add "Depth min" (e.g. for Observatories with significant tides) but as depth information is also added in a later step, this is not required

5. Click "Save" at the bottom of the page






Step 4a: Defining your ARMS units



Add your ARMS units also as new Sampling Areas

- 1. Go back to the ARMS programme front page
 - a. Go go https://plutof.ut.ee/#/study/view/81139
 - b. Or if you are already in PlutoF, click "European ARMS program" at the top of the page
- 2. Go to the Sampling Areas again, to again create a new sampling area by clicking "new"



PlutoF

₹≣ Data Management Plans

I LABORATORIES

TAXON OCCURRENCES

Traits and Measurements

Sampling Event

General Data


Step 4b: Defining your ARMS units



- 3. In the *General Data section*, this time do go to the "Parent sampling area"
 - a. Enter the name of your Observatory that the ARMS unit will be located in (i.e. the name entered when you created the Observatory *Sampling Area*)
- 4. Enter next the following information for your ARMS unit
 - a. Name = ARMS ID as selected by you when you registered
 - b. Country
 - c. Latitude, Longitude (to a precision of 5 significant digits)
 - d. Click to add the "measurements" for
 - i. Depth min
 - ii. Depth max

These will not be the same for observatories with significant tides

5. Click to "Save" at the bottom of the page




PlutoF first steps: Observatory and ARMS units

Working in PlutoF

Step 5: Check your results



Go back to the home page and check to see your new Sampling Areas (as demonstrated below).




Step 6a: Adding a new sampling event



Once you have deployed your ARMS unit(s) in your Observatory, you can start the new *Sampling Event(s)* in PlutoF. For each ARMS unit you have deployed

- 1. Go to its Sampling Area (see previous slides)
- 2. Near the bottom of the sampling area page is a section called Sampling Events (this will have no entries at first)



3. Click "New" to create a new sampling event


Step 6b: Adding a new sampling event



Fill in the following information in the *General Data* section

- 4. Event ID:
 - a. Please use the Event ID as defined in the ARMS Handbook. As ARMS-MBON is now operating under EMO BON, these IDs are a little different to how they were before
 - i. EMOBON_[observatoryID]_[ARMSID]_Ha_[date in]_[date out] (dates being YYMMDD) e.g. <u>EMOBON_Koster_VH2_Ha_220131_220331</u> ("Ha" = hard bottom)
 - ii. FYI: these Event IDs are the same as the "sampling_event" entry in the EMO BON logsheets
 - b. When you place your unit, fill in the first date in the ID and leave the second date blank. Please remember to fill in the second date in the ID after you retrieve the unit.
- 5. The field Event Description is optional
- 6. Fill in the "Timespan begin"; and after retrieval fill in "Timespan end". *Please remember to add both dates, and please do not add the time*
- 7. Fill in "Collected by" with your name (the person mentioned here must already exist in the PlutoF system, so you will need to add others if you want to mention them here)
- 8. A "Habitat" description is optional
- 9. Click "Save" at the bottom of the page

Step 6c: Adding a new sampling event



Mandatory

Mandatory

PlutoF: adding a sampling event

Working in PlutoF Step 7a: Updating a sampling event




Once you have retrieved your ARMS unit, and processed and shipped the material samples to Paris (EMO BON HQ), you should update your entry in PlutoF

This is done by editing your previously-created Sampling Event. Go to the event and "Edit" the page

Information to add

- Retrieval date in the "Timespan end" field
- Add retrieval date (YYMMDD) on to the end of the "Event ID" field
- Add any useful comments in the "Event Description" field



PlutoF: adding a sampling event

Working in PlutoF

Step 7b: Deleting a failed event



An event fails if you cannot retrieve the unit, or if nothing colonised it. In this case you should delete that sampling event that you had initially created in PlutoF. Instead of updating the collection date, you need to delete that entire page in PlutoF.

At the time of writing, this is not possible for you to do yourself. If this is still not possible, you can instead send an email to the PlutoF support (support@plutof.ut.ee), include the URL of your event page (e.g. https://app.plutof.ut.ee/event/view/8746558), and ask them to delete the page for you.

Working in PlutoF Step 8a: Adding your ARMS images



The photographs you take of your ARMS units before you process them (see the Handbook for instructions) must be uploaded to PlutoF. Ideally you do this as soon as possible.

A description of those images must also be uploaded to PlutoF

Images are added to a Sampling Event

- 1. In the sampling event page, click to Edit
- 2. At the bottom, you can upload images as Associated Data
- 3. To upload an image, click the Upload button and a file-selection box will pop up
- 4. Once uploaded, set the *licence* (CC BY) and the *creator* of the file (you)

Image metadata

You need to provide a certain amount of information about each image you upload. Unfortunately there are not enough fields in PlutoF to hold this information, so there are instead one of two ways you can do this

- 1. Putting this in each image filename
- 2. Putting these in a description spreadsheet

These options are explained on the next slide.

Without these metadata, it is impossible for us to organise the 1000s of images that are taken over all partners and years of the ARMS-MBON project.

Working in PlutoF Step 8b: Adding your ARMS images



Option 1: Using the image filenames to provide the metadata

You can name all your images following a standard identifier if you like. This identifier consists of the eventID followed by some keywords. For example

- EMOBON Koster VH2 Ha 220131 220331 IMG 5B -> this is an image of plate 5, bottom
- EMOBON Koster VH2 Ha 220131_220331_Field_4 -> this is the 4th image taken in the field

The formatting of these **Image IDs** is also explained in the <u>Handbook</u>.

Option 2: Using a spreadsheet to provide the metadata


A template spreadsheet which you can fill in to provide the metadata for each image can be found on the ARMS-MBON github (<u>Templates</u>) site. In this spreadsheet you will enter

- EventID (e.g. EMOBON_Koster_VH2_Ha_220131_220331)
- The ARMS plate number that image is of (1-9, counting from the baseplate upwards) and whether it is the top of bottom of the plate (T/B); or "field/voucher" if the image is of these
- The image filename as uploaded to PlutoF
- For images that are not of ARMS plates, instead you will write "field" plus an extra (optional) description.


The image description spreadsheet should be uploaded together with the images, in the same manner. It <u>must</u> be called EventID_images.csv (EMOBON_Koster_VH2_Ha_220131_220331_images.csv). If you add more images to the same event, please append the descriptions to the file and re-upload it with the same name.

PlutoF: adding a ARMS images


Working in PlutoF Step 8c: Adding your ARMS images







Step 8d: Adding your ARMS images





Step 9a: Creating Material Sample pages




Creating your Material Sample pages is not mandatory in PlutoF, as the same information is added, by you, to the EMO BON sampling logsheets. However, if you chose to do so, these are the steps you follow.

The second action upon having retrieved ARMS unit(s), and processed and shipped your samples, is to create *Material Samples* for your unit(s). In most cases, you will have collected and shipped several samples for each ARMS unit: two motile fractions and one sessile fraction plus their sample replicates. The material sample pages in PlutoF are to record the fact that you have shipped these samples.

This is done by editing the relevant Sampling Event.

- 1. Go to the event page, and at the bottom are the tabulated *Related Records*.
- 2. Click on the *Material Samples* tab, and then click *New*



Working in PlutoF Step 9b: Creating Material Sample pages



In this *Material Sample* form, the General data and Event information are already added, as these were taken from the Event page you were on when you clicked to add a New Material Sample.

Please fill in the following fields in the page *Form*

Water (there is no form yet for ARMS units)


Material Samples


In the boxes, type or select

- Material sample ID: is the eventID with _MF500, MF100, SF40 appended (or another combination of "motile fraction"/"sessile fraction" + "filter size in microns", if such were made), e.g.
 EMOBON_Koster_VH2_Ha_220131_220331_SF40
- Type: water
- Size: the filter size in microns (e.g. "500")
- Description "motile" or "sessile" (or another description if your sample is not one of these two)
- Click "Save" (note: there is a "save and add new" and "save and link to event", but at the time of writing these both opened a completely new page in which the event information was not provided)
- Add the next material sample in the same way.

Working in PlutoF Step 9c: Creating Material Sample pages







Working in PlutoF Step 10: Manual Observations



If you made any observations of species yourself, from the field, from ARMS units, from photos of ARMS units, etc, then you can record them in a ManualObservations spreadsheet, the template for which is provided on the ARMS-MBON GitHub site (Templates).

Please follow that template CSV file, and then upload your file to PlutoF with a name that <u>must_be</u> "EMOBON_Koster_VH2_Ha_220131_220331_ManualObservations"

This should be uploaded to an event page, as you did for your photos.

It is important to be clear what your observations are of.

- → If they are of ARMS plates, then this can be combined with/used in the image analysis of those ARMS images
- → If they are of species that are processed into your sessile and motile fractions, then this can be combined/compared with species identifications from the DNA.

In order to avoid double counting species, and in order to be able to use these manual observations not just as the information themselves, but also to help refine the image and omics analysis results, we need this information. Otherwise, we have no idea what the relationship of your manual observations is to the physical samples you ship to Paris.

What happens next?



Every few months, all the information in PlutoF are downloaded to the <u>ARMS-MBON github site</u> and to the <u>EMO BON</u> <u>GitHub site</u>.

There they are managed by VLIZ: the metadata added by you to PlutoF and the google sheet (and also to the EO BON logsheets) are quality controlled (are they formatted correctly, are the mandatory values provided, are the logsheet and PlutoF values the same where they should be?) and combined into overview spreadsheets. This is described in the ARMS-MBON Data Management Plan and later will be described in the EMO BON DMP.

The metadata are open access immediately: the images, however, are under embargo following the agreed period of time. Once they are open access, they can be downloaded via the links given in the data overview spreadsheets on GitHub site, as well as via PlutoF directly.

It is from github that the data will be formatted to be published in IMIS, GBif, EurOBIS, etc, probably once a year for the entire data collection and as-required on GBif and/or EurOBIS..

Once the samples are received, they are processed and sequenced by HCMR (for ARMS-MBON) or EMBRC (for those partners who are also part of EMO BON). It can take several months (up to half a year) before these data to be archived in ENA.

Accession numbers of the sequences are then made available. They will be included in the overview spreadsheets provided on the ARMS-MBON github site. They can also (first) be found on the ARMS-MBON overview google spreadsheet.