



Q1. Tasks to Be Performed:

```
In [ ]: # 1.Create a new folder
        mkdir shubhm

        # 2.Put the following files in the folder
        # 1.Code.txt 2.Log.txt 3.Output.txt
        cd shubham
        touch code.txt log.txt output.txt

        # 3.Stage the Code.txt and Output.txt files
        git init
        git add code.txt output.txt
        git status #to check the stage or status of files

        # 4.Commit them
        git commit -m "code.txt and output.txt files add successfully"

        # 5.And finally push them to GitHub
        git remote add origin https://github.com/shubham16-cm/demo.git
        git push --all
```

Q2.Tasks to Be Performed:

```
In [ ]: # 1.Create a Git working directory with feature1.txt and feature2.txt in the m
        git init
        mkdir Git # this folder was created in master branch by default
        cd Git
        touch feature1.txt feature2.txt feature3.txt

        # 2.Create 3 branches develop, feature1 and feature2
        git checkout -b "develop"
        git checkout -b "feature1"
        git checkout -b "feature2"

        # 3.In develop branch create develop.txt, do not stage or commit it
        git checkout "develop" # switch to develop branch
        touch develop.txt

        # 4.Stash this file and check out to feature1 branch
        git stash
        git checkout "feature1"

        # 5.Create new.txt file in feature1 branch, stage and commit this file
        git touch feature1.txt
        git add feature1.txt
        git commit -m "feature1.txt file add in branch feature1"

        # 6.Checkout to develop, unstash this file and commit
        git checkout "develop"
        git stash pop
        git add develop.txt
        git commit -m "Added develop.txt"
```

Q3. Tasks to Be Performed:

```
In [ ]: # Create a Git working directory, with the following branches
# 1.Develop. 2.F1. 3.F2.
git init
git checkout -b "Develop"
git checkout -b "F1"
git checkout -b "F2"

# In the master branch, commit main.txt file
git checkout "master"
touch main.txt
git add main.txt
git commit -m "add main.txt"

# Put develop.txt in develop branch, f1.txt and f2.txt in f1 and f2 respective
git checkout "Develop"
touch Develop.txt

git checkout "F1"
touch f1.txt

git checkout "F2"
touch f2.txt

# Push all these branches to GitHub
git add .
git commit -m "add develop.txt, f1.txt, f2.txt"
git remote add origin https://github.com/coshubham/demo_assignment-.git
git push --all

# On local delete f2 branch
git branch -D F2

# Delete the same branch on GitHub as well
$ git push origin --delete F2
```

Q4. Tasks to Be Performed:

```
In [ ]: # Put master.txt on master branch, stage and commit
git init
touch master.txt
git add master.txt
git commit -m "Add master.txt to master"

# Create 3 branches: public 1, public 2 and private
git checkout -b "public1"
git checkout -b "public2"
git checkout -b "private"

# Put public1.txt on public 1 branch, stage and commit
git checkout public1
touch public1.txt
```

```
git add public1.txt
git commit -m "Add public1.txt to public1 branch"

# Merge public 1 on master branch (We can also merge on github GUI)
git checkout master
git merge public1 -m "Merge public1 into master"

# Merge public 2 on master branch (We can also merge on github GUI)
git checkout public2
touch public2.txt
git add public2.txt
git commit -m "Add public2.txt to public2 branch"

git checkout master
git merge public2 -m "Merge public2 into master"

# Edit master.txt on private branch, stage and commit
git checkout private
nanop master.txt
git add master.txt
git commit -m "Edit in master.txt in private branch"

# Now update branch public 1 and public 2 with new master code in private
git checkout public1
git merge master -m "Update public1 with new master changes"

git checkout public2
git merge master -m "Update public2 with new master changes"


# Also update new master code on master
git checkout master
git merge private -m "Merge new changes from private to master"

# Finally update all the code on the private branch
git checkout private
git merge master -m "Update private with new master code"
```

Q5. Tasks to Be Performed:

1. Create a Git Flow workflow architecture on Git

Git Workflow



2. Create all the required branches

```
In [ ]: git init
touch main.txt
git add main.txt
git commit -m "Initial commit to master"
git checkout -b "develop"
touch develop.txt
git merge develop -m "Merge develop into master"
# On local delete f2 branch
git branch -D develop

# Delete the same branch on GitHub as well
$ git push origin --delete develop
```

3. starting from a feature branch, push the branch to the master, following the architecture

```
In [ ]: # 1. Initialize repo and commit base file to master
git init
touch main.txt
git add main.txt
git commit -m "Initial commit"

# 2. Create develop branch
git checkout -b develop

# 3. Create feature branch from develop
git checkout -b feature/login
```

```
touch login.txt
git add login.txt
git commit -m "Add login feature"
```

4. Merge feature to develop

```
git checkout develop
git merge feature/login
```

4. Push an urgent.txt on master using hotfix

```
In [ ]: # Start from master
git checkout master

# Create hotfix branch
git checkout -b hotfix

# Create urgent file
touch urgent.txt
git add urgent.txt
git commit -m "Add urgent.txt as hotfix"

# Merge hotfix to master
git checkout master
git merge hotfix
```