



A food concierge that remembers how you eat

Conversational food recommendations powered by your own history — allergies, taste, habits.

Claude Agent SDK (Python) · Tencent EdgeOne Makers

github.com/arnabmaiti-gif/food-recommender

The problem

- Choosing where to eat is a **repeated decision made with zero memory**
- Every app asks the same questions and shows the same crowd-ranked lists
- The strongest signal is the least used: **your own record** —
what you chose, what you said afterwards, what you're allergic to

| A 4.6★ bakery is the wrong answer if **you** rated it 2★ — "frosting way too sweet."

The core loop

1. **You ask** — "I'm craving dessert"
2. **Hard filters first** — peanut allergy is non-negotiable, item-level
3. **Pattern mining** — low-sugar habit? rating floor? quiet café or lively bar? solo-work or social? dine-in or pickup?
4. **Your feedback beats crowd ratings** — quoted back to you as evidence
5. **2–3 options**, each with a **why** traced to real data
6. **Not satisfied?** It asks 2–3 questions — **pre-filled with the answers your history predicts** — then re-ranks
7. **Your choice is remembered** for next time

What a recommendation looks like

Amber & Rye Patisserie — small café · 4.7★ · 8 min · \$\$

Why: low-sugar picks in **5 of your 6** dessert runs, and your own 5★ review: "nobody rushed me for two hours."

Matcha-ya Tea House — tiny tea house · 4.8★ · 12 min · \$\$

Why: your dessert runs are usually **solo work sessions** — this is the calmest room in the city.

⊖ Skipped **Sugar Rush Bakehouse** (4.6★ crowd) — you rated it 2★: "frosting way too sweet."

Context flips it: "a friend is visiting, we want something fun" →

Molten Dessert Bar rises — with a warning to skip the peanut praline flight.

Architecture

React + Vite chat (SSE stream, tool lamps, trace panel)

| POST /chat



EdgeOne Makers agent function (Python, Claude Agent SDK)

| per-request context injection



agents/chat/knowledge/ = the entire "brain"

└ SKILL.md recommendation method

└ profile.json allergies, preset rules

└ restaurants.json 12-place catalog

└ order_history.json 12 past sessions + context

└ feedback.json 9 post-visit reviews

| files tool (sandbox)



taste-memory.json ← chosen options written back

The logic is **data**, not code

- **JSON files** hold the user's world; the system prompt holds the method and guardrails; both injected fresh on every request
- Zero hardcoded scoring rules in the app — change the user by changing the data
- Per-request injection is the multi-user shape already: swap synthetic JSON for per-user records from storage
- Synthetic persona crafted so patterns **pop** in a demo:
peanut allergy · low-sugar habit · quiet laptop-friendly cafés ·
one social exception · a 2★ grudge
- **Watch it think**: the trace panel streams the reasoning live; the Taste Memory lamp fires when your choice is written back

Built on the EdgeOne Makers stack

From the template	Added for TasteBud
SSE streaming chat loop	Concierge system prompt (PRD flow)
Sandbox tools via MCP	<code>food-concierge</code> skill + synthetic dataset
Conversation persistence	Choice write-back (<code>taste-memory.json</code>)
React chat UI	Rebrand: palette, type, preset chips, en/中文 copy

- Model-agnostic: free built-in `@makers/deepseek-v4-flash`, or BYOK (Anthropic API)
- One-click deploy to EdgeOne Makers

Try it in 5 minutes

- **Demo:** follow `DEMO_SCRIPT.md` — happy path → refinement → choice memory → allergy handling at lunch
- **Run it:** `npm install` · `pip install -r agents/requirements.txt` ·
set `AI_GATEWAY_API_KEY` · `edgeone makers dev`
- **Spec:** `docs/PRD.md`

Roadmap

Real accounts → live restaurant data → structured option cards →
full learning loop into canonical history

github.com/arnabmaiti-gif/food-recommender 🍦