

Circular Supply Chain Network - California

Optimal Refurbishment Center Placement

Optimal Facilities

2 Facilities

First Displav Value

Payback Period Years

0.6 Years

First Displav Value

Proposed Recovery

\$3,968,946

First Displav Value

Candidate Facilities


● Central ...

● Los Ang...

● Reno, ...

● San Di...

● San Fr...



Total Capex

\$2,250,000

First Displav Value

ROI (%)


447.6%

First Displav Value

Name	Status	Stores Assigned	Total Supply (units)	Avg Distance from Store (miles)	Annual Op Cost (\$)	Utilization %
Central Valley	Selected	37	19749	271.49	820000	98.75
Reno, NV (Out-of-State)	Selected	17	8391	225.21	720000	33.56
Los Angeles Metro	Not Selected	0	0	0.00	980000	0.00
San Diego	Not Selected	0	0	0.00	920000	0.00
San Francisco Bay Area	Not Selected	0	0	0.00	1050000	0.00

Financial Business Case Analysis

3 - Year Cash Flow Projections





Current Recovery	Proposed Recovery	Improvement %
\$619,080 First Display Value	\$3,968,946 First Display Value	541.1% First Display Value
Total Capex	Payback Period Years	ROI (%)
\$2,250,000 First Display Value	0.6 Years First Display Value	447.6% First Display Value

Network Operational Performance

Store Assignments by Facility

F04 = Fresno, CA : F05 = Reno, NV ● FC04 ● FC05





Initial Optimized Facility -
Computed through Min-Distance
Optimization

Achieved using 'Location Allocation
Tool - Network Analyst'

FC02

Los Angeles Metro

First Name

NOTE -
This map represents INITIAL
GEOGRAPHIC ANALYSIS ONLY.
Distance-optimal
facility placement shown here
serves as a baseline for
subsequent economic