ASSIGNMENT

Java & PHP Lab

March 18, 2021

Arnav Dixit 191112034, CSE-1

Producer Consumer Problem



Computer Science Department MANIT, Bhopal

Producer Consumer Problem

There are two processes, a producer and a consumer, that share a common buffer with a limited size. The producer "produces" data and stores it in the buffer, and the consumer "consumes" the data, removing it from the buffer. Having two processes that run in parallel, we need to make sure that the producer will not put new data in the buffer when the buffer is full and the consumer won't try to remove data from the buffer if the buffer is empty.

Source Code

```
import java.util.LinkedList;
public class q1
    public static void main(String[] args) throws InterruptedException
        final PC pc = new PC();
        Thread t1 = new Thread(new Runnable()
            public void run()
            {
                try
                 {
                     pc.produce();
                 }
                 catch(InterruptedException e)
                     e.printStackTrace();
            }
        });
        Thread t2 = new Thread(new Runnable()
            public void run()
                try
                 {
                     pc.consume();
                 }
                 catch(InterruptedException e)
                     e.printStackTrace();
            }
        });
        t1.start();
        t2.start();
        t1.join();
        t2.join();
    }
    public static class PC
        LinkedList<Integer> list = new LinkedList<>();
```

```
int capacity = 2;
        public void produce() throws InterruptedException
            int value = 0;
            while (true)
                synchronized (this)
                    while (list.size() == capacity)
                        wait();
                    System.out.println("Producer produced-"+ value);
                    list.add(value++);
                    notify();
                    Thread.sleep(1000);
            }
        }
        public void consume() throws InterruptedException
            while (true)
                synchronized (this)
                    while (list.size()==0)
                        wait();
                    int val = list.removeFirst();
                    System.out.println("Consumer consumed-"+ val);
                    notify();
                    Thread.sleep(1000);
           }
       }
   }
}
```

Output

```
C:\WINDOWS\system32\cmd.exe
                                                                                                                    C:\Users\Arnav>cd Documents\sem4\sem4\java_php\03-18-2021
C:\Users\Arnav\Documents\sem4\sem4\java_php\03-18-2021>javac q1.java
C:\Users\Arnav\Documents\sem4\sem4\java_php\03-18-2021>java q1
Producer produced-0
Producer produced-1
Consumer consumed-0
Consumer consumed-1
Producer produced-2
Producer produced-3
Consumer consumed-2
Consumer consumed-3
Producer produced-4
Producer produced-5
Consumer consumed-4
Consumer consumed-5
Producer produced-6
Producer produced-7
Consumer consumed-6
Consumer consumed-7
Producer produced-8
Producer produced-9
Consumer consumed-8
Consumer consumed-9
Producer produced-10
:\Users\Arnav\Documents\sem4\sem4\java_php\03-18-2021>_
```

Figure 1: Producer Consumer Problem

Page 3