

ZMM_ARMS — Hardcoded Values Register (SAPMZMMPREPROLE1)

Oct 5, 2026 · @Arnav Johri

Scope

This register lists every value hardcoded in the active code of module pool **SAPMZMMPREPROLE1**, the program behind ZMM_ARMS. The biggest is a company code → purchasing-group map, copied in 3 places.

- **Program:** package ZMM_OTH, FS-MM-AUTH-004. Created 29.05.2006 by CAB_AJIT; last changed 31.07.2016 by SAB_SUMODH. Includes MZMMPREPROLE1TOP, O01, I01, F01.
- **Source:** SE38 print listing from system OCD, 05.10.2026. The listing cuts lines at column 72, so the cut-off ends were read from the repo copy, which matches the listing line for line.
- **Line numbers:** include line numbers in that listing. They are snapshot-bound, so locate the code by FORM/MODULE name. Commented-out code is not listed.
- **Companion:** [ZMM_ARMS — Functional Overview](#).

1. Company code → purchasing-group prefix map

The user's company code decides which purchasing groups (T024-EKGRP) they may request. The mapping is typed into the code, in 3 identical copies:

Where	Include / line
FORM validate_lineitem_datax (save-time check)	F01 3153–3247
MODULE POV_GRP (F4 help on Purchasing Group)	I01 307–401
MODULE validate_lineitem_data (PAI check)	I01 1804–1898

Company code	Purchasing groups allowed
SBS, SBW	R%
DVP	L%

Company code	Purchasing groups allowed
ANK	A%
BDA, BDW	B%
CBY	C%
AMD	D%
MHN	E%
JDH	G%
RJY	K%
SIL	S%
AGT	T%
MBP	W%
KKL	M% and V% (the only code with two prefixes)
Any other company code	Every group except those starting A-E, G, K-M, R-T, V-W

- **Normal request:** the company code is ZMM_PREP_ROLREQ-CCODE, taken from PA0001-BUKRS.
- **Cross-company request:** it is the user's own PA0001-BUKRS, not the target company code.
- **Impact:** a new or renamed company code, or a new purchasing-group series, means a code change in all 3 places. If the copies ever differ, the F4 list and the save check will disagree.

2. MM-discipline rules

Hardcode	Where	Meaning in code
Discipline code 36	MODULE validate_header_data , I01695	A user whose ZDESIGNATION_REV-DISC_CD is 36 is flagged MM (DISC_MM_FLAG = 'X').

Hardcode	Where	Meaning in code
2nd character of purchasing group between 0 and A	F01 3263/3276, I01 437/450, I01 1913/1926	Non-MM users lose these groups; MM users keep only these. The naming convention is built into the code.
Roles M6, M7, M8	same 3 places	Skip the filter above, so they get all groups of the company code.
ZMM_CONSM-ZAREA starts with M	F01 3349/3372, I01 1134/1157, I01 2002/2025	MM users get only these storage locations; non-MM users never get them.
MM approval only by IM or L1	FORM validations F01 1937–1948; FORM validations1 F01 2083–2089	"This requires approval of I/C MM".

3. Role codes wired into the logic

Role(s)	Hardcoded behaviour	Where
M6, M7, M8	No MM / non-MM filter on purchasing group	see §2
M13, M14, M16, M18, M19	Plant must have storage locations in T001L; the storage location is checked against T001L and ZMM_CONSM	F01 3318–3407, I01 1972–2054
M12	Receipt location category must be RL (ZMM_LOCATION-LOCCG)	F01 3415–3431, I01 1556/2073
M17	Receipt location category must be CF	F01 3434–3444, I01 1569/2086
M8	Approver F4 filtered on ZMM_PREP_APPROVE-M8_FLAG	POV_APPROVER I01 1365; I01 2178
M11S	Approver F4: MM user → MM_FLAG; non-MM user → M11S_FLAG	I01 1322; I01 2135
M11M	Approver F4: MM user → MM_FLAG and M11M_FLAG; non-MM user → M11M_FLAG without MM_FLAG	I01 1342; I01 2155

Role(s)	Hardcoded behaviour	Where
M3, M3A, M3B (CRC)	Approver F4 on ZMM_PREP_APP_CRC-M3_FLAG / M3A_FLAG / M3B_FLAG	I01 1379–1413; I01 2192–2220
M11S, M11M (CRC)	Same as above, read from ZMM_PREP_APP_CRC	I01 1416–1461; I01 2229–2264
M3B, M11S, M11M	On screen 100, CRC position closed and approver open; all other roles get the reverse	MODULE TABCTRL100_attrib O01 884–907

Each role-specific flag is a **column** in ZMM_PREP_APPROVE or ZMM_PREP_APP_CRC. A new role that needs its own approver list therefore needs a table change and a code change.

4. Approval levels and release-code checks

The program's only authorisation checks are 7 hardcoded `AUTHORITY-CHECK OBJECT 'M_EINK_FRG' ID 'FRGCO'` calls in `FORM get_user` (F01 1808–1871). No PFCG role names and no other authorisation object are checked. The first release code that matches sets the user's level.

Release code held	Level	Flag it may set (O01 344–356)	Reject code (I01 2330–2336)
L1, DI, CS, MD	L1	REQ_APP1_FL	R
IM	IM	REQ_APP0_FL	I
L2, L3	L3 (L2 is treated as L3)	REQ_APP_FL	B

- **Hierarchy:** L3 < IM < L1, compared against ZMM_PREP_ROLEGRP-APPROVER1 (`FORM validate_role_approval_level` , F01 3631–3652).
- **Popup text:** IM is shown as "I/C MM" (F01 3663, 3725).
- **Cross-company:** an approver from another company code is blocked (e112) unless listed in ZMM_PREP_EX_APP. In the REQ_APP1_FL branch, L1 is exempt too (`FORM insert_header` , F01 1178).
- **Already approved:** L1 gets i132 if the APP0 or APP flag is already set (`FORM validations` , F01 1893).
- **Impact:** adding a release code, or moving one to a different level, means a code change.

5. Status values

Six status codes in ZMM_PREP_ROLEREQ-STATUS are typed into the code. PC and C are only checked here and never set.

Value	Set or checked where
IC	Set when the creator cancels a release (FORM verify , F01 2314).
IR	Set on Change with correspondence flag on (F01 1250).
IF	Set on approval of an IC or IR request, and on a Display + attachment while IR (F01 970–975, 1054–1059, 1124–1129, 1205–1210, 1244, 1269).
N	Set on approval in all other cases (same places as IF).
PC, C	Only checked: they block Change (FORM validations , F01 1919–1921, 2021). Set by another program, presumably on the ICE team's side.

6. HR and personnel conventions

Hardcode	Where	Note
endda = '99991231' , sprps = ' ' on PA0001 and PA9930	Every HR join (FORM insert_header ×4, validate_lineitem_datax , validate_header_data , POV_PLANT , validate_lineitem_data)	Only the open-ended record counts. A delimited or future-dated record is treated as not found.
PA0027 ENDDA = '99991231' AND SPRPS = ' '	MODULE validate_header_data , I01 736	Cut off in the listing; confirmed from the repo copy.
Personnel no. = 000 + SAP user ID	F01 3006; I01 254, 727, 1657	Assumes every user ID is a 5-digit CPF number. Any other length gives the wrong personnel number.

Hardcode	Where	Note
Reason code 01	I01 631 (default); O01 196, 401, 505	The only reason that opens Personnel Area for input and shows the "joined at new location" popup.
FMZUOB OBJNR LIKE '%<cost centre>'	I01 742–751	Fund centre found by suffix match on the cost centre; a full-table scan.
Fund centre FICTR LIKE '<company code>%'	FORM HELP_LIST , F01 541–548	Assumes every fund centre starts with the company code.
At most 4 fund centres	FORM insert_header , F01 1219–1229	A 5th gives i078.

7. Technical and object hardcodes

Hardcode	Where
Number range ZDOCNUMB, interval 01 (return code not checked)	FORM gen_no , F01 837–842
Long text object ZHELP, ID 0001, line size 72, name = document no.	get_correspondense , save_cors_text , delete_cors_text
Reply header **Reply DD/MM/YYYY <user>	FORM save_cors_text , F01 1770–1774; highlighting F01 1694
Attachments: type ATT, key 01, document no. in the LOGSYS field (DOCNO+2(10) , first 2 of 12 digits dropped), class DOC	attach_files , list_files , F01 3491–3519
Upload mode: TXT/HTM as text, everything else binary	FORM attach_file , F01 2661–2685
Release check sy-saprl GT '4.6D'	F01 2595
Lock object EZ_MM_PREPHDR, mode E	lock_reqhd , unlock_record
Parameter ID ZREQNO; FIS and BUK cleared	F01 82, 1302; O01 582–583
Table-control columns > 11 hidden, column 12 shown	MODULE scr100_col_attrib , O01 1094–1100

Hardcode	Where
Screen 0100 in SWD_DYNPRO_FIELD_GET	I01 422, 1110, 1273, 1549, 2488
Message class ZHELP throughout	—

8. Transaction codes and popup text

Hardcode	Where	Effect
<code>sy-tcode = 'ZMM_ARMS'</code>	<code>MODULE ICE_ARMS</code> , O01 1214-1228	Popup "This transaction has been discontinued. Please use ZICE_ARMS in place of ZMM_ARMS", then <code>LEAVE PROGRAM</code> . That statement sits outside the IF, so any screen that calls this module ends the program.
<code>sy-tcode = 'ZMM_ARMS_CONNECT'</code>	<code>FORM fill_sttab</code> , F01 80-83	Forces Display mode, document no. from parameter ZREQNO.

Popup text is typed into the code, not held in text elements, so it cannot be translated or changed without a code change. All in F01:

- "Please send order copy by fax to **Head-ICE**" (`pop_up_crc_message` 3597, `pop_up_crossco_message` 3616).
- "routed to **ICE core team**" (`popup_release_message` 3674, `popup_approve_message` 3693, `verify2` 3711-3713, `popup_release_message1` 3729).
- "**I/C MM**" (1943, 3664, 3726).

Not hardcoded, and not covered

Already in configuration tables:

- ZMM_PREP_ROLEDES and ZMM_PREP_ROLECRC: which fields each role requires.
- ZMM_PREP_ROLEGRP: approver levels per role.
- ZMM_PREP_APPROVE and ZMM_PREP_APP_CRC: approver lists.
- ZMM_PREP_REJ_LIS: reject codes.
- ZMM_PREP_EX_APP: approvers exempt from the same-company-code check.

- ZMM_LOCATION, ZMM_CONSM, ZD_T001W_BUKRS, ZMM_PREP_CRCDESG:
locations, storage-location areas, plants per company code, CRC positions.

Not in this download: screen flow logic, GUI statuses OPTNS, STATUS_120 and STAT105, the ZHELP message texts, and the number-range interval. Literals in those need checking in SE51, SE41, SE91 and SNRO.