

STEMBridge - teammate testing guide

You do not need to know how to code. Follow the steps, compare what happens with the expected result, and record any difference.

Builder/owner: fill this in before handing the guide to teammates.

Handoff item	Owner fills in
TEST_URL - the exact address everyone should test	
Build/version or Git commit	
Time this version was last checked, including timezone	
Person to contact if setup blocks testing	
Controlled A/B/C accounts ready, or instructions for creating them privately	
Email confirmation ON or OFF, and how testers should complete signup	
Optional live AI ready?	Yes / No

http://localhost:3000 works only on the computer running the website. Teammates on other devices need the **deployed website address** from the owner. Do not assume someone else's localhost opens this project, and do not set up LAN exposure just to follow this guide. Testers do not need Supabase admin access, API keys, or service keys.

This guide covers the current website: sample preview, accounts, profiles, communities, search, saved items, learning plans, **Find my first step**, member details, connection requests, and optional AI assistance. It also includes checks for privacy, phones, keyboard use, and the judge demonstration.

This is a checklist, not a record of successful testing. Every result starts as Not tested. A working preview does not prove that real accounts or requests work. A successful local test does not prove that the deployed website works.

The participant's stated deadline is **4:10 PM IST on 28 September 2026**. Keep the last 25 minutes for the final working version, rehearsal, and submission. If time runs short, complete the 30-minute route and report what remains untested.

1. First: a five-minute test without hints

Give one teammate the website address and the task below. They should not read the rest of this guide yet. The builder should watch without explaining where to click.

> You are a student who knows some Python and wants to try machine learning. Find something useful to learn, find someone who could help, and work out how you would contact them. Save something you want to return to. Tell us which people and opportunities you think are real.

1. Start a five-minute timer.
2. Let the tester explore. They may use the sample preview; do not contact anyone outside the controlled test team.
3. Write down where they hesitate, click the wrong thing, or ask what a word means.
4. At the end, ask them to explain the website in one sentence.
5. Ask: "What would you do next?" and "What does 3 of 7 mean?" Do not correct them until you record their answers.

Record:

Question	Tester answer
What does this website help you do?	
What was your first useful action?	
Could you find a learning resource?	
Could you find a person and understand how to connect?	
Could you save something and find it again?	
Did you distinguish samples from real members?	
What did you think 3 of 7 meant?	
Which label or screen was confusing?	
Where did you need help?	

Do not count a task as easy if the builder had to point out the answer. This test is about understanding, not blame.

2. Before the main tests

Record the run

Item	Fill in
Website address	
Local or deployed website?	
Date and start time	
Version/commit, if the builder provides it	
Tester names	
Browser and device for each tester	
Supabase accounts ready?	Yes / No / Unknown
Email confirmation required? Ask the builder.	Yes / No / Unknown
Live AI connected? Ask the builder.	Yes / No / Unknown
Announced twist, if any	

Use the same website address and backend project across the team. A bookmark saved on localhost is not the same browser preview as a bookmark saved on a deployed address.

How to record each result

- **Pass:** you performed the steps and saw the expected result.
- **Fail:** you performed the steps and something was wrong. Add a bug report.
- **Not tested (NT):** you did not complete the test. Write why: no account, no AI key, setup blocked, no device, or no time.

If a step is blocked, stop that test and mark it NT. Continue independent tests. Do not repeatedly click signup or AI buttons hoping a service restriction will disappear.

Keep a simple result log:

Test ID	Pass / Fail / NT	What you actually saw	Tester	Screenshot or bug ID
	NT			

Use screenshots of the website, but do not include passwords, email inboxes, API keys, tokens, or private account setup screens. Use the account nicknames below in reports.

Know which mode you are testing

What you see	What it means	What must not be claimed
Demo · Sample data , Priya or Aisha, Switch profile	You are using a local sample workspace. Changes and bookmarks stay in that browser.	Sample people do not receive real requests. This is not a signed-in community account.
Signed in and your test account's name	You are using a real registered account in the configured project.	A real account is not a verified identity or verified mentor credential.
Sample listing on a competition or internship	The listing demonstrates the workflow.	There is no live employer, deadline, event registration, or application.
Practice brief or Practice exercise	STEMBridge authored a learning exercise.	It is not an external course, certification, or promised job.
Official resource	The link leads to the named publisher's documentation.	Reading or saving it does not prove you acquired the skill.

Requests appear in the **Connections** inbox. There is no email notification, live chat, or automatic agreement. **Refresh inbox** or reload the other account's page after a change; live push updates are not required.

Set up three controlled accounts

Use accounts and email addresses your team controls. Never test by contacting an unrelated real person. Choose unique test passwords and keep them out of this document.

Use **three independent browser sessions**. For example: Chrome profile A, Edge profile B, and a separate Chrome profile C. Two ordinary tabs share a login. Two private windows in the same browser may also share a private session. Confirm the displayed name in each window before every cross-account action.

Account	Display name	Purpose	Initial profile
A	QA Learner	Sends requests and saves a plan.	Data & AI; Learn with others ; Python basics, Git basics, Technical communication; Online.
B	QA Mentor	Receives requests and responds.	Data & AI; Be a mentor ; Python basics, NumPy basics, pandas basics, ML foundations, Small ML project; Online.

Account	Display name	Purpose	Initial profile
C	QA Observer	Checks that A/B's private information is hidden. Later becomes a peer for a separate test.	Data & AI; Learn with others ; Python basics and Git basics; Online. Keep visibility and incoming requests off initially.

For each account:

1. Open the website in its assigned browser session.
2. Click **Join STEMBridge**. If the account already exists, choose **Sign in** inside the account window.
3. For a new account, fill **Your name**, **Email address**, and **Password**, then click **Create my account**. The password must be at least eight characters.
4. If asked to confirm email, use only your controlled inbox and follow the displayed instructions. If confirmation mail does not arrive, tell the builder and mark account tests NT. Do not silently change project settings. The builder can follow [SUPABASE SETUP.md](#).
5. Open **My profile**. A new account may open this automatically.
6. Set the values in the table. Under **More about you (optional)**, give A the introduction “Learning ML with a small project” and B “Helping beginners with ML projects.” This makes accounts easy to recognise.
7. For A and B, enable **Show my profile in the public directory** and **Let members send me connection requests**. Leave both off for C for now.
8. Click **Save profile**. For A and B, open **Communities** and click **Join community** on **Data & AI Circle**.
9. Reload A's page. B should be findable in the Data & AI community after B saves and joins.

If B is missing, check these in order: same website/project, correct account, saved profile, Data & AI interest, relevant skills, mentor role, public visibility, incoming requests enabled, Online support, joined Data & AI, no leftover search, and the correct role filter. Reload A after fixing B.

3. The 30-minute critical route

Use this when time is tight. Two teammates should operate A and B; a third can prepare C at the same time. Account setup delays are real blockers - record them instead of declaring a pass.

Time	Numbered task	Expected result
0-5 min	1. Run the blind test in section 1.	The tester can describe the purpose and identify sample content without coaching.
5-10 min	2. In preview, use Priya. Open See my plan . Confirm 3/7 . Save a resource, reload, and find it with Saved only .	Correct count; bookmark survives; no claim of live networking.

Time	Numbered task	Expected result
10-16 min	3. Sign in as A and B using the setup above. A chooses Build your first ML project . Open B's View profile .	A sees a real, available mentor with the correct public details.
16-23 min	4. A opens Find my first step , edits Your introduction , then clicks Review request and Send request . Confirm B is the recipient first. B opens Connections → Received requests → Refresh inbox and accepts with “Write a short project outline and choose one dataset.” A refreshes.	A sees one useful action and reviews before sending. One request moves from Pending to Accepted. Both accounts see the same next step after reload.
23-27 min	5. C checks both request tabs. A signs out. Reload A's old page and sign in as C in that session.	C cannot see A/B's request. A's private request text and drafts do not remain after the account change.
27-30 min	6. Open the site on a phone or narrow window. Use the four navigation buttons, open and close a plan, and use Tab/Enter on one dialog.	No clipped main button, sideways page scrolling, or keyboard trap. Record the release decision from section 17.

After the route, report: “Critical route: X passed, Y failed, Z not tested.” List the actual blockers. Do not turn an NT into a Pass because the code looks correct.

4. Split the full checklist between teammates

Tester	Main job	Sections
1 - learner	Preview, profile, plan, catalogue, bookmarks, first-step guide	5-8, 18
2 - supporter	Community, profile details, and requests with tester 1	9-10
3 - outsider/usability	Third-account privacy, account changes, phone, keyboard	11-13
4, if available - builder/technical teammate	Optional AI, failures, developer checks, judge run	14-17, 19

With two teammates, do requests together first. Split the remaining work. Before changing B's role, visibility, or online mode, tell the teammate using A. Restore the starting values after each test so the next result is meaningful.

5. Preview and navigation

Use a signed-out browser for this section. If someone edited the preview earlier, click **Switch profile** until Priya appears again; loading a sample replaces the current preview with that sample's starting values. It is not a second authenticated account.

ID	Steps	Expected result	Result
P01	1. Open the site while signed out. 2. Read the banner and top account area.	Demo/sample wording is visible. You are not shown as a signed-in user.	NT
P02	1. Click My Hub , Communities , Explore , and Connections . 2. Use browser Back and Forward.	Each opens the right section. Back/Forward follows the visited sections without a broken page.	NT
P03	1. Open Explore . 2. Reload the page.	Explore remains the selected page. Temporary search/filter choices need not survive reload; account data and saved items must.	NT
P04	1. From My Hub click All communities , See all people , and View all under opportunities.	They open Communities, the Everyone people filter, and Explore respectively.	NT
P05	1. Click a community's name. 2. Select the other community.	The community heading, people, and related opportunities change to the selected circle.	NT
P06	1. Click Switch profile . 2. Compare Priya and Aisha.	Name, skills, goal, people, and resources change meaningfully between ML and robotics. Aisha starts with C basics and Arduino basics.	NT
P07	1. Edit a preview skill and save. 2. Save an opportunity. 3. Reload the same browser.	Both changes remain in that browser. Saving says preview/browser rather than publishing a real profile.	NT
P08	1. Open a sample person's View profile . 2. Read the sample note. 3. Try Meet real members or a sign-in prompt.	The person is labelled fictional and cannot receive a live request. The next action opens account access; it does not show "request delivered."	NT
P09	1. While signed out, try Join community and Sign in to connect in Connections.	Account access is requested. No real membership or request is created.	NT

ID	Steps	Expected result	Result
P10	1. If using a deliberately unconfigured build, open account access. 2. Click Keep exploring .	It explains that accounts are not connected and returns to a working preview. Do not remove working configuration just for this test.	NT

There is currently no “Clear my data” or account-deletion button. Do not report an imaginary button as broken. **Switch profile** reloads a sample; it does not erase a registered account.

6. Accounts and sign-in

Use only controlled accounts. Avoid repeated failed signup attempts that can trigger a provider limit.

ID	Steps	Expected result	Result
A01	Complete a valid signup following section 2.	A usable account or a clear confirmation-required message appears. It does not falsely say you are signed in when confirmation is still required.	NT
A02	1. Open account access. 2. Switch between Sign in and Create an account .	Signup includes Your name; sign-in does not. Button labels and password rules fit the selected form.	NT
A03	Try submitting blank required fields, an obviously malformed email, and a signup password shorter than eight characters.	Clear validation prevents submission. No page crash or false success. Do not record the password in the report.	NT
A04	Use A's real test email with a wrong test password once. Then correct it.	Wrong credentials show an error and leave the form usable. Correct credentials sign in as A.	NT
A05	If time permits, try creating an account with A's existing email once.	No second distinct account with the same email is created. Record the provider's actual response; it may avoid revealing whether an email exists.	NT
A06	1. Sign in. 2. Reload. 3. Close and reopen the same browser session.	The expected account is restored where the browser keeps sessions. No different user's profile appears.	NT
A07	Click the Sign out icon, then reload.	The website returns to sample preview. Private requests and account-only controls are no longer shown.	NT

ID	Steps	Expected result	Result
A08	Close account access using X and Escape before submitting. Reopen it.	It closes cleanly. Abandoned password fields are not left visible elsewhere on the page.	NT
A09	Open account access on a phone/narrow window.	Name/email/password and submit/switch controls fit and remain usable.	NT

Password reset, password change, and email notifications are not implemented as website features. A tester should not expect those buttons. Email confirmation, if enabled by the owner, must be tested separately rather than assumed to work.

7. Profile editing and learning plan

Use preview for experiments, then repeat the save/reload checks in A's real account.

Profile controls

ID	Steps	Expected result	Result
F01	Open My profile , the pencil icon, and the profile icon in turn.	Each opens the correct current profile, not a stale other-account form.	NT
F02	Edit Your name and Main interest. Save and reload.	The changes remain. Selecting a main interest also keeps that interest available for recommendations.	NT
F03	Change I want to... through Learn with others , Be a mentor , and Learn and mentor . Save each test.	Roles are saved. Another account sees the correct role and allowed connection choices. Restore the intended role afterward.	NT
F04	Tick and untick skills. Save and reopen.	The exact selection persists. Merely mentioning a skill in a bio does not automatically tick it.	NT
F05	Leave AI assistance and More about you collapsed. Change a visible skill and save.	Saving works without AI, extra text, or opening optional sections.	NT
F06	Open More about you (optional) . Edit A short introduction, A little more about you, and Topics you can help with. Save and view the profile from another account if public.	The correct public text appears. It is plain text, with no accidental markup or clipped important content.	NT

ID	Steps	Expected result	Result
F07	Enter comma-separated topics such as Project feedback, Study buddy, Python practice.	Topics save as separate items; empty spaces do not create meaningless blank chips.	NT
F08	Paste t01,t02,t03,t04,t05,t06,t07,t08 ,t09,t10,t11,t12,t13,t14,t15,t16,t17 ,t18,t19,t20,t21 into topics. Collapse the optional section and save.	Saving is blocked with a useful error; the optional section opens and the topic input receives focus. Remove the extra topic afterward.	NT
F09	Clear the name or enter only spaces; try saving. Then restore it.	A clear validation message prevents an unusable blank name.	NT
F10	Untick both Online and In person under I can connect... ; save.	A message asks for at least one way to connect. Restore Online.	NT
F11	Change fields, then click Cancel , X, or Escape without saving. Reopen.	Unsaved changes are discarded; stored values remain.	NT
F12	Change interests and the online-only preference; save and reload.	Changes persist and affect relevant recommendations. The “online only” preference is distinct from the ways this member personally offers to connect.	NT
F13	Save two different kinds of changes one after another, such as a bookmark followed by an online preference. Reload.	The second change does not erase the first.	NT

Exact plan checks

For G01-G06, start with Priya or give A exactly **Python basics**, **Git basics**, and **Technical communication**, and choose **Build your first ML project**.

ID	Steps	Expected result	Result
G01	Open See my plan .	3/7 means three of this listing's seven skills are in the confirmed profile. It is not a score of employability, qualification, or tested ability.	NT
G02	Open Skills you already listed (3) and read Skills to learn .	Existing: Python basics, Git basics, Technical communication. Missing: NumPy basics, pandas basics, ML foundations, Small ML project. No duplicates.	NT

ID	Steps	Expected result	Result
G03	Open the foundation links and expand the small practice exercise.	The plan links gaps to relevant material; the practice instructions are readable. Official links and local exercises are distinguishable.	NT
G04	Save a resource, open its external link, close it, and reopen the plan.	Coverage stays 3/7 . Opening or saving a link does not add a skill.	NT
G05	In My profile, deliberately tick NumPy basics , save, and reopen the plan.	Coverage becomes 4/7 . NumPy disappears from missing skills and its now-unneeded foundation recommendation. Untick it to restore 3/7 .	NT
G06	Remove Python basics as well, save, and reopen.	The count decreases honestly. Any gap without a listed resource is shown as unresolved rather than being hidden or filled with a made-up link. Restore the starting profile.	NT
G07	In preview, switch to Aisha and open the sensor project.	The goal is Make a sensor-powered prototype ; the initial count is 2/7 . Robotics skills/resources and relevant people replace ML suggestions.	NT
G08	Open Arduino built-in examples , which has no listed starting requirements.	The website explains that no starting skills are listed. It does not display a false 100% or 0/0 readiness claim.	NT
G09	In Explore, open another project, competition, or internship and click Choose this goal . Close the panel and go to My Hub. Reload.	The selected goal and plan update and persist. In the panel its action becomes Current goal .	NT
G10	Toggle Online only in the plan, then visit My Hub and Explore.	The same saved preference is reflected across surfaces; unsupported in-person matches disappear. Constraints are not silently ignored.	NT
G11	In Priya preview, turn Online only off and on. Inspect Data & AI mentors.	In-person-only Meera can appear when off and must disappear when on. Online Ananya remains eligible. Use Communities → Mentors if a smaller home recommendation list hides the alternative.	NT

ID	Steps	Expected result	Result
G12	Inspect a robotics project that requires equipment.	Hardware required remains visible. Free documentation is not presented as a guarantee that a physical build has no cost.	NT

8. Explore, search, links, and bookmarks

For catalogue counts, clear the search, choose **All**, set **All STEM fields**, turn **Saved only** off, and turn **Online only** off. The current catalogue has two projects, two competitions, two internships, and eight resources. If the builder intentionally changes the catalogue, update this fixture before judging counts.

ID	Steps	Expected result	Result
D01	Click All , Resources , Competitions , Internships , and Projects .	Each tab shows its own category and a matching result count. Competitions and internships are explicitly samples.	NT
D02	Change All STEM fields to Data & AI, then Robotics & Makers.	Results match the selected field. Changing field does not silently clear another active filter.	NT
D03	Search pandas, then PANDAS, then pandas.	Case and outer spaces do not change the matching set. Results may match a listed skill/requirement, not only the card title.	NT
D04	Compare searches ML and machine learning.	The equivalent topic finds the same matching set with the same filters.	NT
D05	Combine Resources + Data & AI + a search + Online only. Then add Saved only.	All active filters apply together. Results are not unrelated filler cards. Zero results is acceptable when nothing satisfies the combination.	NT
D06	Search zzzz-no-such-topic. Use the search field's X or the empty-state Browse all button.	An understandable empty state appears. Clearing search restores eligible results. Browse all clears search/category/domain/saved filters but preserves the user's Online only preference.	NT
D07	Click a card title and View plan or View resource in turn.	Both open that card's detail panel, not a different item.	NT

ID	Steps	Expected result	Result
D08	Click Open resource for NumPy, pandas, scikit-learn, and Arduino.	A new tab opens on the correct official publisher's page. The original app stays available. Record a network/provider outage separately from a wrong link.	NT
D09	Expand an authored practice brief.	The exercise instructions are visible without a fake external link. No Apply/Register button pretends a sample listing is live.	NT
D10	Click a card's bookmark icon. Open its detail panel.	Both surfaces agree that it is saved. The icon's accessible label changes from Save to Unsave; the detail action changes to Saved .	NT
D11	Save two different items consecutively. Reload and turn on Saved only .	Both items remain saved. One save does not overwrite the other.	NT
D12	Click Saved or the filled bookmark to remove one. Reload.	Only that item is removed. Other bookmarks remain.	NT
D13	With no saved items, enable Saved only.	Nothing saved yet explains how to add one; Browse all returns to browsing.	NT
D14	Save different items in A and B. Reload both.	Saved lists belong to their respective accounts. A's private saved list is not shown as B's list.	NT
D15	Edit/save preview data, then sign in to a real account.	Sample skills and bookmarks do not silently become that account's data. Signing out returns to the browser's preview, clearly labelled.	NT

9. Communities, people search, and member profiles

Use A to observe B. Refresh A after B changes something. Community counts describe **visible members**, while the person list additionally applies availability, role, skills, search, and online filters. A visible count can therefore be larger than the recommendation list; this is not automatically a bug.

ID	Steps	Expected result	Result
C01	B clicks Join community in Data & AI; reload B. Refresh A.	B sees Joined after reload. A can see B's membership if B is public. No duplicate membership is created.	NT

ID	Steps	Expected result	Result
C02	B clicks Joined to leave; reload both. Rejoin afterward.	B's membership and the relevant visible count update. The action does not delete B's account or old requests.	NT
C03	Join both circles, then leave only one.	Each membership is independent. Membership alone does not invent expertise in another field.	NT
C04	Switch Everyone , Mentors , and Peers .	Mentor-only B appears as a mentor; learner-only people appear as peers. A dual-role person can qualify for either filter. The home section should not duplicate the same person unnecessarily.	NT
C05	Search B's exact name, a listed skill such as NumPy, and a help topic B saved.	B is findable through those public fields while still meeting the current filters.	NT
C06	Search a nonsense name; use Clear search and the search X.	An empty state appears and both clearing controls work. Neither changes another person's profile.	NT
C07	Search B while selecting Peers when B is mentor-only. Then choose Mentors.	Search does not bypass the role filter. B appears only when the role fits.	NT
C08	B chooses only In person under I can connect. A turns Online only on/off. Restore B to Online.	B disappears with Online only on and can reappear when off. Relevance and visibility still apply.	NT
C09	Click B's name and View profile .	Both open B's full headline, bio, skills, help topics, role and connection formats. No email, password, private saved list or private introduction text is exposed.	NT
C10	Compare the displayed member details with what B saved.	Full text is accurate; skills are described as self-reported. Missing optional content has a sensible empty state.	NT
C11	In B's member view, click Ask for guidance .	The member panel closes and the request form opens for B with the expected goal. Nothing is sent yet.	NT
C12	Change B to Learn and mentor, save and refresh A. Open B's profile.	Both Ask for guidance and Ask to collaborate are available. Each opens the correct request type. Restore B to a mentor.	NT

ID	Steps	Expected result	Result
C13	For a learner-only person, open the profile.	Collaboration is available; mentor guidance is not falsely offered.	NT
C14	B turns off Let members send me connection requests , saves; refresh A.	B stops being an available recommendation. New requests are blocked. B's public membership may still contribute to visible counts; old requests remain. Restore the setting.	NT
C15	B turns off Show my profile in the public directory , saves; refresh A and C.	B's profile and circle memberships are no longer exposed to those accounts. B still sees their own membership. Turning public visibility back on may require enabling incoming requests again.	NT

10. Real requests: send, accept, decline, cancel

Use different goals for different outcomes so an existing accepted connection does not block a new test. Keep the main accepted request intact for the demonstration.

Test request	Sender → recipient	Goal	Planned outcome
Main	A → B, mentorship	Build your first ML project	Accept
Decline	A → B, mentorship	Data for Good: mini challenge	Decline
Cancel	A → B, mentorship	Data exploration internship	Cancel
Peer	A → C, collaboration	Build your first ML project	Accept or decline, as agreed

Use clearly recognisable messages, such as: “QA Main: Could you review the scope of my first ML project?” Do not put real personal or sensitive details into test requests.

Main successful route

1. In A, find B and open **View profile → Ask for guidance**.
2. In **Your goal**, select **Build your first ML project**.
3. Check **How would you like to connect?** says **Ask a mentor**.
4. Read the suggested **Your message**. Replace it with the QA Main message above.

5. Click **Send request** once. A should land in **Connections → Sent requests** with a Pending request.
6. In B, open **Connections → Received requests** and click **Refresh inbox**.
7. Confirm the sender, goal, type and message. Click **Accept request**.
8. In **What should you work on next?**, enter: "Write a short project outline and choose one dataset." Click **Accept request**.
9. In A, click **Refresh inbox**. Both accounts must now show Accepted and the same next step.
10. Reload both browsers and repeat the check. No email notification is expected.

Lifecycle and negative tests

ID	Steps	Expected result	Result
R01	Perform the ten-step main route above.	One real request is shared between A and B, with the correct accepted state and next step after reload.	NT
R02	Open a request form, edit it, then click Cancel , X or Escape.	No request is created. Merely opening a member profile or form sends nothing.	NT
R03	With the initial suggested message still unedited, change the goal and request type.	The draft updates to the new context. If you edited the message yourself, it is preserved; review it before sending with a different goal.	NT
R04	Enter fewer than ten non-space characters; try sending.	Validation prevents sending and explains the problem. Correcting the message works.	NT
R05	Click Send request twice quickly, then refresh both inboxes.	Only one active request exists for the same sender, recipient, goal and help type. The second click may be disabled/ignored while sending; a later duplicate submission is rejected.	NT
R06	After the main request is Pending or Accepted, try the same pair/goal/help type again.	A clear duplicate/active-request error appears; no second active row is created.	NT
R07	Create the Decline request. B clicks Decline , then A refreshes.	Both see Declined. There is no acceptance note and no still-active Accept/Cancel action.	NT
R08	Create the Cancel request. A clicks Cancel request , then B refreshes.	Both see Cancelled. B cannot accept that cancelled request.	NT

ID	Steps	Expected result	Result
R09	After the declined test, send the same declined pair/goal/type again once. Agree to decline or cancel the new request.	A new request may be created because there is no Pending/Accepted request for that combination. History is retained.	NT
R10	On B's acceptance form, leave the next step empty or under five non-space characters.	Accept is unavailable until there is a meaningful next step. Go back closes without accepting.	NT
R11	Accept once, then refresh. Inspect the old request.	It remains Accepted. Accept and Decline are no longer offered for the completed transition.	NT
R12	Check A's sent request and B's received request while Pending.	A can cancel; B can accept/decline. A cannot accept its own sent request and B cannot cancel as the sender.	NT
R13	Open a request to B in A. In B, disable incoming requests and save. Then A attempts to send the already-open draft.	The backend rejects the stale attempt. No false success or new request appears. Restore B's settings.	NT
R14	Repeat R13 but make B learner-only while A's draft asks for mentorship.	The mentorship request is rejected. A can use collaboration only if appropriate. Restore B's mentor role.	NT
R15	Temporarily make C public, open to requests, joined to Data & AI and learner-only. A opens C's profile and clicks Ask to collaborate . C responds.	A real peer flow works independently of the A/B mentor flow. C still cannot see A/B's private request.	NT
R16	Click a goal title inside a request card.	The correct plan opens without changing the request's status or recipient.	NT
R17	Compare Pending, Accepted and Total requests with the actual records for the account. Switch Sent/Received tabs.	Counts cover that account's own participation. Declined/cancelled requests remain in Total. No third-party rows appear.	NT
R18	Refresh the inbox repeatedly, including when empty.	No duplicate rows, fabricated messages or infinite spinner. The refresh notice is understandable.	NT

11. Privacy and account switching - do not skip

These tests use A, B, and C. An “outsider” is anyone who is not a participant in the particular request; C may have a separate legitimate connection with A and still must not see A/B's request.

ID	Steps	Expected result	Result
I01	In C, inspect Sent requests and Received requests after A and B complete the main request.	A/B's message, status, and next step are absent. C sees only requests involving C.	NT
I02	Save a distinctive item and goal in A. Sign in as C in an independent browser and open C's profile/saved items.	A's private saved list, goal preferences and AI introduction are not copied into C.	NT
I03	In A, sign out and reload the old Connections page.	Sample preview replaces the account view. No A request, private message, next step or live membership remains displayed.	NT
I04	In A, open two ordinary tabs of the same browser session. In tab 1 open a request draft and type PRIVATE A DRAFT - discard on account change. In tab 2 sign out, then sign in as C. Return to tab 1.	The old dialog closes when the account changes. C cannot read or send A's draft. If the browser does not propagate the change, reload tab 1 and report that limitation.	NT
I05	Repeat the two-tab test with B's Accept request dialog and a private unsent next-step draft. Switch that session to C in the other tab.	The acceptance dialog and draft disappear. C cannot accept B's request or see B's draft.	NT
I06	Repeat an account change while My profile or a member panel is open.	Old account drafts and targets do not remain as C's editable form. C's own onboarding form may open if its profile is empty.	NT
I07	In one account, make an unsaved draft, then trigger an ordinary same-account refresh/session update without signing out.	A normal same-account update should not unexpectedly turn the draft into another user's data. Reloading the whole page can discard unsaved drafts; that is different from losing saved data.	NT
I08	Keep C hidden and joined to a circle. A and B reload Communities. Then make C public and reload again.	Hidden C and its membership are absent to others; public C can become visible. C can see its own membership in either state.	NT

ID	Steps	Expected result	Result
109	Search for A's email in B's people search and inspect A's member details.	No email field, password, private AI introduction or request history is exposed by member details/search. Public profile text remains visible if opted in.	NT
110	Ask the developer to complete the read-only permission checks in section 19.	Database rules also block unrelated reads/actions. The absence of a UI button alone is not proof of server-side privacy.	NT

If someone else's private draft or request is visible after an account change, stop the release and report it as a blocker. Do not take a screenshot containing real private information; reproduce with the harmless QA text above.

12. Every-button sweep

Use this short sweep after the main cases. An icon can be tested by hovering, focusing it with Tab, or reading its accessible name with a screen reader.

Area	Controls to click at least once	What to check
Navigation	My Hub, Communities, Explore, Connections; browser Back/Forward; Skip to content with keyboard	Correct destination; visible focus; main content reachable.
Account	Join STEMBridge, Sign in, Create an account, Create my account, Sign out icon	Correct form/action; no unexplained dead control.
Preview	Switch profile; Keep exploring when unconfigured	Correct sample; no live-action claim.
Home	My profile, edit pencil, profile icon, See my plan, All communities, See all people, View all	Correct panel/page; See all people does not silently select mentors only.
First step	Find my first step, three support choices, Online support only, Open the guide/Read the exercise, Your introduction, Review request, Sign in to connect, Visit their website	One relevant action; editable message; review before sending; honest sample/empty state.
Community	Circle title, Join community, Joined, Everyone, Mentors, Peers, Online only	Selection, membership and filtering work. Joined is also the leave action.

Area	Controls to click at least once	What to check
Search	Both search fields, their X controls, Clear search, Browse all	Results/counts update; clear behavior is understandable.
Cards	Person name, View profile, catalogue title, View plan, View resource, bookmark	The selected person/item opens; bookmark toggles only that item.
Profile	Skill/interest/mode checkboxes, role/domain selects, privacy and request checkboxes, optional summaries, Save profile/Save preview profile, Cancel	State changes as labelled; optional fields do not block normal saving.
Member panel	Close/X/Escape; Ask for guidance, Ask to collaborate, Meet real members or Sign in to connect where shown	Correct role and recipient; samples cannot be messaged.
Plan	Choose this goal/Current goal, Open resource, Save for later/Saved, existing-skills summary, practice summaries, Online only, Ask for help/Connect	Correct goal/state/link; expanded content remains readable.
Requests	Your goal, connection-type select, Your message, Send request, Cancel	Review before sending; correct recipient/type/context.
Inbox	Refresh inbox, Sent requests, Received requests, goal title, Accept request, Decline, Cancel request	Correct lifecycle and permissions.
Acceptance	Next-step field, Go back, Accept request	Only intentional acceptance saves the note.
Feedback	Dialog X/Escape, notification X, error-banner X	They dismiss the intended thing; errors do not vanish before they can be read.

Decorative initials, icons, badges, and static headings do not need to act like buttons. A control that looks clickable but does nothing should be reported with its exact label and screen.

13. Phone, keyboard, and readability

Use a real phone if possible. Otherwise narrow the browser to about 390 pixels using its device preview. Also check a small laptop window and 200% browser zoom.

ID	Steps	Expected result	Result
U01	Visit all four pages at narrow width. Scroll to the bottom.	No sideways page scrolling; headings, navigation and primary actions stay usable.	NT
U02	Open profile, member, plan, request, and acceptance dialogs on the phone.	You can reach Save/Send/Accept/Cancel and the close button without content being trapped below the screen.	NT
U03	Type in search and request fields with the phone keyboard open.	The active field and the way to finish/cancel remain reachable; text does not overlap buttons.	NT
U04	At 200% zoom, repeat a form and a catalogue filter.	Content reflows; essential labels and actions remain visible.	NT
U05	Put the mouse aside. Use Tab, Shift+Tab, Enter, Space, and Escape to open a plan, expand a section, save an item, and close a dialog.	Focus is visible. Buttons and checkboxes work. Focus stays in an open dialog and returns somewhere sensible on close.	NT
U06	On a fresh page, press Tab to reach Skip to content and activate it.	It moves the user to the main page content instead of forcing repeated navigation steps.	NT
U07	Use only the keyboard to open/close AI and More about you sections. Trigger the invalid-topic test F08.	Disclosure controls work; validation reveals the field rather than leaving focus on a hidden control.	NT
U08	Inspect error text, sample labels, request statuses, counts and selected filters.	Meaning is readable without relying only on colour, a tiny icon, or hover. Text is comfortably readable.	NT
U09	If a teammate uses a screen reader, inspect modal titles, input labels, bookmark/clear/close icons and result counts.	Controls have understandable names; announced changes are useful. Mark NT if no one can perform this check.	NT
U10	Check long public names, a multi-line bio, and a long but valid message using controlled accounts.	Text wraps without hiding actions or breaking cards. Do not use offensive or real sensitive text.	NT

Passing these checks is useful evidence, not a claim of complete accessibility certification.

14. Optional AI assistance

AI is optional. Manual profile editing must work whether AI is connected or not. Ask the builder whether live Gemini is enabled. Do not add keys, change billing, or repeatedly send paid/provider requests just to force a failure.

1. Use a signed-in controlled account when the site is connected to Supabase.
2. Open **My profile → Suggest skills with AI (optional)**.
3. Read the consent wording. It names Google Gemini.
4. Use only the harmless test descriptions below.

ID	Steps	Expected result	Result
AI01	Enter a description but leave the Gemini consent box unticked.	Suggest skills remains disabled. Manual checkboxes remain usable.	NT
AI02	Tick consent with fewer than ten non-space characters in the description.	Suggest skills remains unavailable until the minimum input is present.	NT
AI03	If no key is configured, try one valid consented request.	An honest unavailable/not-connected message appears. The text remains and you can continue manually. No fake AI result appears.	NT
AI04	If live AI is available, submit: "I can write beginner Python and commit code with Git. I want to learn pandas and build my first ML project. I have never used NumPy."	Suggestions may include supported Python/Git with exact evidence. pandas, NumPy and a completed ML project must not be claimed as existing skills. Record the actual result.	NT
AI05	Inspect the evidence, interests and goal before clicking Use these suggestions .	The profile has not silently changed or saved. The learner can decide whether suggestions are correct.	NT
AI06	Click Use these suggestions. Check the manual skills, then Cancel without saving. Reopen the profile.	Suggestions were a draft; cancelled changes do not persist. Existing previously confirmed skills were not silently erased.	NT
AI07	Repeat and deliberately correct a suggested skill, then Save profile and reload.	The saved manual confirmation is the source of truth. Counts follow the saved skills, not the model's unconfirmed output.	NT
AI08	Submit once, if quota/time allow: "I don't know Python. I have no experience with pandas. I want to learn machine learning."	Negations and aspirations do not become existing skills. Empty skill suggestions are acceptable.	NT

ID	Steps	Expected result	Result
AI09	Close the profile while a suggestion is loading; reopen it.	No later result from the abandoned form overwrites the new form or another account's profile.	NT
AI10	If a timeout, quota limit, or provider failure occurs naturally, wait for the error and continue manually.	The spinner ends, typed text is preserved and Save remains recoverable. Never treat a provider failure as a successful AI demonstration.	NT
AI11	In signed-out preview with Supabase configured, try AI once if needed.	A sign-in requirement is acceptable; manual preview editing still works.	NT

Do not expect identical wording from live AI every time. Judge whether existing skills are justified, whether the learner reviews them, and whether failure leaves the core task usable. The developer tests cover malformed responses without needing testers to manufacture a provider outage.

15. Errors, slow connections, and recovery

Coordinate network tests so you do not interrupt another teammate's live request. Use only your own device/browser. Reconnect promptly.

ID	Steps	Expected result	Result
E01	Load the app, then temporarily disconnect that device from the internet.	An offline notice appears. Already displayed content remains understandable; the app does not pretend disconnected live writes succeeded.	NT
E02	While offline, try one account save or inbox refresh. Wait, then reconnect and reload.	A bounded failure/recovery message appears rather than an endless spinner. The server's last confirmed state is shown after reconnecting. Record what actually saved.	NT
E03	After an error, dismiss the error banner and retry a valid action online.	The error can be dismissed; the app is usable again and the successful result is visible.	NT
E04	Save several different bookmarks quickly; change a preference after them; reload.	Successful actions are retained without the last action erasing earlier ones.	NT
E05	Click Join/Joined more than once in sequence, waiting for each action to finish.	The final membership matches the final action; no duplicate membership or stuck state.	NT

ID	Steps	Expected result	Result
E06	Change a skill and an optional profile field in one save. If a network error is deliberately encountered, reconnect and reopen the profile.	The app does not claim the whole profile saved if only part did. It explains partial failure and allows review/retry. Mark NT if no partial failure was encountered.	NT
E07	Reload a direct page URL such as the address ending <code>?view=connections</code> ; open it in a second session.	The page loads without a route error. Private content still depends on that session's account.	NT
E08	If a developer provides a disposable preview with corrupt local storage, reload it.	It recovers to a usable sample instead of a blank/crashed page. Ordinary testers should not clear another teammate's account/browser data to force this.	NT

Do not close the dev server, edit `.env.local`, delete accounts, disable database protection, or run random console code to simulate failures. Ask the builder to arrange a controlled setup when needed.

16. Judge and ordinary-user review

Give a teammate three minutes to demonstrate the site. Then answer the questions below without opening the code.

1. Which problem does STEMBridge solve for women interested in STEM?
2. Where can a user find mentors, peers, communities, resources, competitions, internships and projects?
3. What useful action can a beginner take after selecting a goal?
4. Why is a particular person suggested?
5. What changes when Online only changes?
6. Which people and listings are samples? Which account interaction actually reached another test account?
7. What does 3/7 mean, and what does it not mean?
8. Does saving a resource or accepting a connection claim that a skill was learned?
9. Where is AI used, and can the website work without it?
10. How would the user know a request was accepted? Is an email promised?
11. What information becomes public when a user opts in? What remains private?
12. If a twist was announced, can the teammate show the actual adaptation and explain its limit?

Rate each item from **1 (poor)** to **5 (clear/easy)**, with one example. These are teammate feedback scores, not official judging marks.

Item	Rating 1-5	Example or suggested improvement
Purpose is understandable		
First useful action is obvious		
Navigation and labels are simple		
Text is readable and screens feel uncluttered		
Profile/consent/visibility choices make sense		
Recommendations are explained		
Requests feel complete and trustworthy		
Sample and real information are distinguishable		
Phone and keyboard experience		
Three-minute demonstration is convincing		

For the official rubric, collect evidence rather than guessing a score:

Judging area	Evidence to look for
Understanding the problem	A beginner can find support and a next action, not just a wall of cards.
Innovation and creativity	Goal, missing skills, resources and relevant people connect in a useful way.

Judging area	Evidence to look for
Technical implementation	Real input changes the output; account permissions and request transitions work.
Working prototype	Separate accounts complete the request loop and saved state survives refresh.
Twist	The actual announced requirement has a demonstrated, tested response. If none was supplied, say so.
Time strategy	A known-working version, clear limits and a rehearsed submission exist before the deadline.
Presentation	A teammate can explain what is real, what is sample, and how the product works in plain language.

Do not pitch verified mentors, guaranteed internships, an employability percentage, a live event feed, production security certification, or live AI unless the relevant claim has actual evidence.

17. Bug reports and the release decision

Copy this bug template

Bug ID / test ID:
Short title:
Severity: Blocker / Major / Minor
Website address and version:
Browser/device:
Mode/account nickname: Preview / A / B / C

Steps:

- 1.
- 2.
- 3.

Expected:

Actually happened:

Repeatable? Always / Sometimes / Once

Did it still happen after reload?

Harmless screenshot/video, if useful:

Workaround, if any:

Tester and time:

Decide what must be fixed

- **Blocker / P0:** another account's private data or draft is exposed; a user can change another user's record; a request is sent as the wrong account; the core app cannot open; normal real signup/sign-in or the main request journey is unusable on the intended demo setup; the UI falsely claims a failed action succeeded. Stop release until fixed or make the missing live capability explicit and get the team's decision.
- **Major / P1:** a main filter, save, plan, membership, request transition, or mobile action is broken; saved changes disappear; an essential control is unreachable; the demo repeatedly gets stuck.
- **Minor / P2:** a typo, spacing issue, awkward wording, or nonblocking visual inconsistency. Record it, but do not risk the working submission for cosmetic changes near the deadline.

Final release gate

The test lead fills this in. A row is not Passed merely because an automated test passed earlier on a different version.

Gate	Pass / Fail / NT	Evidence/owner
Site opens at the exact address to be submitted	NT	
Sample content is clearly labelled; no fake delivery/application claims	NT	
Priya's 3/7, changed skill, and online preference behave correctly	NT	
A and B sign in and complete a real accepted request with a next step	NT	
Pending/accepted duplicate protection, decline, and cancellation work	NT	
C cannot view A/B's private request; account switching clears drafts	NT	
Profile, goal, saved items and membership survive refresh	NT	
Essential phone and keyboard controls work	NT	
Manual entry works if AI is missing or fails	NT	
Find my first step preserves skills and goal, and never sends without review	NT	

Gate	Pass / Fail / NT	Evidence/owner
Required developer checks pass on the final version	NT	
Actual twist is tested, or its absence/remaining gap is stated honestly	NT	
Demo is rehearsed; final known limitations and submission owner are named	NT	

Before handing back to the builder:

1. List blockers first, with reproduction steps.
2. List untested items separately from bugs.
3. Restore A/B's intended roles, Online mode, visibility and request settings.
4. Keep one clean accepted request for the demo. Leave historical declined/cancelled tests intact; do not delete database records to make screenshots look better.
5. Restore Priya/A's intended skills and chosen goal. Clear temporary search filters.
6. Record the exact final URL/version and who will submit it. This guide does not submit the project.

18. Find my first step

This guided panel helps someone choose one manageable action and prepare a first message. It works without AI. It uses the current goal and the skills already on the profile; it does not change them.

Start on **My Hub** and click **Find my first step**. For a real request, use A and B from section 2. Check the named recipient before continuing. If a different real member is suggested, do not contact them: test the guide in preview or have the builder provide an isolated test environment. An empty result is valid when nobody meets the conditions.

A. Understand and customise the next step

ID	Steps	Expected result	Result
S01	In Priya's preview, note the current goal and 3/7 . Open Find my first step .	The goal remains Build your first ML project. I'm starting out is selected. Your next action gives a small task, a relevant resource or an honest explanation of what is missing, and a suggested mentor when one qualifies.	NT

ID	Steps	Expected result	Result
S02	Choose I'm returning to STEM . Read the next action and introduction. Close the panel and reopen the plan.	The advice builds on existing experience. Priya still has the same confirmed skills and 3/7 ; returning does not erase skills or change the goal.	NT
S03	Choose I want a project partner .	The action and message propose working with a peer. A suitable peer or dual-role member may appear; a mentor-only member must not be presented as a project partner. If nobody qualifies, the panel says so.	NT
S04	In Your introduction , add "I can spend 30 minutes on this." Switch to another support choice, then back without closing the panel.	Your edit returns for the original choice and recipient. Each choice has its own message draft. It is not sent or saved as a public profile field.	NT
S05	Close with X or Escape. Open Find my first step again.	The panel starts fresh with I'm starting out and a generated introduction. The abandoned edit is gone. Closing never sends a request.	NT
S06	Note the main website's Online only setting. In the panel, toggle Online support only , labelled For this plan . Close the panel and check the main setting.	Only this open panel's suggestions change. Online-only suggestions must support online contact. The main website preference is unchanged; a reopened panel starts from that main preference.	NT
S07	Open the selected resource using Open the guide or Read the exercise .	An official guide opens in another tab and keeps your planner draft available. An authored exercise opens the matching resource panel and closes the first-step panel. A hardware note remains clear when relevant. No skill becomes confirmed just because a link was opened.	NT
S08	With an agreed test profile, remove a prerequisite needed by a suggested learning resource, then reopen. Also try a goal whose listed skills are all confirmed. Restore the profile afterward.	The guide does not present an advanced resource as ready if its prerequisites are missing. If no resource is suitable, it explains that. If all skills are listed, it proposes a project outline/work sample or discussion; it does not invent missing skills.	NT

For S08, use a controlled account or preview only. Record the exact goal and skills before changing them so you can restore them. Do not treat a different valid resource as a bug merely because its title changed after a profile edit.

B. Keep contact deliberate and private

ID	Steps	Expected result	Result
S09	In preview, inspect the suggested person and message area. Click Sign in to connect if present, then cancel.	A sample is clearly labelled and cannot receive a request. Sign-in opens; no request is sent. Any sample draft is not secretly delivered after signing in.	NT
S10	As A, with B available as a relevant mentor, select I'm starting out and edit Your introduction . Click Review request .	Ask to connect opens with B as recipient, the same goal, Ask a mentor , and A's edited message. No inbox row exists until A deliberately clicks Send request . Cancel here and check B's inbox to prove review alone sends nothing.	NT
S11	Repeat S10, then click Send request once. Have B use Refresh inbox .	Exactly one pending request contains the reviewed text and correct goal. Duplicate protection still applies if the same request already exists. Use section 10 for accept/decline/cancel; do not count an intentional duplicate rejection as a failure.	NT
S12	Make C publicly visible, open to requests, Online, and interested in Data & AI, with the peer setup from section 10. As A, choose I want a project partner and inspect the recipient before Review request .	If C is the qualifying suggestion, review opens with Work with a peer and C as recipient. No mentorship request is silently substituted. If a different member is suggested, stop before sending. Restore C's privacy after testing.	NT
S13	In an isolated test setup, make the only suitable recipient unavailable by switching off their incoming requests; reload A and reopen the guide.	The panel says no suitable person is available, still offers a useful action/community link, and says no request has been sent. It must not fall back to a fictional recipient in a signed-in account. Restore availability afterward.	NT
S14	With a live eligible recipient, reduce the introduction to fewer than 10 non-space characters, then restore it.	Review request is disabled for the short text and enabled for a valid message. The final request form still permits review and editing. The message field stops at its stated maximum.	NT

ID	Steps	Expected result	Result
S15	In two ordinary tabs sharing A's session, leave a unique unsent introduction open in the first tab. In the second, sign out and sign in as C. Return to the first.	A's first-step panel and private draft are cleared on the account change. C does not inherit A's intention or introduction. Record any brief or lasting leakage as a blocker.	NT

C. External communities and usability

ID	Steps	Expected result	Result
S16	With a Data & AI goal, click Visit their website under Women in Machine Learning . Repeat with a Robotics goal and Women in Robotics .	The appropriate independent community website opens in another tab. The guide clearly says to check that website for membership/event details. Opening the website does not join a STEMBridge circle or an external programme.	NT
S17	Use Tab and arrow keys to choose a support option, toggle the online checkbox, edit the introduction, and close the dialog. Repeat on a phone or narrow screen.	Labels are readable, the selected choice is visible, all controls are reachable, and no main action is clipped. The dialog returns focus sensibly when it closes.	NT
S18	Run the guide when live AI is unavailable, or ask the builder to confirm it does not call the AI endpoint.	Actions, resources, people suggestions, and editable introductions still work. There is no AI-consent requirement or AI-provider error for this feature. Optional profile AI remains a separate feature.	NT

Ask the tester afterward: “Did this make your first action clearer?” and “At what point did you think the message was sent?” A tester who assumes **Review request** sends immediately has identified a usability issue worth reporting even if the code behaves correctly.

19. Optional developer appendix

Ordinary testers can skip this section. A technical teammate should handle it and report evidence in the same result log.

A. Local checks

Open a terminal in the project folder. Run each command separately:

```
npm test
npm run typecheck
npm run build
git diff --check
```

Record the actual output summary and date. Do not copy old test counts from a document and call them today's result. The tests include matching, search, mocked AI responses, workspace behavior, SQL permissions and account-switch draft isolation. Mocked and local SQL tests do not prove the hosted account journey or live AI integration.

To test the production build locally, use a free terminal/port and run:

```
npm run start
```

Do not start a second process on the same port as the existing dev server. Ask the person managing the running server which address/port to use. The final deployed URL needs its own browser smoke test.

B. Hosted privacy checks without destructive SQL

Use [RLS_CHECKS.sql](#) and the permissions section of [SUPABASE_SETUP.md](#). RLS means the database checks which rows an account is allowed to read or change.

1. Confirm you are in the controlled test project, not unrelated data.
2. Find A, B and C's account IDs privately in the project's account list. IDs are not passwords; still avoid posting them unnecessarily.
3. Follow the existing file's read-only queries and its transaction-local role checks. Substitute only the relevant controlled account IDs. Keep each complete `begin...rollback` block intact.
4. Confirm C can read only C's learner state and no A/B request. Public profile memberships can be visible; hidden profiles' memberships must not be.
5. Confirm request tables do not allow direct browser-user inserts, updates or deletes, and ordinary users cannot change the administrative demo flag.
6. Confirm anonymous access shows only opted-in public profiles and community descriptions, never private learner/request records.
7. Record only the conclusion and harmless row counts/IDs needed for the test. Do not paste passwords, access tokens, keys, or private descriptions into SQL, logs, reports or screenshots.

Important: the SQL Editor normally runs with elevated privileges and may see all rows. That is not a valid third-account test by itself. Use the file's explicit simulated role/identity checks and the real C browser session. Never disable RLS or use a service/secret key to “prove” ordinary-user permissions.

The existing automated SQL suite checks sender/recipient enforcement, self-requests, invalid transitions, protected fields, and duplicate active requests. For any additional hosted direct-call tests, use only A/B/C and the normal client session. Have the developer record the exact attempted operation and denial; do not invent a pass because the UI hides a button.

C. Browser errors and configuration

1. Inspect the browser Console for errors during the core flow; record the action that caused each error.
2. Inspect failed network requests only if needed. Do not share request headers, bearer tokens, cookies, passwords, full account records, or Gemini input text.
3. Confirm only the publishable Supabase configuration is browser-exposed. GEMINI_API_KEY must remain server-side. Never print environment file contents to prove configuration.
4. On the deployed site, repeat signup/sign-in, reload persistence, sender/recipient flow, and C privacy. A local build and a successful deployment build are not enough.
5. Record live AI as NT until an actual consented provider response has been observed and reviewed. Keep the manual path demonstrated either way.

D. Return a concise testing report

Tested version/address:

Test window:

People/devices:

Critical route: ☐ Pass / ☐ Fail / ☐ NT

Full checklist: ☐ Pass / ☐ Fail / ☐ NT

Blockers:

Major bugs:

Untested or setup-blocked items:

Automated checks actually run:

Hosted A → B request verified? Yes / No

Third-account privacy verified? UI / Database / Both / Not tested

Live AI verified? Yes / No / Not required for this demo

Final demo state restored? Yes / No

Release recommendation and reason:

Keep the report factual. "I did not test it" is more useful than a guessed Pass.