```
Created W1
Created W2
Alive = 2
Created W3
Alive = 3
Destroyed W3
Alive = 2
Destroyed W2
Destroyed W1
The program 'C:\Users\HP\Downloads\PROG3 (8).exe' has exited with code 0 (0x00000000).
```

```
Loaded 'C:\windows\SysWOW64\KernelBase.dll'. Symbols loaded.
Loaded 'C:\windows\SysWOW64\msvcrt.dll'. Symbols loaded.
Loaded 'C:\MinGW\bin\libstdc++-6.dll'. Symbols loaded.
Loaded 'C:\MinGW\bin\libgcc_s_dw2-1.dll'. Symbols loaded.
9 ft 3 in
The program 'C:\Users\HP\Downloads\prog2.exe' has exited with code 0 (0x00000000).
```

```
PS C:\Users\HP> cd "C:\Users\HP\AppData\Local\Temp\" ; if ($?) { g++ tempCodeRunnerFile.cpp -o tempCodeRunnerFile } ; if ($?) { .\tempCodeRunnerFile }
Speed = 20 km/h
PS C:\Users\HP\AppData\Local\Temp>
```

```
Initial - Created: 0, Alive: 0
Inside block - Created: 2, Alive: 2
After copy - Created: 3, Alive: 3
After scope - Created: 3, Alive: 0
PS C:\Users\HP\AppData\Local\Temp>
```

```
Comparing 07:30 and 13:15...
The later time is: 13:15

Comparing 13:15 and 13:45...
The later time is: 13:45
PS C:\Users\HP\AppData\Local\Temp>
```

```
Order 1: ID = 1001, Item = Laptop
Order 2: ID = 1002, Item = Smartphone
Order 3: ID = 1003, Item = Wireless Earbuds
PS C:\Users\HP\AppData\Local\Temp>
```