



CONSTRUCTION CHEMICAL

The Ultimate Home Protection



CERTIFICATION OF
STARTUP
INDIA
BY GOVT. INDIA

Tollfree 1800-1212-146



CERTIFICATION OF **STARTUP** INDIA BY GOVT. INDIA

Certificate No.: DIPP2608



Department of Industrial Policy & Promotion
Ministry of Commerce & Industry
Government of India

CERTIFICATE OF RECOGNITION Department of Industrial Promotion and Policy

This is to certify that ***Q-CHEM SEALERS PRIVATE LIMITED*** incorporated/ registered as a ***Private Limited Company*** on ***30-05-2012***, is recognized as a startup by the Department of Industrial Policy and Promotion.

Date of Issue: 17-04-2017

Place of Issue: New Delhi

The certificate shall only be valid for the entity:

- Up to five years from the date of its incorporation/ registration; and
- If its turnover for any of the financial years has not exceeds Rupees 25 crore.

Note:

- Authorities accepting this Certificate may check its validity on the Startup India portal(www.startupindia.gov.in)
- This certificate is not the Certificate issued by the Inter Ministerial Board and is not valid for availing Tax benefits
- This is a system generated certificate and hence does not require physical signature



INDEX

INTRODUCTION	2
TEZXX LWC	3
DPC GUARD	4
PLASTER GUARD	5
TEZCRETE	6
ZEDCRETE	7
TEZXX URP-SBR	8
ZEDBLOCK-2K	9
TEZ PRIME -2K	10
TEZXX ROOF GUARD	11
TEZXX ZEDPOXY GROUT	12
TEZXX TILE GROUT	13
TEZCRETE (TILE ADMIXTURE)	13
FAST BOND TILE ADHESIVE	14
TEZ CLEAN (TILE CLEANER)	15
TEZ FILL (CRACK FILLER)	16





TEZXX IS AN INTERNATIONAL BRAND OF CONSTRUCTION CHEMICAL PRODUCTS DESIGNED TO DELIVER ADVANCED AND INNOVATIVE TECHNOLOGY BASED **PAINTS, ADHESIVES, GROUTS & CONSTRUCTION CHEMICALS** FOR HOMES AND INDUSTRIES.

TEZXX products are manufactured and marketed by Ochem Sealers Pvt. Ltd. Which has established a niche for itself by its uncompromising focus on innovation and quality in the construction chemicals and waterproofing industry since 2000. Today with more than 70 high-performance products spanning industries from paints to admixtures to waterproofing, O-Chem Sealers is proud to cover the largest number of categories in construction chemical products in India. Driven by a passion for scientific excellence, we have established state of the art Research and Development centers where experts from India and abroad collaborate to carry out intensive experiments to continuously develop new products and improve existing ones. TEZXX products are based on our experience to give effective and long lasting results in construction industries. Using generic or traditional products yield mediocre results and also turn out to be very expensive in the long-run because of repeated failures. At TEZXX, we also believe that consumers should get better performance even from traditional products. Hence, we have enhanced a number of widely used chemicals like paints and wall-putty with several beneficial mechanical and waterproofing properties that not only increase their life span but also improve their beauty significantly.

PROJECTS

Jindal Steel & Power Ltd. - Angul (Orissa)

Ansal Group (New Delhi)

Strengthening of bridges – Northern Railways (Roopnagar, Shahjahanpur, Muradabad)

Yamuna Group of Institution

Waterproofing and rehabilitation of Railway Station Buildings Northern Railways (Ambala, Chandigarh, Rajpura, Bareilly)

Residential Complexes, CPWD, New Delhi (Sarojini Nagar, Lajpat Nagar, Krishi Vihar, Hudco Place)

Food Corporation of India (F.C.I), (Rajendra Place, New Delhi)

Jaat Dharamshala (Asia's largest Dharamshala), Kurukshetra

Haryana State Warehousing Corporation

Jindal Steel (Paonta Sahib H.P)

The Suprem Industries, Lalru (Punjab) Industrial Epoxy Flooring

Jagdev Industries, Lalru (Punjab)

Beni Udyog Pvt. Ltd (Karnal)

Bata India Ltd. (Gurgaon)

DPC GUARD

नमक (शोरा)

डी. पी. सी.

बढ़ती नमी

क्या आप ने
डी. पी. सी. गार्ड
लगवाया ?

• Stop capillary action • Excellent water repellency

DPC Guard is a water based solvent free, excellent water –repellent and highly penetrating damp proofing solution. It has been specially developed to treat Damp proof Course (D.P.C- horizontal barrier). It is admixed with concrete and in case of DPC failure, injected in Damp Proof Course (D.P.C.) with the method of gravity injection system.

Application Area

- New DPC protection
- Repairing of DPC via injection grouting system to create virtual DPC, in case of DPC failure

DOSAGE

500 ml per 1 bag cement on 40 mm DPC thickness.




AVAILABLE PACK SIZE

500 ml., 1 Ltr., 5 Ltr., 20 Ltr.



Water Vapour
Permeability



Crystallization
Process



Water
Repellency

PLASTER GUARD

Protection against Efflorescence & Dampness

- Protection against Water borne salts
- Excellent water repellent
- Water Vapor Permeability
- Increases life of paint

PLASTER GUARD is water based solvent free, excellent water repellent and highly penetrating damp proofing solution. It has been specially developed to treat concrete against ingress of water and water borne salts. It is the universal product for the formulation of aqueous water repellents. It is especially recommended for neutral substrates, but for alkaline material as well.

Application Area

- Plaster, Concrete, Brick & Marble Surface
- To control Salt and Dampness in Plaster and concrete surface
- To Protect the walls from heavy rains
- Admixture for concrete and other cement based formulations

Suitable Substrates

- Stone, marble and brick
- Cement plaster
- Concrete and cement mortar bed
- Cement sand screeds

COVERING CAPACITY

Plaster Guard Cover 80 -100 Sq. ft./Ltr. and depending on smoothness and porosity of substrate.

Dosage

1 Ltr. as per 1 Cement bag.



AVAILABLE PACK SIZE

1 Ltr., 5 Ltr., 10 Ltr. 20 Ltr.

TEZCRETE

CEMENTITIOUS WATERPROOFING & REPAIR SYSTEM

- Highly durable in continuous wet condition • It is not harmful to the health of workmen.
- Reduces or prevents salt penetration into concrete • Improve Bonding strength

TEZCRETE is an acrylic based Polymer modified cementitious composite coating system. The product has excellent waterproofing and protection properties. It is compatible with most forms of cement, sands and aggregates. It has been specially developed to improve the properties and mechanical strength of cementitious compositions such as compressive, flexural & bonding strength.

Application Area

- Concrete Structure Repairs, Balcony, Terrace
- Concrete repair and water retaining structures.
- Surface treatment for protecting waterproofing and repairing of concrete and masonry
- Repairing of concrete & masonry walls - internal, external and terrace roofs by cement mortars
- Excellent long lasting protective and decorative coating when mixed with cement paint.
- Waterproofing of overhead/ underground concrete tanks, sunken portions, toilet sunken portion basements, roofs.

COVERING CAPACITY

TEZCRETE covers 20-25 sq. ft. Per kg. for 2 coats application depending on smoothness and porosity of substrate.



AVAILABLE PACK SIZE

1 KG., 5 KG., 10 KG, 20 & 50KG



ZEDCRETE MULTIPURPOSE BINDER

- Excellent adhesion to concrete, Brick Surface • Suitable for use in potable water tanks.
- Non toxic • High compressive, tensile and flexural strength • Bonding Agent

ZEDCRETE is an aqueous co-polymer emulsion specially formulated for use with cement. The product has excellent waterproofing and protection properties. It is used as bonding agent for new to old substrates & cement mortar modifier because it provides strong bonds to old & new concrete. It has been specially developed to improve the properties and mechanical strength of cementitious compositions such as compressive, flexural & bonding strength.

Application Area

- Repairing of concrete & masonry walls - internal, external and terrace roofs by cement mortars.
- For concrete repairs - repairing of floors, columns, beams, chajja, slabs etc.
- Bonding old concrete to new concrete
- Excellent long lasting protective and decorative coating when mixed with cement paint.
- Waterproofing of overhead/ underground concrete tanks, sunken portions, toilet sunken portion basements, roofs, Bridge decks, traffic aprons, runway, parking garages industrial floors, factory floors, balconies and basements etc.



COVERING CAPACITY

ZEDCRETE covers 20-25 sq. ft. Per kg. for 2 coats application depending on smoothness and porosity of substrate.

AVAILABLE PACK SIZE
1 KG., 5 KG., 10 KG, 20 &
50 KG



ZEDBLOCK 2-K

- Extra flexibility and elongation properties • Excellent waterproofing coating
- Non toxic to human being • Suitable for use in potable water tanks

ZEDBLOCK-2k is a specially formulated high build highly flexible aqueous dispersion of acrylic co-polymer based milky white liquid composed of best quality portland cement, properly selected & graded aggregates which are use for making waterproofing slurries & flexible waterproofing coatings. It also Improves tensile & flexural strength of concrete and increases the durability of the structure. It forms a matrix & provide excellent waterproof flexible membrane.

Application Area

- Perfect Waterproofing of overhead/ underground concrete tanks, basements, roofs, Bridge decks
- Polymer modified mortar, it should be applied in very thin layers because no curing is required.
- Effective seal against moisture, i.e., against capillary water absorption
- Very effective barrier against carbon dioxide diffusion
- Can also be applied on moist substrates



COVERING CAPACITY

ZEDBLOCK-2K covers 8-9 Sq. ft. per KG. For 2 coats application depending on smoothness and porosity of substrate.

AVAILABLE PACK SIZE
3 Kg. & 15 Kg.

TEZ PRIME -2K

SALT PROTECTIVE COATING



आपकी दीवारों को
नमक (शोरा)
से बचाने का
एक मात्र तरीका

• Efflorescence Resistance • Scratch Resistance • Mildew Resistance

Tez Prime-2K is an anti salt and mild Moisture protective coating which provides an effective barrier coat against efflorescence. It consists of small, finely divided particles. It is two-component, high performance additives modified epoxy coating with Low VOC's (volatile organic compounds) free system. It has excellent adhesion and used as efflorescence resistance coating for building walls. It has excellent early water resistance, and is hard wearing, waterproof and oil proof. This coating provides excellent sealing and stain blocking performance.

Application Area

- Salt effective plaster surface area
- Brick surface area



COVERING CAPACITY

Tez Prime-2K covers 10-15 sq. ft. per kg. For 1 coat application depending on smoothness and porosity of Surface.

AVAILABLE PACK SIZE

2 Kg.



- UV Resistance • Stand with Structural Movements • Higher Tensile Strength
- No need to remove existing sound BB Coba • Highly Flexible • Ready to use

TEZXX ROOF GUARD is a heavy duty terrace waterproofing system, composed of specially developed highly Elastic & resilient acrylic polymers properly selected & graded fillers. It is used as a liquid applied waterproofing membrane for all types of building terraces. Highly elastomeric terrace waterproofing system having excellent flexibility that prevents peeling off, fungi/algae growth, future cracks, weathering resistance and water seepage.

Application Area

- Building roofs / Terraces- Flat & slope.
- Existing cementitious waterproofing treatments like brick-bat coba, concrete screeds, acrylic coatings, etc.



COVERING CAPACITY

Tezxx Roof Guard Cover 10-12 sq. ft. 1 kg per 2 coats. Including primer for total thickness of 700 micron minimum. (Coverage may vary depending on porosity of surface). For obtaining 1 mm thickness for high performance fiber mesh is recommended.

AVAILABLE PACK SIZE

1 Ltr., 4 Ltr., 10 Ltr., 20 Ltr.

ZEDPOXY GROUT

सिर्फ
पानी से
साफ

• Durable joints • Water Cleanable • Easy to Mix and Fill • Anti Cracking


• Anti fungal and anti bacterial • Water cleanable and easy to apply • Good resistance to chemical attack

India's First Two Part
Water Cleanable
Epoxy Grout

ZEDPOXY grout is use to seal joints and fill spaces between tiles, marble and stone used in the Industrial floor, kitchen, bathroom, walls and floors. Zedpoxy is an Epoxy based, hard-wearing, impervious, high degree of resistance to chemical attack and waterproof. Two component, highly chemical and mechanical resistance, water cleanable epoxy grout for ceramic tiles, marbles and natural stones joints from 2 mm to 25 mm on flooring and walls.

Application Area

- Tiles; Marbles, Stones, Ceramics & Mosaics Tiles Joint.



COVERING CAPACITY

Approximate ft² coverage depends on the width & depth of Tile Joint.

AVAILABLE PACK SIZE

1Kg. & 5Kg.



TEZXX TILE GROUT & TEZ-CRETE

TILE GROUT ADMIXTURE



- Non-Shrinkage • Water Proof • Anti-Cracking
- Smooth Surface • Color Fast to apply • Weather Resistant



- Its paste slurry provides key for bonding
- It makes the joints waterproof • Very good compressive strength

TEZXX GROUT is ready-mixed, non-slip water-resistant grout for walls and floor tiles. TEZXX tile grout is a polymer based powder grout suitable for both interior and exterior use, including swimming pools. It can be used in ceramic wall and floor tile joints between 1-6 mm wide. TEZXX grout is specially prepared methodically with polymers, stable pigments and well graded granules to provide water proof and crack free joint with high performance adhesion.

Application Area

- It can be used for joint grouting of ceramic tiles and marbles for floor and wall with joint width upto 6 mm.



TEZ-CRETE is a special sealer additive that mixes with grout instead of water to provide a strain resistant grout installation without any additional sealing. Perfect for interior and exterior use.

Application Area

- Add 200ml TEZ-CRETE to 1 kg of TEZ GROUT and mix until it becomes smooth paste
- Fill the tile joints with ready smooth paste



COVERING CAPACITY
Depends on the tile size and grout width

AVAILABLE PACK SIZE
1 Kg x 30 Kg
1 Kg x 12 Kg

AVAILABLE PACK SIZE
200 ml

A-101

FAST BOND TILE ADHESIVES



- Easy to Use • Suitable for thin bed fixing • For fixing ceramic floor and wall tiles
- Can be used in showers, swimming pools or under continuous immersion • Developed to deliver advanced fixing solutions

A-101 is a cement-based floor tiles adhesive for fixing ceramic tiles for indoor and covered outdoor situations. It can be used over concrete floors or sand and cement topped floors. The adhesive is recommended for fixing ceramic tiles, slate and natural stones e.g., sandstones.

Application Area

- For fixing ceramic, vitrified floor tiles.
- For thin bed fixing in interiors.
- Specially made to new construction.



COVERING CAPACITY

Approximately 55-60 sq. ft per 20 kg bag with (6 mm x 6 mm) square notch trowel for a bed thickness of 3 mm.

A-707

FAST BOND TILE ADHESIVES



A-707 is an industry-grade water-resistant powder-based tile adhesive. Mixed with water, it is suitable for fixing floor and wall tiles including porcelain, fully vitrified, mosaics, quarry, brick slips and stone claddings. It adheres to all common substrates in the construction industry and is suitable for interior and exterior areas including patios. Tiles can be grouted 24 hours after fixing. The set adhesive is frost and water-resistant and can be used in showers or under continuous immersion such as swimming pools.

Application Area

- Marbles, Glass tiles, Mosaic tiles.
- Tiles in swimming pools.
- Bathroom interior / exterior surfaces
- Tile on tile application for floor.

AVAILABLE PACK SIZE

20 Kg.

TEZ CLEAN

TILE CLEANER

- Remove marks and stains • Increase tiles life • Give new look to the floor
- Degreases the tile surface easily for soaps, scum, efflorescence, mineral deposit

TEZCLEAN is a high grade liquid (mild acidic) based cleaner and degreasing solution. It is detergent based cleaner use on ceramics tiles, kitchen sinks, bath tubs, wash basins, toilets and concrete etc. It can easily remove the water spots and layer as normally noticed in the shower, under plastic or metal buckets.

Application Area

- Cleaning of surface of floors
- Use to clean surface before application of epoxy grout
- Bathroom floor
- Garages floor
- Factories floor
- General building sites



COVERING CAPACITY
Dependent upon porosity & contamination of substrate

AVAILABLE PACK SIZE
1 Ltr.



TEZ FILL

ACRYLIC CRACK FILLER

- Paintable • Superior Adhesion • Excellent Flexibility • Soap & Water Clean Up
- Durable, wear resistant • Easy to use • Super Grip • Ready Mixed



Tez-Fill crack filler is a premium crack filler. Tez-Fill is a flexible crack filler which is an acrylic-based, non-sag crack filler for sealing and weatherproofing cracks. It is formulated for use in new construction and remodelling applications mostly adhering to wood, metal, cements fiberboard, drywall, masonry, glass and porcelain substrate.


Application Area

- Tez-Fill is use in internal low movement joints
- Joints around window
- Door frames
- Skirting boards
- Walls and ceilings
- External and internal crack filler

COVERING CAPACITY
Depend on the thickness and depth of the crack.

AVAILABLE PACK SIZE
0.5 Kg | 1 Kg | 5 Kg

PROJECTS





INNOVATION AND QUALITY IN
CONSTRUCTION CHEMICALS & WATERPROOFING INDUSTRY
SINCE 2000

TEZXX IS AN INTERNATIONAL BRAND OF CONSTRUCTION CHEMICAL/ PAINT PRODUCTS DESIGNED TO DELIVER ADVANCED AND INNOVATIVE TECHNOLOGY BASED PAINTS, ADHESIVES, GROUTS & CONSTRUCTION CHEMICALS FOR HOMES AND INDUSTRIES.

PAINTS & DECORATIVE COATINGS

WALLPUTTY & PRIMERS

ANTI SALT & WATER PROOFING

ADHESIVES & BONDING AGENTS

GROUTS & FILLERS

CLEANERS

COATINGS

MEMBRANES

SCO-148, FF, Sector - 3, Huda Market, Kurukshetra - 136 118
PO BOX 98811/GPO, MOMBASA, AFRICA
TOLL FREE 1800-1212-146
WWW.TEZXX.COM



OChem SEALERS PVT. LTD. VENTURE
E-MAIL : INFO@OCHEMSEALERS.COM



CERTIFICATION OF
START UP
INDIA
BY GOVT. INDIA