



PAINT CATALOG



THE ULTIMATE HOME PROTECTION

INFO@TEZXX.COM | WWW.TEZXX.COM



WIDE RANGE OF QUALITATIVE PRODUCTS

INDEX

Certificate No.-DIPP2608



Department of Industrial Policy & Promotion
Ministry of Commerce & Industry
Government of India

CERTIFICATE OF RECOGNITION Department of Industrial Promotion and Policy

This is to certify that **O-CHEM SEALERS PRIVATE LIMITED** incorporated/ registered as a *Private Limited Company* on **30-05-2012**, is recognized as a startup by the Department of Industrial Policy and Promotion.

Date of Issue: 17-04-2017

Place of Issue: New Delhi

The certificate shall only be valid for the entity:

- Up to five years from the date of its incorporation/ registration; and
- If its turnover for any of the financial years has not exceeds Rupees 25 crore.

Note:

- Authorities accepting this Certificate may check its validity on the Startup India portal (www.startupindia.gov.in)
- This certificate is not the Certificate issued by the Inter Ministerial Board and is not valid for availing Tax benefits
- This is a system generated certificate and hence does not require physical signature

Introduction	2
Tezxx Wallputty	3
Tezxx Acrylic Wallputty	4
Tezxx Primxx (Interior Primer)	5
Tezxx Primxx (Exterior Primer)	6
Rainbow Premium Emulsion (For Interior)	7
Eco Emulsion (Interior Paint)	8
Tezxx Distemper	9
Z-umbrella (For Exterior coating Surface)	10
Weather Ultra (Exterior Emulsion Paint)	11
Tez Weather Master (Exterior Emulsion Paint)	12
Tez Prime 2k (Salt Protective Coating)	13
Z-Gloss	14
Tez Clean (Tile Cleaner)	15
Z-Laminate (Transparent Coating)	16
Tezxx Enamel	17
Tezxx Metal Primer	17
Tezxx Wood Primer	17



TEZXX IS AN INTERNATIONAL BRAND OF CONSTRUCTION CHEMICAL PRODUCTS DESIGNED TO DELIVER ADVANCED AND INNOVATIVE TECHNOLOGY BASED **PAINTS, ADHESIVES, GROUTS & CONSTRUCTION CHEMICALS** FOR HOMES AND INDUSTRIES.

TEZXX products are manufactured and marketed by Ochem Sealers Pvt. Ltd. Which has established a niche for itself by its uncompromising focus on innovation and quality in the construction chemicals and waterproofing industry since 2000. Today with more than 70 high-performance products spanning industries from paints to admixtures to waterproofing, O-Chem Sealers is proud to cover the largest number of categories in construction chemical products in India. Driven by a passion for scientific excellence, we have established state of the art Research and Development centers where experts from India and abroad collaborate to carry out intensive experiments to continuously develop new products and improve existing ones. TEZXX products are based on our experience to give effective and long lasting results in construction industries. Using generic or traditional products yield mediocre results and also turn out to be very expensive in the long-run because of repeated failures. At TEZXX, we also believe that consumers should get better performance even from traditional products. Hence, we have enhanced a number of widely used chemicals like paints and wall putty with several beneficial mechanical and waterproofing properties that not only increase their life span but also improve their beauty significantly.

PROJECTS

Jindal Steel & Power Ltd. Angul (Orissa)

Ansal Group (New Delhi)

Strengthening of bridges – Northern Railways (Roopnagar, Shahjahanpur, Muradabad)

Yamuna Group of Institution

Waterproofing and rehabilitation of Railway Station Buildings Northern Railways (Ambala, Chandigarh, Rajpura, Bareilly)

Residential Complexes, CPWD, New Delhi (Sarojini Nagar, Lajpat Nagar, Krishi Vihar, Hudco Place)

Food Corporation of India (F.C.I), (Rajendra Place, New Delhi)

Jaat Dharamshala (Asia's largest Dharamshala), Kurukshetra

Haryana State Warehousing Corporation

Bindal Steel (Paonta Sahib H.P)

The Suprem Industries, Lalru (Punjab) Industrial Epoxy Flooring

Jagdev Industries, Lalru (Punjab)

Beri Udyog Pvt. Ltd (Karnal)

Bata India Ltd. (Gurgaon)

India's First Waterproofing Wallputty

With

Water Resistance
&
Smooth Finish

TEZXX HYBRID WALLPUTTY

अब बढ़ेगी दिवारों की शान

Tezxx Wallputty is superior quality product made from white cement, high strength polymer and additive. It provides the perfect base in exteriors & interiors over any cementitious and mineral substrates like plastered walls, asbestos, brick, false ceiling, concrete surface, etc. It renders to the surface, smooth bright white coating suitable for over coating by different kinds of water and solvent based paints, of attractive colors, giving a durable and smooth finish on the walls. It is water resistant and in turn, imparts additional strength to the walls.



COVERING CAPACITY

Tezxx Wallputty 35-40 sq. ft. Per kg. for one coat application depending on smoothness and porosity of substrate.
30 to 35% water by weight is required for mixing.
Mixing:- Always add Potable water in Dry Putty.

AVAILABLE PACK SIZE

20Kg., 40Kg.

TEZXX ACRYLIC WALLPUTTY

अब बढ़ेगी दिवारों की
शान

Tezxx Acrylic Wallputty is a water based ready to use wallputty. It contains high grade polymers which provide strong and Long Life, easy applicability and durability. Acrylic Wallputty is used for smooth finish, filling blemishes, cracks, holes on plaster surface and patching up surface imperfections on plastered walls.



COVERING CAPACITY

Tezxx Acrylic Wallputty covering capacity is 25 to 30 sq. ft. / kg. / per coat. Its depends on porosity and texture of surfaces.

AVAILABLE PACK SIZE

1Kg., 5Kg., 10Kg. 20Kg.

PRIMXX

INTERIOR PRIMER

TEZXX PRIMXX is water-based primer composed of acrylic emulsion polymer, properly selected fine fillers, white pigments & additives in water as a medium. PRIMXX is a superior quality, fast drying, water-based primer, sealer and stain blocker that provides excellent adhesion and a mildew resistant coating. It is used as primer over interior building walls before application of Finish coat & other water based paints.



COVERING CAPACITY

TEZXX PRIMXX Interior Primer covers 120-140 sq. ft. Per Ltr. or depending on smoothness and porosity of substrate. Apply one coat of PRIMXX. Dilute with potable water in the ratio of 1:1 by volume.

AVAILABLE PACK SIZE

1Ltr, 4Ltr, 10Ltr. & 20Ltr.

PRIMXX

EXTERIOR PRIMER

TEZXX PRIMXX is a unique polymer based waterproof exterior primer to protect the surface from degradation in varied climatic conditions. PRIMXX is a single component 'Ready to Use' formulation with quick drying properties at room temperature. Its outstanding properties of water repellency coupled with toughness helps to arrest the leakage during rainy season. This is to be used on exterior surfaces with Topcoat with latex based paint.

COVERING CAPACITY

TEZXX PRIMXX Exterior Primer covers 120-140 sq. ft. Per Ltr. or depending on smoothness and porosity of substrate.

Apply one coat of PRIMXX. Dilute with potable water in the ratio of 1:1 by volume.



AVAILABLE PACK SIZE

1Ltr., 4Ltr., 10Ltr. & 20Ltr.

RAINBOW Premium Emulsion

INTERIOR PAINT



RAINBOW Premium Emulsion is a superior quality, special acrylic based emulsion paint with low VOC, which ensures good indoor air quality. It has very good opacity, outstanding washability and leveling, thereby creating a highclass finish. Rainbow emulsion also offers resistance against bacterial and fungal growth. It is free of Alkyl Phenol Ethoxylate (APEO) and formaldehyde.

COVERING CAPACITY

RAINBOW PEmlulsion paint covers 110-130 sq. ft. per ltr. for 2 coats application depending on smoothness and porosity of substrate. Dilute with potable water to the extent of 50% to 60 %.

AVAILABLE PACK SIZE

1Ltr, 4Ltr, 10Ltr. & 20Ltr.

ECO Emulsion

INTERIOR EMULSION

Eco Emulsion has formulated with special type of polymer and micro fined pigments for smooth and stylish matt finish. It has more durability of distemper and is suitable for different type of surfaces. Made up of special colour fast pigments with excellent anti-fading properties. It gives excellent coverage and smoothness for interior walls.



COVERING CAPACITY

Eco Emulsion covers 90-100 sq. ft. Per ltr. for 2 coats application depending on smoothness and porosity of substrate. Dilute with potable water to the extent of 50-60%. For Better Finish Apply Tezxx Wallputty.

AVAILABLE PACK SIZE

1Ltr., 4Ltr., 10Ltr., 20Ltr.

TEZXX DISTEMPER

Smooth & Beautiful

Matt Finish

Water Based

Tezxx Distemper is a 100% water-based for interior walls which gives a smooth, beautiful, matt finish to the walls. Tezxx Distemper is a good choice of paint for a beautiful walls of your dream home.



COVERING CAPACITY

Tezxx Distemper covers 50 -60 sq. ft. Per kg. for 2 coats application depending on smoothness and porosity of substrate, weather conditions, application skill and dilution etc. Dilute with potable water to the extent of 70%.

AVAILABLE PACK SIZE

2Kg., 5Kg., 10Kg. 20Kg.

Z-UMBRELLA

SILICON RESIN EMULSION PAINT



UV
REFLECTION



WATER RESISTANCE



WATER PROOFING



RESIST ALGAE &
FUNGAL GROWTH

Z-UMBRELLA is a premium acrylic and silicone resin emulsion based paint that possesses superior external durability. It protects and retains the exterior beauty of buildings that are constantly attacked by harsh weather conditions. Its outstanding properties of water repellency coupled with toughness helps to arrest the leakage during rainy season while its stability against UV radiation keeps the brightness unfazed for years together.



COVERING CAPACITY

Z-UMBRELLA paint covers 100-120 sq. ft. per ltr. for 1 coat application and 55-60 sq. ft. per ltr. for 2 coats application depending on smoothness and porosity of substrate. Dilute with potable water to the extent of 20-30%.

AVAILABLE PACK SIZE

1Ltr., 4Ltr., 10Ltr. 20Ltr.

WEATHER ULTRA

EXTERIOR EMULSION PAINTS



Weather Ultra exterior emulsion made of silicon and additives that protect your home from extreme climatic conditions. It contains very high grade Additive that protect from dust, fungal, UV rays and keep your home cool in hot summer. It has a unique advantage of vapors permeability which enables the wall to breathe out moisture and provide long life to paint.

COVERING CAPACITY

Weather Ultra covers 70-80 Sq. ft. Per ltr. for 2 coats application depending on smoothness and porosity of substrate. Dilute with potable water to the extent of 40%.




AVAILABLE PACK SIZE

1Ltr, 4Ltr, 10Ltr. & 20Ltr.

TEZ WEATHER MASTER

EXTERIOR EMULSION PAINTS



Tez weather master Exterior Emulsion is economical water base Paint, specially designed for exterior walls in dry and moderately humid weather. It is much superior to normal paint in respect to exterior finish, washability, and durability. It gives excellent resistance to anti-fungal, anti-fading and anti-foaming.

COVERING CAPACITY

Tez Weather Master covers 50-60 sq. ft. Per ltr. for 2 coats application depending on smoothness and porosity of substrate. Dilute with potable water to the extent of 60-65%.

AVAILABLE PACK SIZE

1Ltr., 4Ltr., 10Ltr. & 20Ltr.

TEZ PRIME -2K

SALT PROTECTIVE COATING

आपकी दीवारों को नमक (शोरा) से बचाने का एक मात्र तरीका

Tez Prime-2K is an anti salt and mild Moisture protective coating which provides an effective barrier coat against efflorescence. It consists of small, finely divided particles. It is two-component, high performance solids silanes modified epoxy coating with Low VOC's (volatile organic compounds) free system. It has excellent adhesion and used as efflorescence resistance coating for building walls. It has excellent early water resistance, and is hard wearing, waterproof and oil proof. This coating provides excellent sealing and stain blocking performance.



COVERING CAPACITY

Tez Prime-2K covers 10-15 sq. ft. per kg. For 1 coat application depending on smoothness and porosity of Surface.

AVAILABLE PACK SIZE

2 Kg.

Z-GLOSS

चमक लाये शान बढ़ाये

Z-Gloss is a paver block coating / Cement tile coating . Z-Gloss all in one sealer is non-degrading water based, clear acrylic sealer. Its low viscosity ensures rapid penetration into porous substrates.



COVERING CAPACITY

Cover 140-150 sq. per Ltr. 2 coat application. Coverage will also be dependent on the texture & porosity of the surface to be coated.

AVAILABLE PACK SIZE

1Ltr, 5 Ltr, 20Ltr.

TEZ CLEAN

TILE CLEANER

TEZCLEAN is a high grade liquid (mild acidic) based cleaner and degreasing solution. It is detergent based cleaner use on ceramics tiles, kitchen sinks, bath tubs, wash basins, toilets and concrete etc. It can easily remove the water spots and layer as normally noticed in the shower, under plastic or metal buckets.

COVERING CAPACITY

Dependent upon porosity & contamination of substrate



AVAILABLE PACK SIZE

1 Ltr.

Z-LAMINATE

TRANSPARENT COATING

Z-LAMINATE is a ready-to-use, single component, clear, water-resistant, dirt-resistant, anti-salt, anti-fungal coating that can be applied on almost any external surface to improve its finish and enhance its life. It is ready to use extremely hard latex to improve the dirt resistance pick up of any exterior coating including elastomeric waterproof coating. This can be also applied on normal paint to protect your paint from UV, Dirt and extend the life of paint without affecting the beauty of your paint. It also helps to improve efflorescence resistance of your coating and avoid white patchiness on the paint after rainy season.

COVERING CAPACITY

Z-LAMINATE coating covers 80-100 sq. ft. per kg. for 2 coats application depending on smoothness and porosity of substrate.



AVAILABLE PACK SIZE

1Kg., 5 Kg., 20Kg.



TEZXX ENAMEL

Tezxx High Gloss Synthetic Enamel is a solvent based paint, perfect for all surfaces both interior and exterior. Specially formulated alkyd, exclusive micro fine pigments and extenders gives a long lasting glossy finish to every surface in all weather condition. It is solvent based liquid paint recommended for wood, metal and masonry surface.

TEZXX METAL PRIMER

Tezxx Red oxide Primer Based on synthetic alkyd resin and anti corrosive red oxide pigment which protect ferrous metal substrates. Its special formulation on alkyd with Zinc Phosphate anticorrosive pigment aids flow into the surface and protect the metal from atmospheric corrosion due to salty humid condition. This enhances adhesion of subsequent enamel to gives smooth & long lasting finish.

TEZXX WOOD PRIMER

Tezxx Wood Primer is a solvent borne primer for timber. It has good penetration, seals the wood and provides an ideal surface for paint Undercoat. It is an unique formulation that assures strong adhesion, enhances the look and performance of paint on interior and exterior wooden surfaces. It also protects finish coat from exudation of resinous matter oozing out from wood.

COVERING CAPACITY

Coverage:- (90-120* sqft) with brush application on new surface.

AVAILABLE PACK SIZE

500 ML., 1 Ltr, 4 Ltr. 10 Ltr. & 20 Ltr.



INNOVATION AND QUALITY IN CONSTRUCTION CHEMICALS, WATERPROOFING & PAINT INDUSTRY SINCE 2000

TEZXX IS AN INTERNATIONAL BRAND OF CONSTRUCTION CHEMICAL/ PAINT PRODUCTS DESIGNED TO DELIVER ADVANCED AND INNOVATIVE TECHNOLOGY BASED PAINTS, ADHESIVES, GROUTS & CONSTRUCTION CHEMICALS FOR HOMES AND INDUSTRIES.

PAINTS & DECORATIVE COATINGS

WALLPUTTY & PRIMERS

ANTI SALT & WATER PROOFING

ADHESIVES & BONDING AGENTS

GROUTS & FILLERS

CLEANERS

COATINGS

MEMBRANES

SCO-148, FF, Sector - 3, Huda Market, Kurukshetra - 136 118
PO BOX 98811/GPO, MOMBASA, AFRICA
TOLL FREE 1800-1212-146
WWW.TEZXX.COM



OChem SEALERS PVT. LTD. VENTURE
E-MAIL : INFO@OCHEMSEALERS.COM

