



SEARCH TH

SEARCH

[SIGN
UP](#)[SIGN
IN](#)

SEARCH THE FORUM

SEARCH

[SIGN IN](#)[SIGN UP](#)[CATALOG](#)[SERIES](#)[SKILLS](#)[PODCAST](#)[DISCUSSIONS](#)

Repoist - Laravel 5 Repository Generator

PUBLISHED 3 YEARS AGO BY [OZAN](#)

Repoist

Laravel 5 repository generator.



Usage

Step 1: Install Through Composer

```
composer require ozankurt/repoist --dev
```

Step 2: Add the Service Provider

You'll only want to use these generators for local development, so you don't want to update the production `providers` array in `config/app.php`. Instead, add the provider in `app/Providers/AppServiceProvider.php`, like so:

```
public function register()
{
    if ($this->app->environment() == 'local') {
        $this->app->register('Kurt\Repoist\RepoistServiceProvider');
    }
}
```

Step 3: Publish and edit the configurations

Run `php artisan vendor:publish` from the console to configure the Repoist according to your needs.

Step 4: Run Artisan!

You're all set. Run `php artisan` from the console, and you'll see the new commands in the `make:repository` namespace section.

Examples

- [Repositories Without Model](#)
- [Repositories With Model](#)

Repositories Without Schema

```
php artisan make:repository Task
```

Will output:

- `app/Repositories/Task/TaskRepository.php` (contract)
- `app/Repositories/Task/EloquentTaskRepository.php`

Repositories With Schema

```
php artisan make:repository Task -m
```

Will output:

- `app/Repositories/Task/TaskRepository.php` (contract)
- `app/Repositories/Task/EloquentTaskRepository.php`
- `app/Task.php`

Configurations

If somehow you cannot publish the `config/repoist.php` from artisan here you can copy and use it.

```
<?php
```

```
return [

    /**
     * Default path of repositories in `app` folder.
     * In this case:
     *     app/Repositories
     */
    'path' => 'Repositories',

    /**
     * Default path of models in laravel is the `app` folder.
     * In this case:
     *     app/
     */
    'model_path' => '',

    /**
     * Configure the naming convention you wish for your repositories.
     */
    'fileNames' => [
        'contract' => '{name}Repository',
        'eloquent' => 'Eloquent{name}Repository',
    ],

];
```



From your templates :

```
class {{class}} extends {{contract}}
```

You mean 'implements' ?



Ozan 3 years ago (67,290 XP)

@RemiC Thank You! :)



bobbybouwmann 3 years ago (1,151,795 XP)

Cool stuff ;) What is the next generator? Would be cool to have a generator to create a migration, a model, a controller, a repository and a request with one command :P



Ozan 3 years ago (67,290 XP)

@JeffreyWay Already did that! Credits to him. :)

@bobbybouwmann But I will add the functionality to print you the code you need to paste to your **ServiceProvider** to bind the contracts to repositories.



luddinus 3 years ago (24,420 XP)

I'm making a package named **Modulator**

```
php artisan module:make user
```

```
// generates
```

```
app/Modules/User/User.php (model)
```

```
app/Modules/User/Entities/UserEntity.php (model contract, useful to bind routes)
```

```

app/Modules/User/Providers/UserServiceProvider.php
app/Modules/User/Providers/UserRouteServiceProvider.php
app/Modules/User/Providers/UserEventServiceProvider.php
app/Modules/User/Database/Repositories/UserRepository.php
app/Modules/User/Database/Repositories/UserRepositoryInterface.php
app/Modules/User/Database/Mappers/UserMapper.php
app/Modules/User/Database/Mappers/UserMapperInterface.php
app/Modules/User/Http/Controllers/UserController.php

```

for example when you enter to this route `users/{user}`

```

// show the user
public function (UserEntity $user)
{
    // route /users/1
    // automatically injects the user with ID 1 from UserRepository->getById(1);
}

```

Additional commands

```

php artisan module:observer user creating // created
app/Modules/User/Observers/UserCreating.php

```

```

class UserCreating {

    public function __construct()
    {
        //
    }

    public function handle(UserEntity $user)
    {
        // it listens to "eloquent.creating: App\Modules\User\User" which is fired
        // by UserMapper
    }
}

```

```

php artisan module:request user UserCreateRequest

```

```

// generates a request in App\Modules\User\Http\Requests
// same with:
//     "php artisan module:middleware user IsAuthenticated
//     "php artisan module:controller user ProfileController

```

```

php artisan module:event UserRegisteredEvent --listener=SendEmailConfirmation

```

// generates the event and the listeners with the event "injected"



ddutra 3 years ago (7,435 XP)

Ozan, I will try you package. I am just now refactoring some code and will have to create a bunch of Repos. Thanks!



rjsworling 3 years ago (9,645 XP)

Nice :) Thank you



Fawwad 1 year ago (490 XP)

same instruction i followed for version 5.3 but i am unable to create Repositories using php artisan make:repository name-of-repository



ilkbn 1 week ago (2,270 XP)

app/Contracts/Task/TaskRepository.php (contract)
app/Repositories/Eloquent/EloquentTaskRepository.php app/Task.php (if needed)


it outputs this one.

please help

Please [sign in](#) or [create an account](#) to participate in this conversation.

CREATE ACCOUNT

CHOOSE A FILTER

 All Threads Popular This Week Popular All Time Solved Unsolved No Replies Yet Leaderboard

OR PICK A CHANNEL

☒ All☐ Code Review☐ Eloquent☐ Envoyer☐ Feedback☐ Forge☐ General☐ Guides☐ JavaScript☐ Laravel☐ Lumen☐ Mix

 Nova

 Requests

 Servers

 Spark

 Testing

 Tips

 Vue

How do I normalize this case into database?

TIPS • 3 DAYS AGO BY JACKDRAK



I have a case which I need to store all countries and preferred months to visit, it should be like this USA: { jan: no, feb:...

12

How to format date in blade?

TIPS • 1 DAY AGO BY SNAPEY



I'm working with the timestamp 1536300084, at the moment I'm simply printing it in a blade template using {{ \$timestamp }} Is there a...

06

admin panel

TIPS • 1 DAY AGO BY JLRDW



I know this has literally been asked dozens of times. I am after one that my company is hoping to use it in every project - we tried the...

05

How to check if uploaded image has a watermark?

TIPS • 4 DAYS AGO BY JONJIE



Hi there, I am building a illustration & album website with Laravel 5.6. I was wondering if there is a way to check if a uploaded image...

04

Authentication inside package

TIPS • 3 DAYS AGO BY TROOVERS



I'm developing a package which is going to be quite large, and also requires authentication. The package contains "projects" which you ca...

02

Google maps API and Laravel

TIPS • 1 DAY AGO BY FRANKPEREZ87



01

Hello guys, I'd like to build a system to show the user stuffs based in their localizations, well my problem is, how can i start to do it, if anyon...

Official Laravel Discord Server

TIPS • 2 DAYS AGO



In case you didn't see, Taylor Otwell set up a discord server for Laravel.
See his tweet:...

00

The most concise screencasts for
the working developer, updated
daily.



Lots of your peers think Laracasts is one of the best things ever. So buy Jeffrey lunch once a month, see for yourself, and massively level up your skills in the process.



LEARN

[Library](#)

[Lesson Index](#)

[Books](#)

[Sign Up](#)

[Sign In](#)

DISCUSS

[Forum](#)

[Laracasts Snippet](#)

[Laravel Podcast](#)

[Support](#)

EXTRAS

[Statistics](#)

[Testimonials](#)

[FAQ](#)

[Youtube](#)

[Get a Job](#)

[RSS](#)

[Privacy](#)

[Terms](#)

© Laracasts 2018. All rights reserved. Yes, all of them. That means you, Todd.

Proudly hosted with [Laravel Forge](#) and [DigitalOcean](#).