Session 3: Biological Databases

KB8029 — Bioinformatics & Deep Learning

Arne Elofsson

SciLifeLab

SciLifeLab

Log in to the lecture quiz

Log in to the quiz

Scan the code, or go to quiz.bioinfo.se/live

Log in with your university account

Answering counts as being at the lecture: up to 3 bonus points on the exam

Right or wrong is never graded, only whether you answered. Results are shown without names.

quiz.bioinfo.se/live

SciLifeLab

Warm-up: what do you know already?

3 quick questions

On the topics of today, one at a time, about 30 seconds each

Answer on your own, and guess if you do not know

It shows me where to start; right or wrong is never graded

SciLifeLab

What is an accession number?

A A stable identifier for one database record

B The official name of the gene

C The length of the sequence

D The year the sequence was published

Answer now
Scan the code, or go to
quiz.bioinfo.se/live

SciLifeLab

What does it mean that a database entry is curated?

A It was computed automatically from the sequence

B The authors submitted it themselves

C An expert has checked it against the literature

D It has a 3D structure

Answer now
Scan the code, or go to
quiz.bioinfo.se/live

SciLifeLab

A PubMed search for A AND B, compared with A alone, gives …

A the same number of articles or fewer

B the same number or more

C exactly half as many

D a number that only depends on B

Answer now
Scan the code, or go to
quiz.bioinfo.se/live

SciLifeLab

What the room knows already

Where we start

Which topics most of you know, and which we take slowly today.

Show the results ▸ quiz.bioinfo.se/live/report

Your questions before today

What you asked

The questions you sent in on Canvas before the lecture

The most common ones now; the others in the block where they belong

SciLifeLab

In up to three words: what do you want to learn today?

Identifiers

INSDC, RefSeq, accession.version

Who vouches?

UniProt, InterPro, PDB, AlphaFold DB

Searching

interactions, dossier, PubMed, Boolean

Answer now

Scan the code, or go to
quiz.bioinfo.se/live

SciLifeLab


What you want to learn today

What the room wants to learn

Show the results ▸ quiz.bioinfo.se/live/report

SciLifeLab

One protein, five questions



We follow human β-globin (HBB) through five questions. Each database appears as the answer to one of them, not as an entry in a list to learn.

See course.bioinfo.se/session03.html, 'Learning goals'.

SciLifeLab

Three blocks: about 30 min talk and 15 min discussion



Block 1: shared databases and the identifiers that link them. Block 2: who vouches for a record, and HBB in UniProt, InterPro, the PDB and AlphaFold DB. Block 3: interactions, the dossier, and searching.

Times are approximate: a 10 min start (warm-up quiz and your questions), two 15 min breaks and a 5 min close. Each block ends with a quiz question: guess, run the notebook and work out why it behaves as it does, discuss, answer again.


SciLifeLab

BLOCK 1 · ABOUT 30 MIN

Shared databases, and the identifiers that link them

SciLifeLab

INSDC: one collaboration, three sites




A sequence submitted to any of the three can be found through all three, under the same accession. Access is free; most journals require deposition before publication.

See course.bioinfo.se/session03.html, 'Why coordinated, worldwide databases'.

SciLifeLab

Too much data for any one lab



- **TrEMBL: ~149 million entries**
- A private copy goes stale at once
- So the databases are shared

Counts fetched live from the UniProt REST API; see the notebook.

SciLifeLab

Know which identifier you are holding

HBB	approved gene symbol	**HGNC**
3043	NCBI Gene ID	**NCBI**
NM_000518	transcript record	**RefSeq**
NM_000518.5	one exact sequence (version 5)	**RefSeq**
P68871	UniProt accession (stable)	**UniProt**
HBB_HUMAN	UniProt entry name (can change)	**UniProt**
2HHB	one of hundreds of structures	**PDB**

Seven identifiers for one gene and its products. An accession is unique only within its own database.

See course.bioinfo.se/session03.html, Table 3.1.

SciLifeLab

Anatomy of an accession

NM_ 000518 .5

prefix:
mRNA, not predicted

number:
unique within RefSeq

version:
changes with the sequence


report accession.version: NM_000518 alone does not say which revision

NM_000518 is a record; NM_000518.5 is one exact sequence. The version changes whenever the sequence changes.

See course.bioinfo.se/session03.html, 'Identifiers'.

SciLifeLab

One gene, three levels, linked by cross-references



NP_000509.1 says DBSOURCE: REFSEQ: accession NM_000518.5 (a cross-reference)

Databases follow the central dogma: DNA, RNA and protein each have their own records. Genome browsers (UCSC, Ensembl) show the gene in its chromosomal context.

Records fetched live via Entrez; see the notebook.

SciLifeLab

RefSeq prefixes: level and kind of record

NC_	genomic: a complete chromosome	NC_000011.10
NM_	mRNA, not predicted	NM_000518.5
NP_	protein, not predicted	NP_000509.1
NR_	non-coding RNA, not predicted	
XM_ / XP_	mRNA / protein PREDICTED	XP_011536997.1

- **The prefix tells the level**
- **X: predicted**
- N: not predicted, many curated

See course.bioinfo.se/session03.html, Table 3.2; NCBI RefSeq FAQ.

SciLifeLab


A predicted record says so itself

```
LOCUS       XP_011536997.1
DEFINITION  SWI/SNF-related matrix-associated actin-dependent
            regulator of chromatin subfamily D member 1 isoform X3
COMMENT     MODEL REFSEQ:  This record is predicted by
            automated computational analysis.
```

the record says itself where its information comes from

XP_011536997.1, fetched live in the notebook. Learn to read where a record's information comes from (Block 2).

Coordinates need the genome build



- **GRCh37/hg19 or GRCh38/hg38?**
- Same gene, different positions
- Always report the build

See course.bioinfo.se/session03.html, 'Identifiers'. The lab compares the two builds.

SciLifeLab

Two habits

Moving between records

follow a cross-reference

- Otherwise: stable ID or approved symbol, plus organism
- Then check organism and sequence

Reporting a sequence

accession.version

- NM_000518.5, not NM_000518
- Coordinates with their build

SciLifeLab

NM_000546.5 and NM_000546.6: what changed?

A 2015 paper used NM_000546.5 (TP53 mRNA). Today RefSeq has NM_000546.6.

TP53 mRNA in RefSeq

```
2015 paper:   NM_000546.5

today:        NM_000546.6

              ↑          ↑
          accession  .  version
```

What do you know about the two records?

A Same sequence: only the annotation changed

B Same gene and record, but the sequence changed

C Two transcript variants of TP53

D Unrelated: a new version is a new record

Guess on your own

Scan the code, or go to
quiz.bioinfo.se/live

SciLifeLab

NM_000546.5 and NM_000546.6: what changed?

How did the room answer?

Halt the round when most have answered, then show the results.

Show the results ▸ quiz.bioinfo.se/live/report

SciLifeLab

NM_000546.5 and NM_000546.6: what changed?

Fix it, run it, discuss

Open the notebook: scan the code

Fix the line marked FIX, then run the cells

Did it come out as you guessed? Discuss with your neighbour

The notebook: https://colab.research.google.com/github/ElofssonLab/kb8029-book/blob/main/notebooks/session03-discussion-1.ipynb

SciLifeLab

NM_000546.5 and NM_000546.6: what changed?

Answer again

Same question, after the discussion.

quiz.bioinfo.se/live

SciLifeLab

NM_000546.5 and NM_000546.6: what changed?

Results, and who explains

Both rounds side by side.

Draw two to explain: one of you says how you reasoned.

Show the results ▸ quiz.bioinfo.se/live/report

To check it with code afterwards: discussion notebook 1 https://colab.research.google.com/github/ElofssonLab/kb8029-book/blob/main/notebooks/session03-discussion-1.ipynb

SciLifeLab

The answer: the same record, a changed sequence



coding sequence: the same 393-residue p53

−60 bases at the 5′ end

−19 bases at the 3′ end

The number after the dot is the sequence version: it goes up only when the sequence changes. Version 6 lost 60 bases at the 5′ end and 19 at the 3′ end; the coding sequence, and so the p53 protein, is the same. A position in the 2015 paper refers to version 5, so always record the full accession.version.

SciLifeLab

BLOCK 1 DONE

Break


SciLifeLab

BLOCK 2 · ABOUT 30 MIN

Who vouches for a record? HBB in five databases

SciLifeLab

Submitted, predicted, curated, experimental




Sources of a claim, not kinds of record: one Swiss-Prot entry mixes curated, experimental and predicted annotation, and a PDB entry is both submitted and experimental.

See course.bioinfo.se/session03.html, 'Where does a record's information come from?'.

SciLifeLab

Who vouches for each claim?




- The sequence of XP_011536997.1
- The atom positions in 2HHB
- The function text in P68871
- A sequence as deposited in ENA

See course.bioinfo.se/session03.html, 'Where does a record's information come from?'.

SciLifeLab

Two sections: reviewed and unreviewed

- **Swiss-Prot: curators check function, domains, literature**
- TrEMBL: annotated automatically
- Not a subset: reviewed entries move to Swiss-Prot



Counts fetched live from the UniProt REST API; see the notebook.

SciLifeLab

Protein existence: graded evidence


1. experimental evidence at protein level ← **HBB (P68871)**
2. experimental evidence at transcript level
3. inferred from homology
4. predicted
5. uncertain

- **Every entry has a level**
- From measured to uncertain
- HBB: level 1

UniProt; see course.bioinfo.se/session03.html.

SciLifeLab

UniProt: the best first stop




- **P68871: Swiss-Prot**
- Function, disease variants, modifications
- Links to everything else

See course.bioinfo.se/session03.html, 'What is known about the protein?'.

SciLifeLab

InterPro: five nested entries for HBB




- **From superfamily to beta-type**
- Signatures from a dozen databases
- Pfam is now inside InterPro
- Mostly profile HMMs (Session 5)

InterPro API; see the notebook and book Table 3.3.

An experiment: PDB 2HHB

PDB 2HHB: X-ray, 1.74 Å (Fermi et al. 1984)




2 × HBA1 (α) 2 × HBB (β) 4 × haem

- **Human deoxyhaemoglobin**
- X-ray diffraction
- **Resolution 1.74 Å**
- Smaller = finer detail

PDBe and RCSB APIs; Fermi et al. (1984), J Mol Biol 175:159, PMID 6726807.

A prediction: AlphaFold DB



- **AF-P68871-F1**
- pLDDT: the model's own confidence
- Per residue, 0-100

AlphaFold Protein Structure Database (model v6); see the notebook.

SciLifeLab

Resolution and pLDDT are different kinds of number

Resolution (PDB)

2HHB: 1.74 Å

- How much detail the experiment saw
- In a real molecule
- Smaller is better

pLDDT (AlphaFold DB)

AF-P68871-F1: mean 97

- The model's estimate of itself
- Per residue
- Larger is better

SciLifeLab

What does the script print?

It searches UniProtKB for gene:HBB AND organism_id:9606 and averages the lengths. HBB has 147 residues.

```
hits = search_uniprot(
  "gene:HBB AND organism_id:9606")

lengths = [h["length"] for h in hits]
print(sum(lengths) / len(lengths))
```

Human haemoglobin beta (HBB) has 147 residues.

A 147: every hit is human HBB

B About 80: most hits are unreviewed fragments

C About 290: α and β counted together

D Nothing: one entry per gene

Guess on your own

Scan the code, or go to

quiz.bioinfo.se/live



SciLifeLab

What does the script print?

How did the room answer?

Halt the round when most have answered, then show the results.

Show the results ▸ quiz.bioinfo.se/live/report

SciLifeLab

What does the script print?

Fix it, run it, discuss

Open the notebook: scan the code

Fix the line marked FIX, then run the cells

Did it come out as you guessed? Discuss with your neighbour

The notebook: https://colab.research.google.com/github/ElofssonLab/kb8029-book/blob/main/notebooks/session03-discussion-2.ipynb

SciLifeLab

What does the script print?

Answer again

Same question, after the discussion.

quiz.bioinfo.se/live

SciLifeLab

What does the script print?

Results, and who explains

Both rounds side by side.


Draw two to explain: one of you says how you reasoned.

Show the results ▸ quiz.bioinfo.se/live/report

To check it with code afterwards: discussion notebook 2 https://colab.research.google.com/github/ElofssonLab/kb8029-book/blob/main/notebooks/session03-discussion-2.ipynb

SciLifeLab

The answer: about 80, because most hits are unreviewed



One reviewed entry (Swiss-Prot P68871, 147 residues) and 17 unreviewed TrEMBL entries, most of them fragments and variants from individual studies. A curator checks one reviewed entry per protein; unreviewed entries are added automatically, one per submitted sequence. Filter with reviewed:true, and look at the hits before you compute with them.

SciLifeLab

BLOCK 2 DONE

Break

SciLifeLab

BLOCK 3 · ABOUT 30 MIN

Interactions, the dossier, and searching

SciLifeLab

Interactions: what kind of evidence?

IntAct	single physical interactions from published experiments	**HBB-HBZ**
Complex Portal	curated stable complexes with their composition	**CPX-2158 (HbA)**
STRING	one combined score: experiments, co-expression, predictions, text mining	**functional association**


From the most to the least direct evidence. FunCoup (Stockholm University) builds a network like STRING's in a different way.

IntAct, Complex Portal and STRING APIs; see the notebook.

SciLifeLab

A curated complex: CPX-2158, haemoglobin HbA

PDB 2HHB: X-ray, 1.74 Å (Fermi et al. 1984)



2 × HBA1 (α) 2 × HBB (β) 4 × haem

- **2 HBA1 + 2 HBB + 4 haem**
- Curated in Complex Portal
- The same object 2HHB shows

Complex Portal API; see the notebook.

SciLifeLab

Five questions, five databases, one protein


question	database	record	evidence
Where is the sequence?	RefSeq	NM_000518.5 → NP_000509.1	curated
What is known?	UniProt	P68871, existence level 1	curated
Which family?	InterPro	IPR000971 Globin (+4)	signatures
Is there a structure?	PDB · AFDB	2HHB 1.74 Å · AF-P68871-F1	exp. · predicted
What does it interact with?	IntAct · CPX	HBB-HBZ · CPX-2158	exp. · curated
Where is it described?	PubMed	PMID 6726807	literature

Each row is a different database's record of the same biology, reached from the previous one by a cross-reference. The notebook fetches every record live.

See course.bioinfo.se/session03.html, Table 3.4.

SciLifeLab

Know your level, then search



An everything-at-once search mixes genome, gene, transcript and protein records. The same words in NCBI Gene or UniProt give a short list with the record you want near the top.

See course.bioinfo.se/session03.html, 'Searching'. The left panel is schematic.

SciLifeLab


Searching from code: reproducible and scriptable

```
Entrez.email = 'you@student.su.se'
Entrez.efetch(db='protein', id='NP_000509.1', rettype='gb')
# → 147 residues, DBSOURCE: REFSEQ: accession NM_000518.5
```

```
requests.get('https://rest.uniprot.org/uniprotkb/P68871.json')
# → Swiss-Prot, HBB_HUMAN, protein existence 1
# reproducible: the same query gives the same records next year
```

NCBI's E-utilities through Bio.Entrez, and the UniProt and PDB REST APIs. The course notebook builds the whole HBB dossier this way.


PubMed and PubMed Central



- **PubMed: built on MEDLINE (1971)**
- PMC: free full text
- No PMC copy? Try bioRxiv

SciLifeLab

Boolean operators are set operations



AND	4,458
OR	409,561
NOT	284,119

real PubMed counts

- **AND: the overlap**
- **OR: A + B − overlap**
- NOT: A − overlap

Live PubMed searches; see the notebook (book Table 3.5).

SciLifeLab

Quotation marks: words or a phrase?

```
hemoglobin beta
```

= hemoglobin AND beta: both words, anywhere, any order

```
"hemoglobin beta"
```


the exact phrase: usually far fewer records

- **Without quotes: AND**
- **With quotes: the phrase**
- Predict which gives fewer

See course.bioinfo.se/session03.html, 'Searching'.

SciLifeLab

A habit for every database



- **Predict the count**
- Run the query
- Check that it makes sense

SciLifeLab

Not needed in this course, but you will meet them

Variants

dbSNP, ClinVar, EVA

- GWAS Catalog
- OMIM for Mendelian disease

Cancer genomics

TCGA, COSMIC

- Via NCI's Genomic Data Commons
- Somatic mutations

Systems

PRIDE, Reactome, BioModels

- Proteomics data
- Pathways and models

See course.bioinfo.se/session03.html, 'Other resources worth knowing' (optional box).

SciLifeLab

Your own dossier: human myoglobin


- identifiers and genome builds
- predicted and curated records
- UniProt entry, existence level
- InterPro domains
- structure and AlphaFold model
- complexes and networks
- a literature search

→ a dossier for human myoglobin

The same path on other genes and proteins, ending with a dossier in which you also say what kind of information each record holds.

The Session 3 lab quiz on Canvas (labs/session03-databases.text2qti.md).

From measured to predicted



- PDB: about 260,000 measured
- AlphaFold DB: over 214 million predicted
- ESM Atlas: over 617 million predicted
- **Who vouches for a predicted record?**


RCSB PDB search API, experimental entries, 9 Oct 2026; Varadi et al. 2024, NAR 52:D368; Lin et al. 2023, Science 379:1123. https://alphafold.ebi.ac.uk/

SciLifeLab

How many articles does Y NOT X give?

PubMed: X gives 50,000, Y 30,000, X AND Y 8,000, and X NOT Y 42,000.

X	50,000
Y	30,000
X AND Y	8,000
X NOT Y	42,000
Y NOT X	?



A 42,000: NOT works both ways alike

B 22,000

C 72,000

D 38,000

Guess on your own

Scan the code, or go to

quiz.bioinfo.se/live

SciLifeLab

How many articles does Y NOT X give?

How did the room answer?

Halt the round when most have answered, then show the results.

Show the results ▸ quiz.bioinfo.se/live/report

SciLifeLab

How many articles does Y NOT X give?

Fix it, run it, discuss

Open the notebook: scan the code

Fix the line marked FIX, then run the cells

Did it come out as you guessed? Discuss with your neighbour

The notebook: https://colab.research.google.com/github/ElofssonLab/kb8029-book/blob/main/notebooks/session03-discussion-3.ipynb

SciLifeLab

How many articles does Y NOT X give?

Answer again

Same question, after the discussion.

quiz.bioinfo.se/live

SciLifeLab

How many articles does Y NOT X give?

Results, and who explains


Both rounds side by side.

Draw two to explain: one of you says how you reasoned.


Show the results ▸ quiz.bioinfo.se/live/report

SciLifeLab

The answer: 22,000, because NOT is not symmetric



X NOT Y = 50,000 − 8,000




Y NOT X = 30,000 − 8,000

Boolean operators are set operations on the lists of matching articles. NOT starts from one set and removes the overlap, so X NOT Y = 50,000 − 8,000 and Y NOT X = 30,000 − 8,000. OR counts the overlap once: 72,000. Real PubMed counts follow the same arithmetic exactly.

SUMMARY

Know the identifier, know who vouches for it



Follow cross-references between records, report accession.version, ask where each claim comes from (submitted, predicted, curated, experimental), and predict a search before you run it.

See course.bioinfo.se/session03.html.

SciLifeLab

In up to three words: what was the hardest part of today?

Identifiers

INSDC, RefSeq, accession.version

Who vouches?

UniProt, InterPro, PDB, AlphaFold DB

Searching

interactions, dossier, PubMed, Boolean

Answer now

Scan the code, or go to **quiz.bioinfo.se/live**

SciLifeLab

The hardest part of today

What the room found hardest

Show the results ▸ quiz.bioinfo.se/live/report

Session 4 next

You can now retrieve two related real sequences by accession
Next: how do you line them up, and score how similar they are?
Sequence alignment: dynamic programming, PAM/BLOSUM, dot plots