

Set-up and registration, online on Zoom

AI-Assisted Data Analysis in Marketing

WU WIRTSCHAFTS UNIVERSITÄT WIEN VIENNA UNIVERSITY OF ECONOMICS AND BUSINESS

Dr Arne Floh, Senior Lecturer in Marketing
WU Vienna, Institute for International Business

arne.floh@wu.ac.at
Office hours: book online (Google Calendar)

EFMD EQUIS ACCREDITED · AACSB ACCREDITED · ASSOCIATION OF MBAS AMBA ACCREDITED

SESSION 1 · WT 2026/27

Today: from zero to a working set-up

Accounts → Tools → Repo → Project → Check → AI

What you need

- Laptop, not phone
- Windows 10/11 or macOS
- 10 GB free disk space
- Admin rights

Have at hand

- WU e-mail and password
- Phone (two-factor login)
- Student ID

How we work

- One step at a time
- Share your screen
- Stuck? Raise your hand

Goal: by the end of today the check script prints “ready” on every laptop.

Register your accounts



Part 1 of 7 · GitHub, GitHub Education, DataCamp

Three registrations

Accounts | Tools | Repo | Project | Check | AI



GitHub
Stores code and its history; hosts the course repository

github.com/signup



GitHub Education
Free student benefits, including GitHub Copilot

education.github.com/pack



DataCamp
Online Python courses; two certificates count 10 %

DataCamp group link



Same e-mail everywhere: your WU student address unlocks the free plans.

GitHub account

1. Open github.com/signup
2. **WU e-mail:** sign up with your student address
3. **Username:** short and professional, e.g. anna-berger
4. **Verify** the code GitHub sends to your inbox
5. **Two-factor sign-in:** GitHub Mobile or an app

Why it matters

- Your username appears on every commit you make
- A clean GitHub profile is part of your CV
- Optional: share your group's case study in a repository
- The free plan is all you need

GitHub Education and Copilot

WU WIRTSCHAFTS UNIVERSITÄT WIEN VIENNA UNIVERSITY OF ECONOMICS AND BUSINESS

Accounts | Tools | Repo | Project | Check | AI

Add WU e-mail to GitHub → **Apply for benefits** → **Upload proof** → **Wait for approval** → **Turn on Copilot**

Apply

- Go to education.github.com/pack
- Your WU address must be verified in GitHub's e-mail settings
- Proof: a photo of your student ID or enrolment confirmation

After approval

- Turn on Copilot at github.com/settings/copilot
- Copilot Student is free while you study
- Until then: Copilot Free, with limits

Do this first: approval can take a few days, so apply today, then carry on.

EFMD EQUIS ACCREDITED AACSB ACCREDITED ASSOCIATION AMBA ACCREDITED

DataCamp classroom

WIRTSCHAFTS UNIVERSITÄT WIEN VIENNA UNIVERSITY OF ECONOMICS AND BUSINESS

Accounts | Tools | Repo | Project | Check | AI

1. **Open** the DataCamp group link (also on Canvas)
2. **Sign up** with your WU e-mail, or log in
3. **Join** the course group
4. **Find** the two assigned courses under Assignments
5. **Upload** each certificate to Canvas by its deadline

6
months free premium access

2
courses with certificates

10 %
of the final grade

EFMD EQUIS ACCREDITED AACSB ACCREDITED ASSOCIATION AMBA ACCREDITED

Install the tools

Part 2 of 7 · Python, Positron, Quarto, GitHub Desktop, the course repository

How the pieces fit together

GitHub.com
the course repository

Your laptop

GitHub Desktop
clone and pull; push optional

Course folder
data, code, Quarto files

Positron
where you write and run code

Inside Positron you use

Python + packages
in a private .venv folder

Quarto
turns .qmd files into reports

AI assistant
writes and explains code

Step 2: install Python 3.14.8

Windows

- **Download:** Python install manager
- Install it with a double-click
- Start menu → Terminal: py install 3.14

```
py -3.14 --version
```

macOS

- **Download:** macOS installer (Python 3.14.8)
- Open the .pkg and click through
- Apple silicon and Intel

```
python3.14 --version
```

Both downloads: python.org/downloads
Or let Positron install it: Command Palette → Python: Install Python via uv

Step 2: install Positron, Quarto and GitHub Desktop

Positron



- The editor for code, data and charts
- Version 2026.09, free
- Welcome page checks that Python is ready

positron.posit.co/download

Quarto



- Turns text and code into reports and slides
- Check: quarto --version

quarto.org/docs/get-started

GitHub Desktop



- Clone and pull with clicks; push if your group shares a repository
- Installs Git for you
- Sign in with your GitHub account

desktop.github.com



Restart Positron after installing Quarto, so it finds it.

Step 3: get the course repository

Accounts | Tools | **Repo** | Project | Check | AI

Copy the URL (below) → **GitHub Desktop: Clone repository** → **Pick a folder without spaces** → **Positron: Open Folder**

Course repository (public)

```
https://github.com/arnefloh-wu/
  ai-data-analysis-marketing-teaching
```

Folder: e.g. C:\Users\anna\wu\aidam or ~/wu/aidam. Avoid spaces, umlauts and OneDrive or iCloud folders.

Clone: your own copy of a repository; a public one needs no sign-in

Pull: get the latest materials; do it before every session

Commit and push: optional: share work in a group repository



In Positron: File → Open Folder. The cloned folder is now your project.

Step 4: set up the project's Python


Accounts | Tools | Repo | **Project** | Check | AI

Create Environment → Venv → Python 3.14.8 → .venv selected → Paste the install line

Positron

- Command Palette → Create Environment
- Venv → Python 3.14.8; no requirements file

Interpreter picker, top right



Then paste this one line into the Positron console

```
%pip install polars plotnine great-tables statsmodels pyarrow jupyter scikit-learn
```

Once per project: Positron remembers the .venv; the packages stay installed.

Step 5: run the check

Positron console (Windows and macOS)

```
%run setup/check_setup.py
```

Example output (shortened)

```
Packages
  [ok] polars            1.44.2     data wrangling
  [ok] plotnine          0.15.8     charts
  [ok] great_tables      1.0.0      tables
  [ok] statsmodels       0.15.0     regression
  ...
ready
```

Reading it

- [ok]: in place
- [!!]: the line says what to fix
- Ends with “ready”: done

Next: the full test with test_stack.qmd (next slide).

Step 5: test the whole stack

test_stack.qmd · cells 1 and 2

```
# 1 Install: run once with Ctrl/Cmd + Enter
%pip install polars plotnine great-tables \
    statsmodels pyarrow jupyter scikit-learn
# 2 Load
import polars as pl
import statsmodels.formula.api as smf
from great_tables import GT
from plotnine import ggplot, aes, geom_line
```

cells 3 and 4

```
# 3-4 polars and great_tables
sales = pl.read_csv(URL, try_parse_dates=True)
summary = (sales
  .filter(pl.col("week").dt.year() == 2025)
  .group_by("country")
  .agg(pl.col("revenue_eur_k").sum()))
GT(summary)
```

cell 5

```
# 5 plotnine: weekly sales, AT and DE
two = sales.filter(
    pl.col("country").is_in(["AT", "DE"]))
ggplot(two, aes("week", "sales_units_k",
                color="country")) + geom_line()
```

cell 6

```
# 6 statsmodels: regression for Austria
at = sales.filter(
    pl.col("country") == "AT").to_pandas()
model = smf.ols("sales_units_k ~ price_eur"
    " + spend_tv_k + spend_paid_search_k",
    data=at).fit()
```

No module named 'yaml'? Install into the .venv:
`.venv\Scripts\pip install …`

Download: test_stack.qmd on GitHub (button Download raw file) or on Canvas
Run it: pick Python 3.14.8 (.venv), run cell 1 once, then Preview (Ctrl/Cmd + Shift + K)

Step 6: connect your AI assistant

1. **Command Palette:** Configure Language Model Providers
2. **Choose GitHub Copilot** and sign in with GitHub
3. **Open the chat:** View: Show Posit Assistant

Providers

GitHub Copilot (our choice): chat and completions; free for students via GitHub Education

Posit AI Pass: chat and completions; about USD 20 a month

Anthropic API key: chat; pay as you go

Our rule: the AI writes, you check. Run the code, read the output and keep a short prompt log for each submission.

How Positron works

Part 3 of 7 · panes, running code, projects, shortcuts, Posit Assistant, Copilot

Positron at a glance

New ▾ Open ▾ | case-study ▾ | Python 3.14.8 (.venv) ▾

1 Explorer
files of the open folder

```
data/
analysis.py
report.qmd
test_stack.qmd
```

2 Editor
write .py and .qmd files

```
# %%
sales = pl.read_csv(...)
sales.head()
```

3 Console and Terminal
the Panel: code runs, results print

```
>>> sales.height
936
```


4 Variables
Session pane: what is in memory

`sales` 936 × 18

`summary` 6 × 3

`model` OLS results

5 Plots
Session pane: your charts



From code to result

Write code in the editor → Ctrl/Cmd + Enter → It runs in the console → Objects in Variables → Charts in Plots

Run code

- Ctrl/Cmd + Enter: the selection or current statement
- Ctrl/Cmd + Shift + Enter: the whole file, or the current cell
- # %% starts a cell in a .py file

Look at results

- Variables: every object, its type and size
- Data Explorer: click a table, or type %view sales
- Plots: earlier charts, zoom, save as PNG

Console or terminal? The console speaks Python. The terminal speaks to your computer: pip, git and quarto commands go there.

Projects in Positron: one folder for everything

A project is a folder

```
case-study/
├── .venv/            private Python + packages
├── .git/             version history
├── .gitignore        what Git leaves out
├── data/             raw data, never edit by hand
├── analysis.py       code, split into # %% cells
└── report.qmd        text, code and results
```

Open the folder, not single files: File → Open Folder

Positron remembers the interpreter and open files per folder

Relative paths: data/sales.csv works on every laptop

Switch projects with the project switcher, top right



.venv stays on your laptop: .gitignore keeps it out of GitHub. Anyone rebuilds it: Create Environment, then the one install line.

Start a new project from a template

New Folder from Template → Python Project → Name and location → Python 3.14 + venv → Create

Then, in the Positron console: the same install line as in Step 4

```
%pip install polars plotnine great-tables statsmodels pyarrow jupyter scikit-learn
```

Positron sets up



- The folder with a .venv inside, and a running Python session
- Git: .git and a .gitignore
- An empty file to start with



Where: New ▾ (top left), the project switcher, or Command Palette → Workspaces: New Folder from Template.

Shortcuts worth knowing

Action	Windows	macOS
Run selection or current statement	`Ctrl + Enter`	`Cmd + Enter`
Run the file or current cell	`Ctrl + Shift + Enter`	`Cmd + Shift + Enter`
Insert a code cell (# %%)	`Ctrl + Shift + I`	`Cmd + Shift + I`
Restart the Python session	`Ctrl + Shift + 0`	`Cmd + Shift + 0`
Clear the console	`Ctrl + L`	`Ctrl + L`
Preview a Quarto document	`Ctrl + Shift + K`	`Cmd + Shift + K`
Command Palette	`Ctrl + Shift + P`	`Cmd + Shift + P`
Help for the word under the cursor	`F1`	`F1`
Accept an AI suggestion	`Tab`	`Tab`

Posit Assistant: the AI inside Positron

What it sees

- Open files and project
- Data, variables, plots
- Console history

What it does

- Explains and fixes code
- Runs code if you approve
- Fix and Explain on errors

How you steer it

- /plan: plan first
- @file: point to a file
- Mode: keep Normal

Open it

```
View: Show Posit Assistant
```

Or the Assistant icon in the Activity Bar

Memory: an AGENTS.md file in your project tells it your conventions, for example “use polars and plotnine”.

Working with AI in Positron

Completions: ghost text

- Grey suggestions appear as you type
- Tab accepts, Ctrl/Cmd + → word by word
- Esc or keep typing to dismiss

Chat: Posit Assistant

- Ask in plain English, one step at a time
- Check every result it reports
- Export the chat: your prompt log

Good prompts


```
"Sum revenue by country for 2025 with polars and sort it."
"Explain this error in two sentences, then fix it."
```

Privacy: prompts, variable names and types go to the model provider; rows of data only if you ask. Never paste personal data.

Work with GitHub Desktop

Part 4 of 7 · the window, the everyday workflow, working as a group

GitHub Desktop at a glance



1. **Current repository** — which project you work on
2. **Current branch** — main is all we need
3. **Fetch / Pull / Push origin** — sync with GitHub
4. **Changes** — files edited since last commit
5. **Summary + Commit** — save a snapshot with a message
6. **Diff** — red removed, green added

Course repository: you only pull. Work in your own folder; a group repository is optional.

The everyday workflow

Fetch, then Pull origin → **Copy files into your own folder** → **Work in Positron** → **Optional: commit, push**

Course repository

- Required: pull before every session
- Read-only for you: copy files into your own folder before editing

Group repository

- Optional: one member publishes a private repository
- Pull, work, commit, push
- One person per file where you can

Good commits

- If you commit: small steps, often
- Summary says what changed: "Add AT sales chart"
- Push when you stop

Merge conflict in a group repository? Open the file, keep the lines you want, delete the markers (<<< === >>>), then commit and push.

Working on the case study together

Pull course repository → Copy into your folder → Positron: .venv → Combine: 2 ways → Upload to Canvas

Project folder

- Copy data/case/ and case-study/report.qmd
- report.qmd next to the data folder
- Create Environment, then the install line

Way 1: simple

- One member keeps report.qmd
- The others send code chunks and text
- Render the combined file every week

Way 2: GitHub

- Optional: Publish repository, private
- Invite on github.com: Collaborators
- Pull, commit, push

Groups of at most 4, due Mon 30 Nov, 23:59: upload report.qmd and report.html on Canvas; only these count.

Write reports with Quarto



Part 5 of 7 · how it works, the YAML header, code cells, output formats

Quarto: text, code and results in one file

report.qmd → Python runs the cells → Markdown + results → Pandoc converts → HTML, PDF, Word, slides

report.qmd

```
---
title: "Alpenglow: sales in Austria"
author: "Anna Berger"
format: html
---

## Weekly sales

```{python}
at = sales.filter(pl.col("country") == "AT")
at.head()
```

Austria is our smallest market.
```

1 YAML header: settings between the two --- lines

2 Markdown: headings (##), **bold**, lists, links

3 Code cells: ```{python} ... ``` run Python; the output lands under the cell

Preview: Ctrl/Cmd + Shift + K in Positron. Render: quarto render report.qmd

The YAML header: settings for the whole document

Top of report.qmd

```
---
title: "Alpenglow: sales in Austria"
author: "Anna Berger"
date: today
format:
  html:
    toc: true
    code-fold: true
execute:
  warning: false
---
```

`title, author`	shown at the top
`date: today`	the day you render
`format: html`	the output; its options indented below
`toc: true`	table of contents
`code-fold: true`	code hidden behind a “Code” button
`warning: false`	no warnings in the output



Indentation matters: two spaces per level, no tabs, and a space after every colon.

Code cells: options and numbers in the text

Inside report.qmd

````
```{python}
#| label: fig-sales
#| fig-cap: "Weekly sales in Austria"
#| echo: false
ggplot(at, aes("week", "sales_units_k")) + geom_line()
```

The chart covers `{python} at.height` weeks (@fig-sales).
````

`#| label: fig-sales`
names the cell; fig- makes it a figure

`#| fig-cap:`
the caption under the chart


`#| echo: false`
show the result, hide the code

`` `{python} …` ``
a computed number in the text


`@fig-sales`
“Figure 1”, with a link

Why it matters: when the data change, you render again and every chart, table and number in the text updates. No copy and paste into Word.


One source, many output formats




`html`
web page (default)



`revealjs`
slides in the browser



`typst`
PDF, no LaTeX needed



`docx`
Word, to edit further

YAML: several formats

```yaml
format:
  html: default
  revealjs: default
  typst: default
  docx: default
```

Terminal: all formats, or one

```
quarto render report.qmd
quarto render report.qmd --to docx
```

Also: pptx, dashboard, pdf (LaTeX)

Python packages for this course

Part 6 of 7 · install and load; polars, plotnine, Great Tables, statsmodels

Install packages: one line

Windows and macOS: Positron console, once per project

```
%pip install polars plotnine great-tables statsmodels pyarrow jupyter scikit-learn
```

A later session needs one more package: add it the same way

```
%pip install openpyxl
```

Fallback, Positron terminal: Windows (line 1), macOS (line 2)

```
.venv\Scripts\pip install polars plotnine great-tables statsmodels pyarrow jupyter scikit-learn
.venv/bin/pip install polars plotnine great-tables statsmodels pyarrow jupyter scikit-learn
```



Install name and import name can differ: pip install great-tables → import great_tables; scikit-learn → sklearn.

The Packages pane: install without code

Packages icon (Activity Bar)	Install Package	Search name, pick version	Restart session when asked

PACKAGES Python 3.14.8 (.venv)

great-tables	1.0.0	
pandas	3.0.6	● attached
plotnine	0.15.8	
polars	1.44.2	● attached
statsmodels	0.15.0	● attached
…		

What else it does

- Shows which packages are loaded (attached)
- Update one, or Update All Packages
- Flags known security issues
- Shows the installed version of each package
- Offers to install missing packages

Load packages: import at the top of every file

Install once per laptop → **Import in every file and session** → **Use the short name: pl.read_csv()**

Windows and macOS: the same code

```
import polars as pl
import statsmodels.formula.api as smf
from plotnine import ggplot, aes, geom_line
from great_tables import GT

print(pl.__version__)    # 1.44.2
```

Conventions

- pl and smf are the usual short names
- Imports go at the top
- Import only what you use

ModuleNotFoundError? Either the wrong interpreter is selected (pick the one in .venv) or the package is missing: %pip install it.

Your toolkit, from data to report

1 Wrangle

`polars` fast tables

`pandas` for model packages

2 Visualise

`plotnine` charts by grammar

3 Model

`statsmodels` regression, tests

`scikit-learn` segments

4 Report

`great_tables` tables

`Quarto` documents

7
packages in the course line

1
line installs them all

0
euros: all open source

Online you will also meet pandas and matplotlib: older but common; the ideas carry over.

polars: data wrangling

Revenue and TV spend per country, 2025

```
import polars as pl

sales = pl.read_csv("data/mmm/alpenglow_weekly.csv",
                    try_parse_dates=True)
summary = (
    sales
    .filter(pl.col("week").dt.year() == 2025)
    .group_by("country")
    .agg(pl.col("revenue_eur_k").sum().alias("revenue"),
         pl.col("spend_tv_k").sum().alias("tv"))
    .sort("revenue", descending=True)
)
```

DataFrame: a table with typed columns

Expressions: pl.col("tv").sum() says what to compute

Chaining: one step per line, read top to bottom

Fast: multi-threaded, written in Rust




Result: six rows, one per country. Germany leads with about EUR 131 million revenue in 2025. Need pandas? Add .to_pandas().

plotnine: charts with the grammar of graphics

Weekly sales, Austria and Germany

```
(ggplot(sales.filter(
        pl.col("country").is_in(["AT", "DE"])),
       aes(x="week", y="sales_units_k"))
 + geom_line(color="#0096D3")
 + facet_wrap("country")
 + scale_x_date(date_breaks="1 year",
                date_labels="%Y")
 + labs(x="", y="Sales (k units)")
 + theme_minimal())
```



The output of the code on the left

`ggplot()` the data	**`aes()`** columns to x, y	**`geom_`** the marks	**`facet_`** one panel per group	**`theme_`** the look

Data + mapping + marks + panels + theme: each + adds one layer.

Great Tables: tables for reports

The polars summary as a table

```
from great_tables import GT

(GT(summary)
 .tab_header(title="Revenue and TV spend, 2025")
 .fmt_number(columns=["revenue", "tv"], decimals=0)
 .cols_label(country="Country",
             revenue="Revenue (k EUR)",
             tv="TV spend (k EUR)"))
```

Header and labels: readable names instead of column codes

Number formats: thousands separators, currency, percent

Works with polars and pandas; renders in Quarto reports

Revenue and TV spend, 2025

Country	Revenue (k EUR)	TV spend (k EUR)
DE	130,650	5,434
FR	66,306	2,363
IT	47,950	2,478
NL	33,234	812
PL	23,112	616
AT	21,984	695

statsmodels: regression

Weekly sales in Austria, 2023 to 2025

```
import statsmodels.formula.api as smf

at = sales.filter(pl.col("country") == "AT").to_pandas()
model = smf.ols(
    "sales_units_k ~ price_eur + spend_tv_k"
    " + spend_paid_search_k",
    data=at).fit()
print(model.summary())
```

Coefficient	Estimate
Intercept	250.63
price_eur	−48.31
spend_tv_k	0.41
spend_paid_search_k	4.03
R^2 (n = 156)	0.43

Reading it: EUR 1,000 more paid search in a week goes with about 4,000 more units sold, holding price and TV constant.

Later in the course: logistic regression with the same statsmodels code.

Update within Positron

Part 7 of 7 · Positron, Python, the project's .venv, packages

Keep your set-up up to date

Positron itself
Updates itself; restart to apply
By hand: Help → Check for Updates

Python
Python: Install Python via uv
Command Palette; pick 3.14

The project's .venv
Tied to the Python that made it
New Python? Rebuild the .venv (next slide)

Packages
New one: %pip install name
One package: %pip install --upgrade polars

Course materials: not in Positron. Pull in GitHub Desktop before every session.

Move a project to Python 3.14

1. **Install 3.14:** Command Palette → Python: Install Python via uv → 3.14
2. **Stop Python:** power icon in the Console
3. **Delete .venv:** Explorer, right-click the .venv folder → Delete
4. **Create Environment:** Venv → Python 3.14.8, then the install line
5. **Check:** pick Python 3.14.8 (.venv), then %run setup/check_setup.py

Interpreter picker

`Python 3.13.5 (.venv)`

before

`Python 3.14.8 (.venv) ✓`

after

The check then reports **3.14.8** and ends with **ready**.

Why rebuild? a .venv cannot be upgraded; the old Python can stay installed.

When something goes wrong

Problem	Fix
Windows: py is not recognised	Reinstall the Python install manager; py install 3.14
No .venv in the picker	Open the course folder, not a file; pick Python 3.14.8 (.venv)
Check shows Python 3.13 or older	Move the project to Python 3.14 (Part 7)
No module named … (also 'yaml')	Not in the .venv: select it, then %pip install the package
macOS: externally-managed	System Python in use: select the project's .venv
Quarto preview does not start	Restart Positron; run quarto check in the terminal
Clone fails in GitHub Desktop	Sign in again under Accounts in the settings
Copilot is not offered	GitHub Education pending: use Copilot Free meanwhile

Checklist: before you leave today

Accounts

- [ ] GitHub account with two-factor sign-in
- [ ] GitHub Education application sent
- [ ] DataCamp group joined

Laptop

- [ ] Python 3.14, Positron, Quarto, GitHub Desktop
- [ ] Course repository cloned and open
- [ ] .venv created and selected
- [ ] “ready” and the test report renders
- [ ] GitHub Copilot connected

Not ready yet? Post the failing step in the Q&A forum on Canvas before Session 2.

VIENNA UNIVERSITY OF ECONOMICS AND BUSINESS

INSTITUTE FOR INTERNATIONAL BUSINESS
Welthandelsplatz 1, 1020 Vienna, Austria

DR ARNE FLOH
Senior Lecturer in Marketing

F +43-31336-6367
arne.floh@wu.ac.at
www.wu.ac.at/en/welthandel/arne-floh
Office hours: book online