

Page Layout Techniques

using Semantic tags for layout

using the Right Tags

`<header>`

`<main>`

`<footer>`



Inside Main Tag

Section Tag

<section>

For a section on your page

Article Tag

<article>

For an article on your page

Aside Tag

<aside>

For content aside main content(ads)



TechBuzz

Revisiting Anchor Tag

` Google `

For new tabs

` `

Click able pics



`<ad
r
ess
>
<
artic
>
<
a
sid
>
<blo
u
o
t
e`

Revisiting Image Tag

```

```

Set height

```

```

Set width

Div Tag

Div is a container used for other HTML elements
Block Element (takes full width)



List:div tags

<address>
<article>
<aside>
<blockquote>
<canvas>
<dd>
<div>
<dl>
<dt>

<fieldset>
<figcaption>
<figure>
<footer>
<form>
<h1>-<h6>
<header>
<hr>

<main>


<nav>
<noscript>

<p>
<pre>
<section>
<table>
<tfoot>

<video>

Span Tag

Span is also a container used for other HTML elements
Inline Element (takes width as per size)



List:span Tags

<a>
<abbr>
<acronym>

<bdo>
<big>

<button>
<cite>

<code>
<dfn>

<i>
<input>
<kbd>
<label>
<map>
<object>
<tt>
<var>

<output>
<q>
<samp>
<script>
<select>
<small>

<sub>
<sup>
<textarea>
<time>