

Base plots

Arni Magnusson

Statistical Modeling in R

Universidad de Concepción

19–23 January 2026

Outline

Plot Types

plot, barplot, hist, boxplot

Interface

vectors, formula, special object

Annotation

points, lines, text, legend

Details

axis, symbols, color, size, multipanel

Devices

aspect ratio, pdf, png

Plot types

`plot(x, y)`

```
plot(cars$speed, cars$dist)
```

`barplot(x)`

```
barplot(cars$dist)
```

`hist(x)`

```
hist(cars$dist)
```

`boxplot(x)`

```
boxplot(cars$dist)
```

Plot interface

```
plot(x, y)
```

```
plot(cars$speed, cars$dist)
```

```
plot(y~x, data=obj)
```

```
plot(dist~speed, data=cars)
```

```
plot(obj)
```

```
plot(cars) # data frame
```

```
cars.lm <- lm(dist~speed, data=cars)
```

```
par(mfrow=c(2,2))
```

```
plot(cars.lm) # lm
```

Plot annotation

`points(x, y)`

`lines(x, y)`

`abline(a, b)`

`abline(obj)`

`abline(h)`

`abline(v)`

`text(x, y, label)`

Plot details

<code>main</code>	<code>xlab</code>	<code>ylab</code>	label
<code>xlim</code>	<code>ylim</code>		axis limits
<code>lty</code>	<code>lwd</code>		line
<code>pch</code>			symbol
<code>col</code>			color
<code>cex</code>			size
<code>type</code>			type

Color

Name

Specify color name:

```
barplot(1, col="darkgreen")
```

Show all recognized color names:

```
colors()
```

Number

Select color from the default palette of 8 colors:

```
barplot(1, col=2)
```

Show full palette:

```
barplot(rep(1,8), names=1:8, col=1:8)  
palette()
```

Graphical parameters

Complete list of all graphical parameters

?par

Graphical parameters

```
plot(c(1,10), c(1,100),  
     main="title", xlab="x", ylab="y",  
     xlim=c(0,20), ylim=c(0,120),  
     pch=2, lwd=5, col="orange", cex=2)
```

```
lines(c(5,15), c(50,60), lty=2, lwd=5, col="purple")
```

```
text(10, 20, "here", col="brown")
```

Multipanel

Rows and columns

```
par(mfrow=c(2,3))
```

```
plot(0, main=1)
```

```
plot(0, main=2)
```

```
plot(0, main=3)
```

```
plot(0, main=4)
```

```
plot(0, main=5)
```

```
plot(0, main=6)
```

```
par(mfrow=c(1,1))
```

Devices

Write plot to file (vector graphics)

```
pdf("figure_1.pdf")  
plot(cars)  
dev.off()
```

Write plot to file (bitmap)

```
png("figure_2.png")  
plot(cars)  
dev.off()
```

Aspect ratio

Boxplots can be narrow

```
boxplot(count ~ spray, data=InsectSprays)
```

Scatterplots can show trend at 45° banking

```
plot(sunspots)
```

Outline

Plot Types

plot, barplot, hist, boxplot

Interface

vectors, formula, special object

Annotation

points, lines, text, legend

Details

axis, symbols, color, size, multipanel

Devices

aspect ratio, pdf, png