Tools and Workflows for Reproducible Research in the Quantitative Social Sciences

Jupyter Notebooks & Binder



Organizers:


Bernd Weiß
Johannes Breuer
Arnim Bleier

GESIS Library, Cologne






Open Access Code





What are Notebooks: Literate Programming



Try Jupyter (exercise)



https://mybinder.org/v2/gh/binder-examples/r/HEAD

https://hub.nfdi-jupyter.de/r2d/gh/binder-examples/r/HEAD <= advanced




Computation





Cloud:

- potentially largeData
- standardized environment
- 1-Click reproducibility






Personal


Computer:

- only small data
- every environment different
- time consuming to set up




The environment matters







Is Docker the Solution?




Dockerfile

```
FROM ubuntu
```

```
RUN echo "deb http://us.archive.ubuntu.com/ubuntu/ precise universe" >> /etc/apt/sources.list
RUN apt-get -v update
RUN apt-get install -v g++
RUN apt-get install -y erlang-dev erlang-manpages erlang-base-hipe erlang-eunit erlang-nox
erlang-xmerl erlang-inets
RUN apt-get install -y libmozjs185-dev libicu-dev libcurl4-gnutls-dev libtool wget
RUN cd /tmp ; wget
http://www.bizdirusa.com/mirrors/apache/couchdb/source/1.3.1/apache-couchdb-1.3.1.tar.gz
RUN cd /tmp && tar xvzf apache-couchdb-1.3.1.tar.gz
RUN apt-get install -v make
RUN cd /tmp/apache-couchdb-*; ./configure && make install
RUN printf "[httpd]\nport = 8101\nbind address = 0.0.0.0" >
/usr/local/etc/couchdb/local.d/docker.ini
EXPOSE 8101
CMD ["/usr/local/bin/couchdb"]
```

Zmbm; Leibniz

Build Docker Images from a Git Repository



jupyter-repo2docker is a tool for building and running Docker images from source code repositories.





What does jupyter-repo2docker?

Consider you want to build and run a simple binder repository

https://github.com/binder-examples/requirements

How would you proceed?

- 1) git clone https://github.com/binder-examples/requirements
- 2) pip install -r requirements.txt
- 3) jupyter notebook





What does jupyter-repo2docker?

Consider you want to build and run a simple binder repository

https://github.com/binder-examples/requirements

How would you proceed using repo2docker?

jupyter-repo2docker https://github.com/binder-examples/requirements





(Some) supported Environment Configuration Files





numpy==1.13.1
matplotlib==2.0.2
seaborn==0.8.1



environment.yaml

```
name: example-environment
Channels:
```

- conda-forge
- dependencies:
- python
- numpy



install.R

```
install.packages("tidyverse", repos =
"https://cloud.r-project.org/",
dependencies=TRUE)
```



runtime.txt

r-2018-07-27






```
Terminal - arnim@KOL16001 ~
                                                                                                                           File Edit View Terminal Tabs Help
arnim@KOL16001 ~ $ jupyter-repo2docker https://github.com/binder-examples/requirements
Picked Git content provider.
Cloning into '/tmp/repo2dockerto2bblgt'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 6 (delta 0), reused 4 (delta 0), pack-reused 0
Unpacking objects: 100% (6/6), done.
Reusing existing image (r2dhttps-3a-2f-2fgithub-2ecom-2fbinder-2dexamples-2frequirementsd0583e9), not building.[I 02:02:06.578
NotebookApp] Writing notebook server cookie secret to /home/arnim/.local/share/jupyter/runtime/notebook cookie secret
[I 02:02:06.931 NotebookApp] JupyterLab extension loaded from /srv/conda/lib/python3.6/site-packages/jupyterlab
[I 02:02:06.931 NotebookApp] JupyterLab application directory is /srv/conda/share/jupyter/lab
[I 02:02:06.941 NotebookApp] nteract extension loaded from /srv/conda/lib/python3.6/site-packages/nteract on jupyter
[I 02:02:06.943 NotebookApp] Serving notebooks from local directory: /home/arnim
[I 02:02:06.943 NotebookApp] The Jupyter Notebook is running at:
[I 02:02:06.943 NotebookApp] http://127.0.0.1:44831/?token=a49e0def6bba998835161f<u>511426a0c19163bc55471f7ce2</u>
[I 02:02:06.943 NotebookApp] Use Control-C to stop this server and shut down all kernels (twice to skip confirmation).
[W 02:02:06.943 NotebookApp] No web browser found: could not locate runnable browser.
[C 02:02:06.944 NotebookApp]
   Copy/paste this URL into your browser when you connect for the first time,
   to login with a token:
        http://127.0.0.1:44831/?token=a49e0def6bba998835161f511426a0c19163bc55471f7ce2
```



What is BinderHub?








Have a look at the Open Source Project:


https://github.com/jupyterhub/binderhub/


Join the Binder chat for questions:

https://gitter.im/jupyterhub/binder















Aitglied der Leibniz Leibniz

How to binderize your repository?

Documentation of the repo2docker Configuration Files https://repo2docker.readthedocs.io/en/latest/config_files.html

Discourse Jupyter https://discourse.jupyter.org/

Binder Examples https://github.com/binder-examples/r

Example R and Python repositories to get started

R https://github.com/gesiscss/iris_r

Python https://github.com/gesiscss/iris_python

Our WS demo repository https://github.com/jobreu/demo-repo

