UML Diagrams

bsi-test-dashboard

Black Sphere Industries

Generated 2026-03-23 | D2 Diagrams

Contents:

[SRC] Classes

[IMG] Test Run Submission Pipeline

[SRC] GitHub Webhook Processing

[SRC] BSI Test Dashboard Architecture

[IMG] State Diagrams

Classes

```
class-diagram: Classes {

  DashboardApp: DashboardApp (index.html) {
    shape: class
    sections: "string[]"
    +_runs: "RunSummary[]"
    +_currentRun: RunDetail
    +_manifests: ManifestIndex
    +_events: "WebhookEvent[]"
    +_trendChart: Chart
    +_passRateChart: Chart

    showSection(name)
    fetchRuns()
    fetchRunDetail(id)
    fetchManifest(version)
    fetchEvents()
    renderOverview()
    renderRunsTable()
    renderRunDetail()
    renderCoverageMap()
    renderTrends()
    deleteRun(id)
    signInWithGoogle()
    signOut()
  }

  RemoteRunner: RemoteRunner (runner.html) {
    shape: class
    +_testResults: TestResults
    +_manifestCache: Manifest
    +_testMode: string
    +_testTarget: string

    runAll(opts)
    buildPayload()
    fetchManifest()
    postToDashboard()
    exportForDashboard()
  }

  InlineTestHarness: InlineTestHarness {
    shape: class
    suites: "Suite[]"
    currentSuite: Suite

    describe(name, fn)
    it(name, fn, opts)
    assert(condition, msg)
    assertEqual(actual, expected, msg)
    assertNotEqual(actual, notExpected, msg)
    assertDeepEqual(actual, expected, msg)
    assertIncludes(arr, item, msg)
    assertGreaterThan(actual, threshold, msg)
    assertAppLoaded(handle, msg)
    runAll(opts)
    wait(ms)
```

```
  }

  InlineIframeOrchestrator: InlineIframeOrchestrator {
    shape: class
    target: string
    baseUrl: string
    demoMode: boolean
    handles: "AppHandle[]"

    loadApp(appId)
    unloadApp(handle)
    unloadAll()
    sendMessage(handle, msg)
    waitForMessage(handle, type, timeout)
    waitForAnyMessage(type, timeout)
    evalInApp(handle, expr)
    isSameOrigin(handle)
    getBodyLength(handle)
    getTheme(handle)
  }

  InlinePostMessageSpy: InlinePostMessageSpy {
    shape: class
```

... (249 lines total)

Test Run Submission Pipeline



GitHub Webhook Processing

```
seq-secondary: GitHub Webhook Processing {
  shape: sequence_diagram

  github: GitHub
  webhook: /api/webhook
  kv: Cloudflare KV
  github_content: GitHub Content API

  github -> webhook: "POST /api/webhook (X-GitHub-Event: push)"
  webhook -> webhook: "verifySignature(request, WEBHOOK_SECRET)"
  webhook -> webhook: "Parse payload JSON"
  webhook -> webhook: "Check: event=push, ref=refs/heads/main"
  webhook -> webhook: "Check: "commits[]" modified release-manifest.json?"

  webhook -> webhook: "Build logEntry: {type, repo, commitHash, author}"

  webhook -> github_content: "GET repos/arnoutzw/bsi-devops/contents/release-manifest.json"
  github_content -> webhook: "Raw JSON manifest"
  webhook -> webhook: "Extract version from manifest"

  webhook -> kv: "KV.get('manifests:{version}') ? check existing"
  webhook -> kv: "KV.put('manifests:{version}', manifest) ? new snapshot"
  webhook -> kv: "KV.get('manifests:index')"
  kv -> webhook: "Existing index"
  webhook -> webhook: "Prepend new version entry"
  webhook -> kv: "KV.put('manifests:index', updatedIndex)"

  webhook -> kv: "KV.get('events:log')"
  kv -> webhook: "Existing event log"
  webhook -> webhook: "Prepend logEntry, cap at 100 entries"
  webhook -> kv: "KV.put('events:log', updatedLog)"

  webhook -> github: "200 {ok: true, event: logEntry}"
}
```

BSI Test Dashboard Architecture

```
architecture: BSI Test Dashboard Architecture {

  browser: Browser {
    dashboard_ui: Dashboard SPA (index.html) {
      overview: Overview Section
      runs_list: Runs List
      run_detail: Run Detail
      manifest_view: Manifest Viewer
      coverage_map: Coverage Map
      trends: Trends (Chart.js)
      settings: Settings
    }
    remote_runner: Remote Runner (runner.html) {
      inline_harness: Inline TestHarness
      inline_orch: Inline IframeOrchestrator
      inline_spy: Inline PostMessageSpy
      smoke_suite: Smoke Suite (All Apps Load)
      sso_suite: SSO Chain Suite
      theme_suite: Theme Propagation Suite
      regression_suite: Regression Suite
    }
  }

  firebase: Firebase Auth {
    shape: cloud
    tooltip: "Google Sign-In for dashboard access"
  }

  cloudflare: Cloudflare Pages {
    static: Static Hosting {
      tooltip: "index.html, runner.html"
    }
    functions: Pages Functions {
      runs_api: /api/runs {
        tooltip: "GET: list runs index; POST: submit new run"
      }
      run_detail_api: /api/run/[id] {
        tooltip: "GET: full run detail; DELETE: remove run"
      }
      manifests_api: /api/manifests {
        tooltip: "GET: list versions or get specific manifest"
      }
      events_api: /api/events {
        tooltip: "GET: list webhook events"
      }
      webhook_api: /api/webhook {
        tooltip: "POST: GitHub webhook receiver"
      }
    }
    kv: Cloudflare KV (BSI_DASHBOARD) {
      shape: cylinder
      runs_index: "runs:index"
      runs_data: "runs:{id}"
      manifests_index: "manifests:index"
      manifests_data: "manifests:{version}"
      events_log: "events:log"
    }
```

```
  }

  github: GitHub {
    shape: cloud
    bsi_devops: arnoutzw/bsi-devops {
      tooltip: "Source of release-manifest.json"
    }
  }

  cf_apps: BSI Apps (Cloudflare Pages) {
    shape: cloud
    style.multiple: true
    tooltip: "30+ production PWAs tested by runner.html"
  }

  cli: CLI {
    submit_script: submit-run.sh {
      tooltip: "curl-based run submission from terminal"
    }
  }

  # Frontend wiring
  browser.dashboard_ui -> firebase: "Google Sign-In"
```

... (99 lines total)

State Diagrams