



МИНОБРНАУКИ РОССИИ

**Федеральное государственное бюджетное образовательное учреждение
высшего образования**

**«Московский государственный технологический университет
«СТАНКИН»**

(ФГАОУ ВО «МГТУ «СТАНКИН»)

**Институт цифровых интеллектуальных систем
Кафедра компьютерных систем управления**

**Образовательная программа 15.03.04
«Автоматизация технологических процессов и производств»**

**Дисциплина
«Основы системного программного обеспечения»**

Отчет по лабораторной работе №1

Выполнил:

студент гр. АДБ-23-06

_____ (дата)

_____ (подпись)

Родин А.П.

Принял:

к.т.н. доцент

_____ (дата)

_____ (подпись)


Ковалёв И.А.

Москва 2026

Цель: освоить работу с системой контроля версий Git и платформой GitHub, включая клонирование репозитория, совместную работу, отправку изменений и разрешение конфликтов.


Создание аккаунта в Github

Необходимо создать свою учетную запись и затем изменить название главной ветки с main на master




Создание репозитория

Теперь создадим репозиторий и укажем, что он публичный
<https://github.com/arodin2217-star/firstApp.git>



Установка Git



Создание локального репозитория

По пути C:\Users\Lexus\Downloads\Rodin создадим каталог Rodin и в нем создадим текстовый файл Alexey.txt, а в нем напомним Alexey. Далее откроем cmd

```
C:\Users\Lexus>git config --global user.name "arodin2217-star"
```

```
C:\Users\Lexus>git config --global user.email "a.rodin2217@gmail.com"
```

```
C:\Users\Lexus>cd C:\Users\Lexus\Downloads\Rodin
```

```
C:\Users\Lexus\Downloads\Rodin>git init
```

```
Initialized empty Git repository in C:/Users/Lexus/Downloads/Rodin/.git/
```

```
C:\Users\Lexus\Downloads\Rodin>git status
```

```
On branch master
```

```
No commits yet
```

```
Untracked files:
```

```
(use "git add <file>..." to include in what will be committed)
```

```
Alexey.txt
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

Далее пропишем команды для отслеживания этого файла, но придет сообщение, что файл есть, но он не отслеживается

Фиксация изменений в области заготовленных файлов

```

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   Alexey.txt

```

Проверка статуса репозитория, найден новый файл Oleg.txt. Файл готов к коммиту

```

C:\Users\Lexus\Downloads\Rodin>git commit -m "first commit"
[master (root-commit) 1c8dccf] first commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Alexey.txt

```

Отправка коммит на сервер

```

C:\Users\Lexus\Downloads\Rodin>git remote add origin https://github.com/arodin2217-star/firstApp.git
C:\Users\Lexus\Downloads\Rodin>git remote -v

```

Запросим изменения с сервера

```

C:\Users\Lexus\Downloads\Rodin>git remote -v
origin https://github.com/arodin2217-star/firstApp.git (fetch)
origin https://github.com/arodin2217-star/firstApp.git (push)

C:\Users\Lexus\Downloads\Rodin>git pull origin master --allow-unrelated-histories
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 858 bytes | 95.00 KiB/s, done.
From https://github.com/arodin2217-star/firstApp
 * branch            master       -> FETCH_HEAD
 * [new branch]      master       -> origin/master
Merge made by the 'ort' strategy.
 README.md | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

```

Теперь перешлем локальный коммит на сервер

```

C:\Users\Lexus\Downloads\Rodin>git push origin master
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (5/5), 510 bytes | 510.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/arodin2217-star/firstApp.git
 5398b21..1539870 master -> master

```

```
C:\Users\Lexus\Downloads\Rodin>git log
commit 15398701bb6a093d7f9f6fe6246315e90382b530 (HEAD -> master, origin/master)
Merge: 1c8dccf 5398b21
Author: arodin2217-star <a.rodin2217@gmail.com>
Date: Thu Apr 2 00:01:12 2026 +0300

    Merge branch 'master' of https://github.com/aron2217-star/firstApp

commit 1c8dccffc6c969e0df5d37e8d47b8ab6cb3ef0b7
Author: arodin2217-star <a.rodin2217@gmail.com>
Date: Thu Apr 2 00:00:34 2026 +0300

    first commit

commit 5398b2123ad7c15e2e7f0bfcd85f9fbe3e75e2f1
Author: arodin2217-star <a.rodin2217@gmail.com>
Date: Wed Apr 1 23:50:37 2026 +0300

    Initial commit
```

Посмотрим изменения на github.com

The screenshot shows the GitHub repository interface for the 'second' branch. At the top, it indicates 'This branch is 1 commit ahead of master'. Below this, a table lists the commit history:

Commit Hash	Commit Message	Time Ago
857ee8c	second commit	6 minutes ago
1c8dccf	first commit	25 minutes ago
5398b21	Initial commit	35 minutes ago
1539870	Rodin.txt	6 minutes ago

Если нажать на «commits», то увидим все наши изменения

The screenshot shows the 'Commits' page on GitHub. It displays a list of commits in chronological order, grouped by date:

- Commits on Apr 2, 2026:**
 - second commit** (857ee8c) - committed 34 minutes ago
 - Merge branch 'master' of https://github.com/aron2217-star/firstApp** (1539870) - committed 53 minutes ago
 - first commit** (1c8dccf) - committed 54 minutes ago
- Commits on Apr 1, 2026:**
 - Initial commit** (5398b21) - authored 1 hour ago

Создание новой ветки

Создаем ветку second, затем переключаемся на нее и создаем в папке Rodin текстовый файл Rodin.txt, проверяем статус и добавляем его на Github в ветку second


```
C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch second
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   Rodin.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "second commit"
[second 857ee8c] second commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Rodin.txt

C:\Users\Lexus\Downloads\Rodin>git push origin second
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 275 bytes | 275.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'second' on GitHub by visiting:
remote:   https://github.com/arodin2217-star/firstApp/pull/new/second
remote:
To https://github.com/arodin2217-star/firstApp.git
 * [new branch]      second -> second
```

Проверяем изменения на Github



Слияние веток

Применяем изменения для второй ветки и затем удаляем ее. Создаем ветку newdev и переключаемся на нее

```

C:\Users\Lexus\Downloads\Rodin>git branch newdev


C:\Users\Lexus\Downloads\Rodin>git branch
* master
  newdev

C:\Users\Lexus\Downloads\Rodin>git checkout newdev
Switched to branch 'newdev'

C:\Users\Lexus\Downloads\Rodin>git branch
  master
* newdev

```

Редактируем файл



Проверяем статус и обновляем, затем коммитируем изменение в файле и вносим обновление на Github

```

C:\Users\Lexus\Downloads\Rodin>git status
On branch newdev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Alexey.txt
        modified:   Rodin.txt


no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch newdev
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Alexey.txt
        modified:   Rodin.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "Добавил в файл с именем отчество"
[newdev babb1ac] Добавил в файл с именем отчество
2 files changed, 6 insertions(+)


```



Переключение на ветку master. В файле только имя

```
C:\Users\Lexus\Downloads\Rodin>git checkout master
Switched to branch 'master'

C:\Users\Lexus\Downloads\Rodin>git branch
* master
  newdev
```




Объединение веток

```
C:\Users\Lexus\Downloads\Rodin>git merge newdev
Updating 857ee8c..6abb1ac
Fast-forward
 Alexey.txt | 5 +++++
 Rodin.txt  | 1 +
 2 files changed, 6 insertions(+)

C:\Users\Lexus\Downloads\Rodin>
```

Заходим в файл и всё вернулось обратно (Отчество)




Переключение на ветку newdev и удаление в файле несколько букв в отчестве

```
C:\Users\Lexus\Downloads\Rodin>git checkout newdev
Switched to branch 'newdev'

C:\Users\Lexus\Downloads\Rodin>git branch
  master
* newdev

C:\Users\Lexus\Downloads\Rodin>
```



Проверка статуса и применение изменений, затем отправить изменение на Github

```
C:\Users\Lexus\Downloads\Rodin>git status
On branch newdev
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Alexey.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Rodin>git add .


C:\Users\Lexus\Downloads\Rodin>git status
On branch newdev
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Alexey.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "Убрали буквы в ветке newdev"
[newdev cccf3e3] Убрали буквы в ветке newdev
1 file changed, 1 insertion(+), 1 deletion(-)
```

Проверка изменений



Добавить в файл несколько букв к отчеству



Проверил статус, обновил и отправил изменения на Github

```
C:\Users\Lexus\Downloads\Rodin>git checkout master
Switched to branch 'master'

C:\Users\Lexus\Downloads\Rodin>git branch
* master
  newdev

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Alexey.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Alexey.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "Добавили буквы в ветке master"
[master be6ccc5] Добавили буквы в ветке master
1 file changed, 1 insertion(+), 1 deletion(-)
```

Проверил изменения на Github



Просмотр изменений и разрешение конфликтов


```

C:\Users\Lexus\Downloads\Rodin>git merge newdev
Auto-merging Alexey.txt
CONFLICT (content): Merge conflict in Alexey.txt
Automatic merge failed; fix conflicts and then commit the result.

C:\Users\Lexus\Downloads\Rodin>git diff
diff --cc Alexey.txt
index 53c75e5,98f4e2c..0000000
--- a/Alexey.txt
+++ b/Alexey.txt
@@@ -1,4 -1,4 +1,8 @@@
++<<<<<< HEAD
+PavlovichPAVL
++=====
+ Pavl
++>>>>>> newdev

```

Разрешаем конфликт объединения веток, путем редактирования файла и отправления данных на Github



```

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   Alexey.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
All conflicts fixed but you are still merging.
  (use "git commit" to conclude merge)

Changes to be committed:
  modified:   Alexey.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "Убрали все разделители"
[master 665f9db] Убрали все разделители

```

```
C:\Users\Lexus\Downloads\Rodin>git push origin master
Enumerating objects: 16, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (13/13), 1.28 KiB | 653.00 KiB/s, done.
Total 13 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/arodin2217-star/firstApp.git
  1539870..665f9db master -> master
```

Проверка изменений

Убрали все разделители

● arodin2217-star committed 11 hours ago

665f9db



Удаление newdev и second

```
C:\Users\Lexus\Downloads\Rodin>git status
On branch master
nothing to commit, working tree clean

C:\Users\Lexus\Downloads\Rodin>git branch
* master
  newdev

C:\Users\Lexus\Downloads\Rodin>git branch -d newdev
Deleted branch newdev (was 665f9db).

C:\Users\Lexus\Downloads\Rodin>git branch
* master
```

```
C:\Users\Lexus\Downloads\Rodin>git push origin --delete second
To https://github.com/arodin2217-star/firstApp.git
- [deleted]          second
```

Проверка веток

✓ master

default

Возврат к предыдущему состоянию

```
C:\Users\Lexus\Downloads\Rodin>git checkout 665f9db2a51db33b40fffe9d378fe7c16a397063
Note: switching to '665f9db2a51db33b40fffe9d378fe7c16a397063'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using -c with the switch command. Example:

```
git switch -c <new-branch-name>
```


Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at 665f9db Убрали все разделители

```
C:\Users\Lexus\Downloads\Rodin>git branch
* (HEAD detached at 665f9db)
  master
```



Исправление коммита

```
C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   Alexey.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   Alexey.txt

C:\Users\Lexus\Downloads\Rodin>git reset HEAD
Unstaged changes after reset:
M   Alexey.txt

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   Alexey.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

Фиксация изменений

```
C:\Users\Lexus\Downloads\Rodin>git commit -m "Фиксация изменений"
[master 1431dec] Фиксация изменений
1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\Lexus\Downloads\Rodin>git reset HEAD

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
nothing to commit, working tree clean

C:\Users\Lexus\Downloads\Rodin>git push origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 370 bytes | 370.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/arodin2217-star/firstApp.git
665f9db..1431dec master -> master

C:\Users\Lexus\Downloads\Rodin>git commit --amend
[master 190e13b] Фиксация изменений
Date: Thu Apr 2 01:53:02 2026 +0300
1 file changed, 1 insertion(+), 1 deletion(-)

Фиксация изменений


# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
#
# Date:      Thu Apr 2 01:53:02 2026 +0300
#
# On branch master
# Changes to be committed:
#   modified:   Alexey.txt
#
~
-

C:\Users\Lexus\Downloads\Rodin>git log
commit 190e13bb30ff169bc8283734d0ec47dd24a25798 (HEAD -> master)
Author: arodin2217-star <a.rodin2217@gmail.com>
Date: Thu Apr 2 01:53:02 2026 +0300

    Фиксация изменений
```

Отправка только нужных файлов на сервер

Создаем файл .gitignore, для игнорирования файлов



Проверка статуса и отправление данных на Github

```
C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Alexey.gitignore.txt

nothing added to commit but untracked files present (use "git add" to track)

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   Alexey.gitignore.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "Создал Alexey.gitignore"
[master 951f6b3] Создал Alexey.gitignore
 1 file changed, 1 insertion(+)
 create mode 100644 Alexey.gitignore.txt

C:\Users\Lexus\Downloads\Rodin>git push origin master
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 720 bytes | 720.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/arodin2217-star/firstApp.git
 1431dec..8667611  master -> master
```

Проверка изменений

Создал Alexey.gitignore	951f6b3		
arodin2217-star committed 2 minutes ago			
Фиксация изменений	190e13b		
arodin2217-star committed 6 minutes ago			

Совместная работа с git

Создаем папку и копируем в нее репозиторий друга

А также делаем коллаборацию

Collaborators and teams

Public repository
This repository is public and visible to anyone

Manage visibility

Direct access

1 entity has access to this repository. [0 collaborators](#), [1 invitation](#).

Manage access

Select all

Type ▾

Find a collaborator...

oleg132856
Awaiting oleg132856's response

Pending Invite

[< Previous](#) [Next >](#)

Вводим данные друга для входа

```
C:\Users\Lexus\Downloads\Oleg>git config --global user.name "oleg132856"  
C:\Users\Lexus\Downloads\Oleg>git config --global user.email microsoft.dixter123@gmail.com
```

Проверка статуса и отправление данных

```
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status  
On branch master  
Your branch is up to date with 'origin/master'.  
  
Untracked files:  
  (use "git add <file>..." to include in what will be committed)  
    Alexey.txt  
  
nothing added to commit but untracked files present (use "git add" to track)  
  
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git add .  
  
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status  
On branch master  
Your branch is up to date with 'origin/master'.  
  
Changes to be committed:  
  (use "git restore --staged <file>..." to unstage)  
    new file:   Alexey.txt  
  
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git commit -m "Collab with Olegator"  
[master f31b412] Collab with Olegator  
 1 file changed, 1 insertion(+)  
 create mode 100644 Alexey.txt  
  
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git push origin master  
Enumerating objects: 4, done.  
Counting objects: 100% (4/4), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 302 bytes | 302.00 KiB/s, done.  
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)  
remote: Resolving deltas: 100% (1/1), completed with 1 local object.  
To https://github.com/oleg132856/Popadyuk_OlegLR.git  
 3fee9f7..f31b412  master -> master
```


Получение файла

```
C:\Users\Lexus\Downloads\Rodin>git pull origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (1/1), done.
remote: Total 3 (delta 1), reused 3 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 272 bytes | 30.00 KiB/s, done.
From https://github.com/arodin2217-star/firstApp
* branch          master      -> FETCH_HEAD
   8667611..85ad43e  master      -> origin/master
Updating 8667611..85ad43e
Fast-forward
 Oleg.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Oleg.txt
```

Проверка данных на Github



Получение нескольких файлов

```
C:\Users\Lexus\Downloads\Rodin>git pull origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (1/1), done.
remote: Total 3 (delta 1), reused 3 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 272 bytes | 30.00 KiB/s, done.
From https://github.com/arodin2217-star/firstApp
* branch          master      -> FETCH_HEAD
   8667611..85ad43e  master      -> origin/master
Updating 8667611..85ad43e
Fast-forward
 Oleg.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Oleg.txt
```

Имя	Дата изменения	Тип	Размер
.git	02.04.2026 2:34	Папка с файлами	
Alexey.gitignore	02.04.2026 1:56	Текстовый докум...	1 КБ
Alexey	02.04.2026 1:50	Текстовый докум...	1 КБ
Oleg	02.04.2026 2:34	Текстовый докум...	0 КБ
README.md	02.04.2026 0:01	Файл "MD"	1 КБ
Rodin	02.04.2026 1:00	Текстовый докум...	1 КБ

```
C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Rodin.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Rodin>git add .

C:\Users\Lexus\Downloads\Rodin>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Rodin.txt

C:\Users\Lexus\Downloads\Rodin>git commit -m "Изменения Rodin от Алексея Родина"
[master 8833a2c] Изменения Rodin от Алексея Родина
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\Lexus\Downloads\Rodin>git push origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 379 bytes | 379.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/arodin2217-star/firstApp.git
 2213935..8833a2c  master -> master
```

```

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git pull origin master
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (1/1), done.
remote: Total 3 (delta 1), reused 3 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 305 bytes | 61.00 KiB/s, done.
From https://github.com/oleg132856/Popadyuk_OlegLR
* branch                master      -> FETCH_HEAD
   e7b0e4f..9378db3      master      -> origin/master
Updating e7b0e4f..9378db3
Fast-forward
 Oleg.txt | 4 +---
 1 file changed, 1 insertion(+), 3 deletions(-)

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Oleg.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git add .

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Oleg.txt


C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git commit -m "Изменение Rodin от Алексея Родина"
[master 1162c53] Изменение Rodin от Алексея Родина
 1 file changed, 1 insertion(+)

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git push origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 365 bytes | 365.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/oleg132856/Popadyuk_OlegLR.git
   9378db3..1162c53  master -> master

C:\Users\Lexus\Downloads\Rodin>git pull origin master
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 1), reused 3 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 342 bytes | 68.00 KiB/s, done.
From https://github.com/arodin2217-star/firstApp
* branch                master      -> FETCH_HEAD
   8833a2c..2aef423      master      -> origin/master
Updating 8833a2c..2aef423
Fast-forward
 Rodin.txt | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)

C:\Users\Lexus\Downloads\Rodin>_

```



Получение данных

Изменение от Олега ● arodin2217-star committed 9 hours ago	2aef423	📄	<>
Изменения Rodin от Алексея Родина ● oleg132856 committed 10 hours ago	8833a2c	📄	<>
Очередная коллаба ● arodin2217-star committed 10 hours ago	2213935	📄	<>
Коллаборация ● arodin2217-star committed 10 hours ago	85ad43e	📄	<>

Разрешение конфликтов

```
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git branch second

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git brench
git: 'brench' is not a git command. See 'git --help'.

The most similar command is
    branch

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git branch
* master
  second

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git checkout second
Switched to branch 'second'
```

```

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Popadyuk.txt



no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git add .

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Popadyuk.txt

```



```

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git commit -m "Модификация попадюка"
[second 867a3ff] Модификация попадюка
1 file changed, 1 insertion(+), 1 deletion(-)

```

```
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git checkout master
Switched to branch 'master'
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)
```

Popadyuk.txt

Файл Изменить Просмотр H1 ▾

Alexeyyyyyyyyy

```
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Popadyuk.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git add .

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
(use "git push" to publish your local commits)

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   Popadyuk.txt

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git commit -m "Модификация попадюка в мастере"
[master 5f7bac2] Модификация попадюка в мастере
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git merge second
Auto-merging Popadyuk.txt
CONFLICT (content): Merge conflict in Popadyuk.txt
Automatic merge failed; fix conflicts and then commit the result.
```

Popadyuk.txt	Popadyuk.txt
Файл Изменить Просмотр H1 ▾	Файл Изменить Просмотр H1 ▾
<pre><<<<<< HEAD <u>Alexeyyyyyyyyy</u> ===== <u>A1</u> >>>>>> <u>second</u></pre>	<pre><u>Alexeyyyyyyyyy</u> <u>A1</u> <u>second</u></pre>

```
C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   Popadyuk.txt

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git add .

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git status
On branch master
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)

All conflicts fixed but you are still merging.
  (use "git commit" to conclude merge)

Changes to be committed:
  modified:   Popadyuk.txt

C:\Users\Lexus\Downloads\Oleg\Popadyuk_OlegLR>git commit -m "Разрешение конфликта"
[master 255f451] Разрешение конфликта
```

Вывод: я освоил работу с системой контроля версий Git и платформой GitHub, включая клонирование репозитория, совместную работу, отправку изменений и разрешение конфликтов.