

CLAIMIT

Reward. Redeem. Earn.

PROJECT SCOPE DOCUMENT

Full Application Flow, Page Specifications & Backend API Reference

Document Type	Application Scope & Workflow
Platform	Mobile App (iOS & Android)
Technology	React Native / Flutter (Frontend) + Node.js / REST API (Backend)
Flows Covered	Onboarding, Home, Nearby Deals, Brand Deals, Reward Zone, Redeem Zone, Classifieds, Profile

Table of Contents

1. App Overview & Architecture
2. Onboarding Flow
3. Home / Main Feed
4. Nearby Deals Flow
5. Brand Deals Flow
6. Reward Zone Flow
7. Redeem Zone Flow
8. Local Classifieds Flow
9. Profile & Settings Flow
10. Global Components
11. Backend API Reference
12. Data Models
13. App Navigation Structure

1. App Overview & Architecture

Claimit is a hyperlocal mobile application that connects users with nearby retail stores and national brands through a reward and redemption system. Users earn reward points by scanning purchase bills at affiliated Reward Zone stores, and redeem those points as discounts at Redeem Zone stores. The app also aggregates nearby deals, brand promotional offers, a short-video feed (Promo Reelz), and a local classifieds marketplace, making it a single destination for local commerce and savings.

Core Value Proposition

- **Shop IT** – Shop at Claimit-affiliated Reward stores and earn free redeemable reward points plus 1% cashback on every purchase.
- **Scan IT** – Scan the bill with the Claimit app to instantly receive redeemable reward points and 1% cashback.
- **Earn IT** – At Claimit-affiliated Redeem Stores, scan the bill to enjoy rewards as discounts plus 1% cashback on every purchase.

Feature Modules

Module	Description
Onboarding	Splash screen, feature introduction slides, OTP-based authentication (signup / login), location selection.
Home Feed	National ad banner, category shortcut bar, Featured Zones grid, Nearby Deals list, Brand Deals toggle.
Nearby Deals	Location-filtered list of deals from local stores with category filtering and store detail view.
Brand Deals	National and branded promotional offers with filter and detail page.
Promo Reelz	Short-form video feed zone for promotional content.
Reward Zone	List of Reward-Zone-affiliated stores, bill scanning, reward points crediting to wallet.
Redeem Zone	List of Redeem-Zone-affiliated stores, eligibility check, in-store bill scanning, discount application, cashback crediting.
Local Classifieds	Hyperlocal classified marketplace – search, post, browse, and contact listings across categories.
Profile	User info, reward wallet, favourites, purchase history, settings.
Notifications	Push notification centre for deals, order updates, app events, social activity.

Technology Architecture

- **Frontend:** React Native (or Flutter) – single codebase for iOS and Android.

- Backend: RESTful API (Node.js / Express or equivalent), JWT-based authentication.
- Database: Relational (PostgreSQL) for users, stores, transactions; NoSQL (Redis) for session and cache.
- Storage: Cloud storage (AWS S3 / Firebase Storage) for bill images, classified photos, profile pictures.
- Maps: Google Maps API / Mapbox for store location, directions, and proximity detection.
- OCR: Bill reader service (Google Vision API or equivalent) for automated shop-name and amount extraction from scanned bills.
- Push Notifications: Firebase Cloud Messaging (FCM) for all notification types.
- OTP: Twilio / MSG91 for SMS OTP delivery; optional Google / Facebook OAuth.
- Payments: Razorpay / Stripe for classified ad posting fee payment.

2. Onboarding Flow

The onboarding flow is the first experience a user encounters. It educates new users on the app's core value, handles authentication, and collects the user's preferred location to personalise the feed.

2.1 Splash Screen

Screen ID	SCR-SPLASH
Route	/splash
Purpose	Brand introduction; auto-navigates to onboarding slides or home if session token exists.

UI ELEMENTS

- Claimit logo (center-screen, large).
- Tagline: "Reward. Redeem. Earn." (below logo).
- Partner attribution label ("from VERSOai") at bottom.
- Background: white with faint watermark pattern.

BACKEND LOGIC

- On app launch, check local storage / secure storage for a valid JWT token.
 - If token valid → skip onboarding, navigate to Home.
 - If no token or expired → navigate to Onboarding Slides.

2.2 Onboarding Slides (3 Slides)

Screen ID	SCR-ONBOARD-1, SCR-ONBOARD-2, SCR-ONBOARD-3
Route	/onboarding
Purpose	Educate the user on the three core app concepts before authentication.

SLIDE 1 – SHOP IT

- Illustration: woman shopping at a store.
- Headline: "Shop IT"
- Body: "Shop at Claimit-affiliated Reward Stores and earn Free Redeemable Reward Points plus 1% Cashback on every purchase."
- Navigation: Next button | Skip link.

SLIDE 2 – SCAN IT

- Illustration: person scanning a bill with a smartphone.

- **Headline:** "Scan IT"
- **Body:** "Scan your bill with the Claimit App to instantly receive Redeemable Reward Points and 1% Cashback in your wallet."
- **Navigation:** Next button | Skip link.

SLIDE 3 – EARN IT

- **Illustration:** person holding a receipt with reward star.
- **Headline:** "Earn IT"
- **Body:** "At Claimit-affiliated Redeem Stores, scan your bill to enjoy Rewards as Discounts plus 1% Cashback on every purchase."
- **Navigation:** Get Started button (navigates to Signup/Login).

COMPONENT NOTES

- Pagination dots at bottom indicate slide position.
- Swipe gesture supported for slide transition.
- Skip link on slides 1 and 2 jumps directly to Get Started.

2.3 Signup Screen

Screen ID	SCR-SIGNUP
Route	/auth/signup
Purpose	New user registration via mobile number or email, followed by OTP verification.

UI ELEMENTS

- **Screen title:** "Signup here / Welcome to Claimit"
- **Input field:** Email address or mobile number (combined field).
- **Primary CTA:** "Send OTP" button.
- **Divider:** "Or continue with"
- **Social auth buttons:** Google, Facebook.
- **Footer link:** "Already have an account? Login"

BACKEND FLOW

- User enters email or phone number; client-side validates format.
- On Send OTP: POST /api/auth/send-otp with { identifier, type: 'signup' }.
- Backend checks if identifier already exists in the users table.
 - If already registered → return error: 'Account exists, please login.'
 - If new user → generate 6-digit OTP, store with TTL 5 minutes, send via SMS (Twilio/MSG91) or email (SendGrid).
- Navigate to OTP Verification screen, passing the identifier.

2.4 Login Screen

Screen ID	SCR-LOGIN
Route	/auth/login
Purpose	Returning user authentication via OTP.

UI ELEMENTS

- Screen title: "Log in here / Welcome back, you've been missed!"
- Input field: Email or mobile number.
- Primary CTA: "Send OTP" button.
- Divider: "Or continue with"
- Social auth buttons: Google, Facebook.
- Footer link: "New to Claimit – Signup"

BACKEND FLOW

- POST /api/auth/send-otp with { identifier, type: 'login' }.
- Backend checks if identifier exists.
 - If not found → return error: 'Account not found, please signup.'
 - If found → generate and send OTP.
- Navigate to OTP Verification screen.

2.5 OTP Verification Screen

Screen ID	SCR-OTP
Route	/auth/verify-otp
Purpose	Verify the 6-digit OTP entered by the user to complete authentication.

UI ELEMENTS

- Title: "Verify OTP"
- Subtitle: "Enter the OTP sent to +91 xxxxx xxxxx" (masked phone/email).
- 6 individual digit input boxes (auto-focus next on input).
- Countdown timer: "Time remaining: 0:29 sec"
- Resend link: "Didn't receive the OTP? Resend" (enabled only after timer expires).
- Primary CTA: "Verify OTP" button.

BACKEND FLOW

- POST /api/auth/verify-otp with { identifier, otp }.
- Backend validates OTP against stored value and TTL.
 - If valid → mark user as verified; generate JWT access token + refresh token; return tokens and user profile.

- If invalid → return error with remaining attempts count.
- If expired → return error: 'OTP expired, please resend.'
- Client stores JWT securely (Keychain iOS / Keystore Android).
- If new signup → navigate to Location Selection screen.
- If login → navigate directly to Home screen.

2.6 Location Selection Screen

Screen ID	SCR-LOCATION
Route	/onboarding/location
Purpose	Set the user's primary area for localising deals, classifieds, and reward stores.

UI ELEMENTS

- Title: "Select Your Location"
- Search bar: "Search for area" with autocomplete.
- Use Current Location button (triggers GPS permission request).
- Popular Locations chip grid: Anna Nagar, Thoraipakkam, Solinganallur, OMR, Guindy, Padi, etc., each showing deal count in parentheses.

BACKEND FLOW

- 'Use Current Location' → device GPS → reverse geocode via Google Maps API → pre-fill area.
- Search → GET /api/locations/search?q={query} returns matching area names and pincodes.
- On location selection: PUT /api/user/location with { area, pincode, lat, lng }.
- Backend saves location to user profile; navigate to Home screen.

3. Home / Main Feed

The Home screen is the central hub of the Claimit app. It aggregates national advertisements, category shortcuts, featured zone navigation, and a deal feed into a single scrollable screen.

Screen ID	SCR-HOME
Route	/home
Purpose	Central discovery screen; entry point to all major app features.

3.1 Global App Bar (Persistent across all screens)

- Left: Claimit logo.
- Center: Location selector dropdown (e.g., "Anna Nagar ▼") – taps open location change sheet.
- Right icons: Notification bell (with badge count), Search icon.

3.2 National Ads Banner

- Full-width auto-scrolling banner showing national brand advertisements.
- Supports image and video ads.
- Pagination dots below banner.
- Backend: GET /api/ads/national?location={pincode} returns active ad objects with media URL, target URL, and impression tracking ID.

3.3 Deals Toggle Tab

- Two tabs: "Nearby Deals" and "Brand Deals" (segmented control).
- Default selected: Nearby Deals.
- Switching tab changes the deal list below without full page navigation.

3.4 Category Shortcut Bar

- Horizontally scrollable row of category icons: New Deals, Groceries, Supermarket, Salon, Gym (and more).
- Tapping a category navigates to the full deals list pre-filtered to that category.
- Backend: GET /api/categories returns icon, label, and deal-count badge per category.

3.5 Featured Zones Grid

- Section header: "Featured Zones"
- 2x3 icon grid: Reward Zone, Redeem Zone, Brand Deals, Nearby Deals, Promo Reelz, Local Classifieds.

- Each zone icon is a deep link to the corresponding feature module.

3.6 Nearby Deals / Brand Deals List

- Card list showing store name, location, offer text, distance, and category tag.
- Backend (Nearby): GET /api/deals/nearby?lat={lat}&lng={lng}&radius=10&category={cat}&limit=20&offset=0
- Backend (Brand): GET /api/deals/brand?limit=20&offset=0
- Each card: store image thumbnail, store name, city, offer text, distance, category badge, heart/favourite icon.

3.7 Notifications Screen

Screen ID	SCR-NOTIFICATIONS
Route	/notifications
Purpose	Central inbox for all push and in-app notifications.

- Filter tabs: All, Alert, Offer, Reminder.
- Notification card: icon, title, body, relative timestamp (e.g., '2h', '3d').
- Categories shown: Delivery, App Update, Exclusive Offer, Social Activity.
- Backend: GET /api/notifications?userId={id}&filter={type}&page={n}
- Mark as read: PATCH /api/notifications/{id}/read

3.8 Search Screen

Screen ID	SCR-SEARCH
Route	/search
Purpose	Global search across stores, categories, and classified listings.

- Search input bar with microphone icon.
- Recent Searches list with individual clear (x) and "Clear All" button.
- Popular Searches chip row.
- Results screen: "165 results showing" count, full store/deal card list.
- Backend: GET /api/search?q={query}&type=all&lat={lat}&lng={lng}
- Recent searches stored locally; also synced to: POST /api/user/search-history

3.9 Categories Full Screen

Screen ID	SCR-CATEGORIES
-----------	----------------

Route	/categories
Purpose	Full grid of all available categories for filtering deals.

- Full category grid (3-4 per row): Groceries, Supermarket, Pharmacy, Salon, Gym, Restaurant, Cafes, Clothing, Department, Electronics, Books, Toys, Baby, Home Decor, Furniture, Spa, Schools, Colleges, Tutoring, Clinics, Hospitals, Pets, Sports, Travel, Mobile & Accessories, Computer & Laptop, Gifts, Jewellery, Shoes.
- Filter button in top bar for sort/distance/offer-type filters.
- Tapping any category → filtered deals list.

4. Nearby Deals Flow

The Nearby Deals section surfaces geographically proximate stores running active promotional offers. Location permission is required for distance calculation.

4.1 Nearby Deals List Screen

Screen ID	SCR-NEARBY-LIST
Route	/deals/nearby
Purpose	Show all nearby stores with active deals filtered by user location and optional category.

UI ELEMENTS

- Top bar: "< Nearby Deals" back navigation, Filter button, Search icon.
- Horizontal category filter chips: New, New Deals, Groceries, Supermarket, Salon, Gym.
- Deal card list: store thumbnail, store name, city, offer text (e.g., "25% Offer on All grocery"), distance (e.g., "6Km"), store type tag, heart icon.

BACKEND FLOW

- GET /api/deals/nearby?lat={lat}&lng={lng}&radius=10&category={category}&sort=distance
- Returns array of deal objects with store info, offer details, and distance.
- Heart/favourite tap: POST /api/user/favourites with { storeId }.

4.2 Nearby Deal Detail Screen

Screen ID	SCR-NEARBY-DETAIL
Route	/deals/nearby/:storeId
Purpose	Full store profile with offer details, contact info, and directions.

UI ELEMENTS

- Hero image of store.
- Badge: "Near by deals" label.
- Store name, city, rating (e.g., 4.2 stars).
- Full description text.
- "Get Direction" button → opens native Maps app with store coordinates.
- Phone number (clickable, triggers call intent).
- Email address (clickable, triggers email intent).
- Back navigation.

BACKEND FLOW

- GET /api/stores/{storeId} returns full store object including description, contact, location coordinates, offers, and rating.
- GET Direction → open maps with lat/Ing: native deep link to Google Maps / Apple Maps.

5. Brand Deals Flow

Brand Deals feature national or regional brand promotional offers that apply across multiple store locations, not limited by the user's immediate vicinity.

5.1 Brand Deals List Screen

Screen ID	SCR-BRAND-LIST
Route	/deals/brand
Purpose	Display all active brand deals with filter capability.

UI ELEMENTS

- Top bar: "< Brand Deals" back navigation, Filter, Search icon.
- Brand deal cards: brand logo/banner image (prominent), brand name, offer headline, category tag (e.g., Electronics, Gym, Camera).
- Example brands: Preethi, Canon, Slam Fitness, Usha, Boss Gym.

BACKEND FLOW

- GET /api/deals/brand?category={cat}&limit=20&offset=0
- Returns brand deal objects with logo URL, offer text, category, validity dates.

5.2 Brand Deal Detail Screen

Screen ID	SCR-BRAND-DETAIL
Route	/deals/brand/:brandId
Purpose	Full brand profile with offer details and store locator.

UI ELEMENTS

- Hero image of brand showroom or product.
- Badge: "Brand Deals" label.
- Brand name, city, rating.
- Offer description.
- "Get Direction" button.
- Phone and email contact links.

5.3 Promo Reelz Screen

Screen ID	SCR-REELZ
-----------	-----------

Route	/reelz
Purpose	Short-form vertical video feed for promotional brand content.

- Full-screen vertical video player (similar to Reels / TikTok format).
- Auto-plays on focus; swipe up/down to navigate between videos.
- Each reel: store/brand name overlay, offer badge, like/share/save actions.
- Backend: GET /api/reelz?lat={lat}&lng={lng}&limit=10&cursor={cursor}

6. Reward Zone Flow

The Reward Zone allows users to earn reward points and 1% cashback by scanning their purchase bill at affiliated Reward Zone stores. The app uses OCR to extract the bill amount and automatically calculates and credits points.

6.1 Reward Zone Store List Screen

Screen ID	SCR-REWARD-LIST
Route	/reward-zone
Purpose	Show all Reward Zone affiliated stores near the user with filter.

- Top bar: "< Reward Zone" + Filter + Search.
- Store cards in a grid layout: store image, store name, location, category tags (Supermarket, Pharmacy, Salon, etc.), distance.
- Example stores: Santhosh Supermarket, Medplus, Toni & Guy, Radha Supermarket, Spencers Daily, Apollo Pharmacy.
- Backend: GET /api/reward-zone/stores?lat={lat}&lng={lng}&radius=15

6.2 Reward Zone Store Detail Screen

Screen ID	SCR-REWARD-DETAIL
Route	/reward-zone/:storeId
Purpose	Show store info and initiate bill scan for earning reward points.

- Hero image of store interior/exterior.
- Store name, city, star rating.
- Description text.
- "Scan Bill" primary CTA button.
- "Get Direction" button.
- Phone and email contact.

6.3 Bill Reader Screen

Screen ID	SCR-BILL-READER
Route	/reward-zone/scan/:storeId
Purpose	Camera-based bill scanning interface with upload fallback.

UI ELEMENTS

- Title: "Bill Reader"
- Instruction: "Scan your bill to apply your discount or cashback."
- Camera viewfinder with scan frame overlay (dashed rectangle).
- Instruction card: "Scan the Bill – Scan your shop bill using your phone camera"
- "How to Scan your Bill – Demo Video" link.
- Primary CTA: "Scan Bill" button.
- Secondary CTA: "Upload From Gallery" button.

BACKEND FLOW

- Camera scan or gallery upload → POST /api/bill/scan with multipart image and { storeId, userId }.
- Backend sends image to OCR service (Google Vision API).
- OCR extracts: shop name, total bill amount, date (where possible).
- System validates shop name matches affiliated store.
- Calculate reward points: typically 10 points per Rs 100 spent.
- Calculate cashback: 1% of bill amount.
- Credit points to user wallet: POST /api/wallet/credit with { userId, points, cashback, billAmount, storeId }.
- Navigate to success screen with credited amount.

SCANNING STATES

- Loading state: animated progress indicator while OCR processes.
- OCR checklist visible during processing:
 - Upload or scan the shop bill.
 - The app will auto-read Shop Name.
 - If the bill is long (up to 50cm), the app handles it.

6.4 Reward Claimed Success Screen

Screen ID	SCR-REWARD-SUCCESS
Route	/reward-zone/success
Purpose	Confirm reward points have been successfully credited to the user's wallet.

- Large green checkmark animation.
- Points badge: e.g., "200" with coin icon.
- Confirmation message: "Successfully Reward Claimed – Your 200 Redeem Points is Added in wallet."
- Bill summary: Store name, Total Bill: Rs X, Discount: Rs Y.
- "Continue" button → navigates back to Reward Zone list or Home.

6.5 Reward Wallet Screen

Screen ID	SCR-REWARD-WALLET
Route	/reward-zone/wallet
Purpose	Dashboard showing wallet balance, lifetime cashback, and reward history.

- Lifetime Cashback display: Rs 5,000.
- Current Reward Points: 2,780.
- Cashback Wallet balance: Rs 500.
- "Redeem Now" CTA button.
- Reward History list: each entry shows store name, date/time, bill amount, points earned.
- Backend: GET /api/wallet?userId={id} returns wallet balances.
- Backend: GET /api/wallet/history?userId={id}&page={n} returns paginated transaction history.
- Map tab: shows store locations on a map (Google Maps integration).

7. Redeem Zone Flow

The Redeem Zone allows users to use their accumulated reward points as a discount at affiliated Redeem Zone stores. The flow includes location verification (user must be physically inside the store), eligibility check, bill scanning, and discount application.

7.1 Redeem Zone Store List Screen

Screen ID	SCR-REDEEM-LIST
Route	/redeem-zone
Purpose	Show all Redeem Zone affiliated stores near the user.

- Top bar: "< Redeem+ Zone" + Filter + Search.
- Store cards: store image, store name, location, offer text (e.g., "25% Offer"), distance, category.
- Example stores: Apollo Pharmacy, Reliance Mart, Toni & Guy, Spencers Daily, Radha Supermarket.
- Backend: GET /api/redeem-zone/stores?lat={lat}&lng={lng}&radius=15

7.2 Redeem Zone Store Detail Screen

Screen ID	SCR-REDEEM-DETAIL
Route	/redeem-zone/:storeId
Purpose	Full store info with Redeem Now CTA.

- Hero image, store name, city, rating.
- Description text.
- "Redeem Now" primary CTA (large, blue).
- "Get Direction" secondary button.
- Phone and email contact.
- Tapping "Redeem Now" → initiates location verification flow.

7.3 Location Verification Screen

Screen ID	SCR-LOCATION-CHECK
Route	/redeem-zone/verify/:storeId
Purpose	Verify user is physically present inside the selected Redeem Zone store.

UI ELEMENTS – VERIFYING STATE

- Animated loading spinner.

- Step checklist (sequential, with checkmarks as each step passes):
 - Locating your location.
 - Verifying your points.
 - Checking Discount Offers.
- Persistent store name and offer reminder card at bottom.

UI ELEMENTS – ERROR STATE (NOT INSIDE STORE)

- Red exclamation icon.
- Message: "You need to be inside the store to continue. Try moving closer."
- Same checklist with failed indicator on "Locating your location."

UI ELEMENTS – ELIGIBLE STATE

- Blue confirmation screen.
- Message: "I am eligible for the Redeem of 10% Discount on my bill today at [Store Name]"
- "Scan Bill" CTA button.

BACKEND FLOW

- POST /api/redeem-zone/verify with { userId, storeId, userLat, userLng }.
- Backend calculates distance between user GPS and store GPS coordinates.
 - If distance > threshold (e.g., 50 metres) → return error: 'Not inside store'.
 - If within range → check user wallet for sufficient points.
 - If insufficient points → return error with current balance.
 - If all checks pass → return eligibility confirmation with discount percentage.

7.4 Bill Scan Screen (Redeem)

Screen ID	SCR-REDEEM-SCAN
Route	/redeem-zone/scan/:storeId
Purpose	Scan purchase bill to calculate discount and apply reward points.

- Same camera viewfinder as Reward Zone bill reader.
- Options: camera scan or "Upload From Gallery".
- Backend: POST /api/bill/redeem-scan with { storeId, userId, image }.
- OCR extracts bill total amount.
- Backend calculates discount: e.g., 10% of bill amount.
- Deduct equivalent reward points from wallet.
- Credit 1% cashback to cashback wallet.
- Navigate to success screen.

7.5 Redeem Success Screen

Screen ID	SCR-REDEEM-SUCCESS
Route	/redeem-zone/success
Purpose	Confirm discount has been applied and show cashback details.

- Green checkmark animation.
- Large amount display: e.g., "Rs 500"
- Message: "Successfully Rewarded – Rs 500 Cashback Reward Discounted from your Wallet"
- "Continue" button.
- Persistent store offer card reminder at bottom.

8. Local Classifieds Flow

The Local Classifieds module is a hyperlocal marketplace where users can browse, search, and post classified listings across multiple categories. Posting a listing requires a small payment based on the selected area pincode.

8.1 Classifieds Home Screen

Screen ID	SCR-CLASSIFIED-HOME
Route	/classifieds
Purpose	Entry screen showing search, recent searches, popular searches, and top 20 nearby classifieds.

UI ELEMENTS

- Top bar: "< Classified" + Filter + post icon.
- Search bar: "Search for stores, categories" with voice/camera icon.
- Recent Classified Search section with "Clear All" button:
 - Example recent: House of Rent, Lawyers, Bike Mechanics.
- Popular Searches chip grid: House rent (24), Servant maid (23), Home tuition (41), Painter (12), Plumber (2), Bike Mechanics (30), Car Sale (27), Bike Sale (25).
- "Top 20 Classifieds near you" list:
 - Each card: thumbnail, title (e.g., "House for rent – 2 BHK, Car Parking..."), category.

BACKEND FLOW

- GET /api/classifieds?lat={lat}&lng={lng}&limit=20 returns top nearby listings.
- GET /api/classifieds/search?q={query}&lat={lat}&lng={lng} for search.

8.2 Classifieds Listing Detail Screen

Screen ID	SCR-CLASSIFIED-DETAIL
Route	/classifieds/:listingId
Purpose	Full listing detail view with contact options.

- Category badge (e.g., "Real estate").
- Title: e.g., "2 BHK with car parking – Anna Nagar, Chennai"
- Property type descriptor: e.g., "Independent House/Villa for Rent"
- Description text body.
- Contact section: phone number with "Call – House owner" CTA.
- Email address.
- Backend: GET /api/classifieds/{listingId}

- Call CTA triggers phone call intent.

8.3 Add New Post – Step 1: Category

Screen ID	SCR-ADD-POST-CAT
Route	/classifieds/add/category
Purpose	User selects listing category before entering details.

- Title: "Add your new Post"
- Category grid (2x5): Bikes, Cars, Real Estate, Education, Computers, Appliances, Jobs, Services (and more).
- "Continue" button (enabled only when category is selected).

8.4 Add New Post – Step 2: Details

Screen ID	SCR-ADD-POST-DETAILS
Route	/classifieds/add/details
Purpose	Enter listing title, description, and price.

- Step progress bar: Details > Photos > Location > Payment > Publish.
- Input: Title of your property.
- Input: Description (multiline textarea).
- Input: Price (numeric).
- "Add details" CTA to proceed to next step.

8.5 Add New Post – Step 3: Photos

Screen ID	SCR-ADD-POST-PHOTOS
Route	/classifieds/add/photos
Purpose	Upload photos for the listing.

- Step progress bar.
- Large upload zone with camera and gallery icons.
- "Upload Photos" button opens media picker.
- Supports multiple image uploads.
- Photos stored temporarily in app state; uploaded on submission.

8.6 Add New Post – Step 4: Location

Screen ID	SCR-ADD-POST-LOCATION
Route	/classifieds/add/location
Purpose	Set the listing's target area and pincode.

- Step progress bar.
- Label: "Select Your Area Pincode"
- Search for area input field.
- Area + pincode chip grid: mogappair (600037), villivakkam (600049), Anna Nagar (600040).
- Multiple areas can be selected; payment amount updates based on selection.

8.7 Add New Post – Step 5: Payment

Screen ID	SCR-ADD-POST-PAYMENT
Route	/classifieds/add/payment
Purpose	Show payment amount based on selected pincodes; initiate payment.

- Payment amount display: e.g., "Rs 200 / –"
- Note: "**Your Payment Amount is Based on Pincode"
- "Pay Now" button → opens payment gateway.
- Backend: POST /api/classifieds/create-order with { selectedPincodes } returns Razorpay / Stripe order ID and payment amount.
- On payment success callback: POST /api/classifieds/publish with { draftId, paymentId }.

8.8 Add New Post – Step 6: Preview & Publish

Screen ID	SCR-ADD-POST-PREVIEW
Route	/classifieds/add/preview
Purpose	Preview the listing exactly as it will appear publicly, then confirm publish.

- Ad card preview matching the public listing format.
- "Publish" button (blue, full width).
- On Publish: POST /api/classifieds/publish with full listing payload + images + payment confirmation.
- On success: navigate to Classifieds Home, show success toast, new listing appears in top 20.

9. Profile & Settings Flow

9.1 Profile Screen

Screen ID	SCR-PROFILE
Route	/profile
Purpose	User dashboard showing profile info, reward wallet, favourites, and purchase history.

UI ELEMENTS

- Avatar image with edit option.
- User name, email, phone number.
- Location chip (e.g., "Chennai").
- Edit profile icon and Settings gear icon.
- Rewards summary row:
 - Rs 2,500 Earned.
 - 800 Redeemed (coin icon).
- Tabs: My Favourites | My History.

MY FAVOURITES TAB

- List of stores the user has saved (heart-tapped).
- Each entry: store thumbnail, name, location.
- Backend: GET /api/user/favourites

MY HISTORY TAB

- Transaction history list.
- Each entry: store name (with brand logo), date and time, bill amount, reward points earned.
- Backend: GET /api/user/history?page={n}

9.2 Settings Screen

Screen ID	SCR-SETTINGS
Route	/settings
Purpose	App configuration and account management options.

- Dark Mode toggle (on/off switch).
- Privacy & Security → navigates to privacy sub-screen.
- Payment History → shows classified ad payment history.

- Help & Support → opens support chat or FAQ screen.
- Language → language selection (Tamil, English, etc.).
- Logout button (red, prominent) → clears JWT from secure storage, navigate to Login screen.

BACKEND FLOWS

- Dark Mode: stored locally (AsyncStorage / SharedPreferences); no backend call needed.
- Logout: POST /api/auth/logout with { refreshToken } to invalidate refresh token on server.
- Language: PUT /api/user/preferences with { language }.

10. Global Components

10.1 Bottom Navigation Bar

- Persistent across all main screens (hidden only on onboarding, OTP, and full-screen Reelz).
- 5 tabs: Home (house icon), Categories (grid icon), Claimit (centre – large yellow circular button with 'C' logo), QR/Scan (frame icon), Profile (person icon).
- Centre Claimit button has an elevated floating style.
- Active tab highlighted; badge count on notifications.

10.2 Filter Sheet

- Bottom sheet component used across Nearby Deals, Brand Deals, Classifieds, Reward Zone, and Redeem Zone list screens.
- Sort options: Distance, Newest, Rating, Offer %.
- Category filter checkboxes.
- "Apply Filter" and "Reset" buttons.

10.3 Location Change Sheet

- Triggered by tapping location dropdown in global app bar.
- Search field for area lookup.
- "Use Current Location" option.
- Recent/popular locations list.
- On selection: updates user location preference in backend and refreshes current screen data.

10.4 Loading States

- Skeleton loader cards for list screens during data fetch.
- Circular progress indicator for action operations (scan, verify, submit).
- Step checklist UI during multi-step backend operations (verify location, scan bill).

10.5 Toast / Snackbar Notifications

- Short-lived bottom toasts for: success, error, info messages.
- Example: "Listing published successfully." / "OTP sent." / "Not enough reward points."

11. Backend API Reference

All API endpoints are prefixed with /api/v1. Authentication endpoints return a JWT access token (15-minute expiry) and a refresh token (30-day expiry). Protected routes require the Authorization: Bearer {token} header.

11.1 Authentication APIs

Method	Endpoint	Description	Auth
POST	/auth/send-otp	Send OTP to phone or email for signup / login	Public
POST	/auth/verify-otp	Verify OTP; returns JWT + user profile on success	Public
POST	/auth/refresh-token	Refresh expired access token using refresh token	Public
POST	/auth/logout	Invalidate refresh token server-side	JWT Required
POST	/auth/social	Google / Facebook OAuth token exchange	Public

11.2 User & Profile APIs

Method	Endpoint	Description	Auth
GET	/user/profile	Fetch current user profile and wallet summary	JWT Required
PUT	/user/profile	Update name, email, avatar	JWT Required
PUT	/user/location	Update user's primary location (area, pincode, lat, lng)	JWT Required
PUT	/user/preferences	Update language, dark mode, notification prefs	JWT Required
GET	/user/favourites	Fetch user's saved/favourite stores	JWT Required
POST	/user/favourites	Add a store to favourites	JWT Required
DELETE	/user/favourites/:storeId	Remove store from favourites	JWT Required
GET	/user/history	Paginated purchase / reward history	JWT Required
POST	/user/search-history	Save a search term to user history	JWT Required

11.3 Deals & Stores APIs

Method	Endpoint	Description	Auth
GET	/deals/nearby	Nearby deals with lat, lng, radius, category filter	JWT Required
GET	/deals/brand	National / brand deals with optional category filter	JWT Required
GET	/stores/:storeId	Full store profile including contact and offers	JWT Required
GET	/categories	All available categories with icon and deal count	JWT Required
GET	/ads/national	National advertisement banners by location pincode	JWT Required

GET	/reelz	Paginated Promo Reelz video feed	JWT Required
GET	/search	Global search across stores, deals, classifieds	JWT Required

11.4 Reward Zone APIs

Method	Endpoint	Description	Auth
GET	/reward-zone/stores	Reward Zone affiliated stores near user	JWT Required
POST	/bill/scan	Upload bill image for OCR + reward point calculation	JWT Required
GET	/wallet	User wallet: points, cashback, lifetime summary	JWT Required
POST	/wallet/credit	Credit reward points and cashback to wallet	JWT Required
GET	/wallet/history	Paginated reward point transaction history	JWT Required

11.5 Redeem Zone APIs

Method	Endpoint	Description	Auth
GET	/redeem-zone/stores	Redeem Zone affiliated stores near user	JWT Required
POST	/redeem-zone/verify	Verify user location is inside selected store	JWT Required
POST	/bill/redeem-scan	Scan bill to apply discount and deduct reward points	JWT Required
POST	/wallet/debit	Debit reward points and credit cashback	JWT Required

11.6 Classifieds APIs

Method	Endpoint	Description	Auth
GET	/classifieds	Top 20 nearby classifieds with lat/lng filter	JWT Required
GET	/classifieds/search	Search classifieds by keyword and location	JWT Required
GET	/classifieds/:id	Single listing detail	JWT Required
POST	/classifieds/create-order	Create payment order for listing fee	JWT Required
POST	/classifieds/publish	Submit full listing after payment confirmation	JWT Required
DELETE	/classifieds/:id	Delete own listing	JWT Required

11.7 Notification APIs

Method	Endpoint	Description	Auth
GET	/notifications	Paginated notification list with type filter	JWT Required

PATCH	<code>/notifications/:id/read</code>	Mark a notification as read	JWT Required
POST	<code>/notifications/register-device</code>	Register FCM device token for push	JWT Required

11.8 Location & Utility APIs

Method	Endpoint	Description	Auth
GET	<code>/locations/search</code>	Search areas by name query for location picker	Public
GET	<code>/locations/popular</code>	Popular locations with deal counts	Public
GET	<code>/health</code>	API health check endpoint	Public

12. Data Models

12.1 User

Field	Type	Description
id	UUID	Primary key
name	String	Full name
phone	String	Mobile number (unique)
email	String	Email address (unique)
avatar_url	String	Profile image URL
location_area	String	Selected area name
location_pincode	String	Pincode
location_lat	Float	GPS latitude
location_lng	Float	GPS longitude
reward_points	Integer	Current reward point balance
cashback_balance	Decimal	Cashback wallet balance (Rs)
lifetime_cashback	Decimal	Total cashback ever earned
language	String	Preferred language code
is_verified	Boolean	OTP verification status
created_at	Timestamp	Account creation time
updated_at	Timestamp	Last update time

12.2 Store

- id (UUID), name (String), category (String), address (String), city (String), pincode (String), lat (Float), lng (Float), phone (String), email (String), description (Text), hero_image_url (String), rating (Decimal), is_reward_zone (Boolean), is_redeem_zone (Boolean), offer_text (String), offer_percent (Integer), is_active (Boolean).

12.3 Classified Listing

- id (UUID), user_id (FK → User), category (String), title (String), description (Text), price (Decimal), images (JSON array of URLs), location_area (String), pincode (String), status (enum: draft / active / expired / deleted), payment_id (String), created_at (Timestamp), expires_at (Timestamp).

12.4 Wallet Transaction

- id (UUID), user_id (FK → User), store_id (FK → Store), bill_amount (Decimal), points_credited (Integer), cashback_credited (Decimal), transaction_type (enum: earn / redeem), bill_image_url (String), ocr_shop_name (String), created_at (Timestamp).

12.5 Notification

- id (UUID), user_id (FK → User), type (enum: delivery / offer / update / social / reminder), title (String), body (Text), is_read (Boolean), created_at (Timestamp).

13. App Navigation Structure

The app uses a stack-based navigation system with a persistent bottom tab navigator for main screens. Modals and sheets are layered on top.

13.1 Auth Stack (unauthenticated)

- Splash → Onboarding Slides (3) → Signup / Login → OTP Verify → Location Select → Main App

13.2 Main Tab Navigator (authenticated)

- Tab 1 – Home: Home Feed → Notifications, Search, Categories, National Ads, Category Detail (deals list).
- Tab 2 – Grid/Explore: Nearby Deals List → Nearby Deal Detail. Brand Deals List → Brand Deal Detail. Reelz Feed.
- Tab 3 – Claimit (centre): Reward Zone List → Reward Zone Detail → Bill Reader → Scanning → Success → Wallet. Redeem Zone List → Redeem Zone Detail → Location Verify → Bill Scan → Success.
- Tab 4 – Scan: Shortcut directly to Bill Reader / QR scan.
- Tab 5 – Profile: Profile Screen → Settings → Privacy / Payment History / Help / Language.

13.3 Classifieds Navigation

- Accessible from Home Featured Zones grid → Classifieds: Classifieds Home → Listing Detail. Add Post Wizard: Category → Details → Photos → Location → Payment → Preview → Published.

13.4 Modal / Sheet Overlays

- Location Change Sheet (triggered from global app bar).
- Filter Bottom Sheet (triggered from list screen filter button).
- Media Picker Sheet (triggered from photo upload in add post).
- Payment Gateway Modal (triggered from classified ad payment step).

— End of Claimit Project Scope Document —

All flows, pages, and backend specifications documented above reflect the full application as designed.