

GEORGE MAIJO AGRI

MAIJO WENOVUS

MW-CH110 COMBINE HARVESTER

110 HP • CRAWLER • MULTI-CROP HARVESTING



110 HP ENGINE POWER	2,200 mm HEADER WIDTH	1,700 L GRAIN TANK	3,680 kg WEIGHT
------------------------	--------------------------	-----------------------	--------------------

ENGINEERED FOR PRODUCTIVE HARVESTING

The **Maijo Wenovus MW-CH110** is a 110 HP crawler combine harvester positioned for multi-crop harvesting, including rice, wheat and rapeseed. George Maijo describes the machine around precision crop feeding, efficient grain separation, traction and stability, and operator comfort. ■cite■turn1search0■turn1search1■

TECHNICAL SPECIFICATIONS

Specification	Details
Model	Maijo Wenovus MW-CH110
Machine Type	Crawler Combine Harvester
Engine	Quanchai 4C6-110M22
Engine Power	110 HP / 80 kW
Cylinders	4-cylinder
Engine Cooling	Water-cooled
Engine Type	4-stroke
Engine Speed	2,400 RPM
Fuel Tank	220 L
Overall Dimensions (L × W × H)	5,350 × 2,650 × 2,980 mm
Machine Weight	3,680 kg
Feeding Capacity	6.0 kg/s
Header Cutting Width	2,200 mm
Reel Diameter	900 mm
Cutter Bars	5
Header Height Adjustment	Hydraulic
Stubble Height	40 mm+
Threshing Cylinder	620 mm diameter × 2,200 mm
Threshing System	Longitudinal axial flow
Concave	6-block grid concave
Cleaning	Centrifugal fan + oscillating sieve
Winnowing Fan	400 mm
Sieve Adjustment	5-stage independent adjustment
Grain Tank	1,700 L / 1.6 m ³
Grain Unloading	270° rotation; extended reach arm
Transmission	HST 55 CC + mechanical gearbox 95 CC
Working Gears	3
Low / Mid / High Speed	0–1.4 / 0–1.8 / 0–2.68 m/s
Crawler Width	550 mm
Crawler Sections	56-section
Ground Contact Length	1,890 mm
Ground Clearance	350 mm
Track Gauge	1,250 mm

Specification	Details
Field Efficiency	0.16–1.0 hm ² /h

KEY FEATURES & APPLICATIONS

- **110 HP diesel power** for demanding harvesting operations.
- **Crawler traction** supports operation in challenging and softer field conditions.
- **2,200 mm header** with hydraulic height adjustment.
- **6.0 kg/s feeding capacity** for high-throughput harvesting.
- **Longitudinal axial-flow threshing** with 620 mm × 2,200 mm cylinder.
- **1,700 L grain tank** with 270° unloading rotation.
- **Three working speeds** with HST and mechanical gearbox.
- **Precision feeding and grain separation** for consistent crop processing.

SUITABLE CROPS

The MW-CH110 is marketed for rice, wheat, rapeseed and similar multi-crop harvesting applications. ■cite■turn1search0■

WHY MW-CH110

Designed to combine cutting, feeding, threshing, separation, cleaning and grain collection into one harvesting workflow, helping reduce manual labour and shorten harvesting cycles. George Maijo highlights productivity, stability, grain output and operator control as key benefits. ■cite■turn1search0■turn1search1■

Specification note: The detailed numerical specification table above is based on the currently published MW-CH110 listing available through an agricultural equipment retailer; George Maijo's own current materials confirm the 110 HP crawler combine positioning and key engineering features. Confirm final configuration with an authorized George Maijo dealer before printing commercial specifications. ■cite■turn0search1■turn1search0■

Product enquiries: +91 9150460651 • info@georgemaijo.com • George Maijo Agri, Chennai. ■cite■turn0search0■