



BLOOM BIOTECH

Assessment Number 10, 5th Phase KHB Colony,
CMC Ward No. 1, K.M. Road, Chikmagalur - 577102 KARNATAKA
M : +91 8884568019 E : bloombiotec@gmail.com

www.bloombiotec.co.in



BLOOM BIOTECH HAS TECHNOLOGICAL COLLABORATION WITH
INDIAN INSTITUTE OF HORTICULTURAL RESEARCH (IIHR)



Bloom Biotech

ABOUT US

BLOOM BIOTECH is an innovative agri biotechnology company having technological collaboration with **Indian Institute of Horticultural Research (IIHR)**. We started our journey in 2013 by becoming the **first company in India** to license “**Arka Microbial Consortium (AMC)**” and “**Arka Fermented Cocopeat**” technologies from IIHR. Due to our untiring work across Karnataka in partnership with IIHR scientists, today AMC has been accepted by farmers as an integral part of their crop protection management in commercial crops such as Pomegranate,

Black pepper, Floriculture etc. Subsequently in 2015 we again were the first company in India to license “**Arka Actino Consortitum (ACT)**” from **IIHR**. Today, we have a state of the art production facility in coffee land **Chikkmagalur** to meet the quality requirement of our farmers and planters. Our aim is to provide high quality biotechnology products and technical assistance to farmers to produce more for less. For us at Bloom Biotech innovation, dedication to quality and simplicity is not a goal but way of life.



BIO SANJIVEENI

Arka Microbial Consortium (AMC)



Bio Sanjeevini is powder based formulation of Arka Microbial Consortium (AMC) developed by Indian Institute of Horticultural Research (IIHR). Product contains compatible superior strains of Azotobactor, Phosphorus & Zinc Solubilizing Bacteria (PSB), Pseudomonas in a single formulation. It eliminates the use of individual biofertilizers. Regular use of Bio Sanjeevini helps to control soil borne diseases and strengthens plant immune system.

ACTIVE INGREDIENT

Pseudomonas taiwanensis, Azotobactor tropicalis, Bacillus aryabhattai

Combined Colony Forming Unit: $\geq 1 \times 10^9$ per gm

TARGET CROPS

Suitable for all crops

TARGET DISEASES

Pythium spp., Phytophthora spp., Rhizoctonia solani, Fusarium spp, Botrytis cinerea, Sclerotium spp., Sclerotinia sp. and Ustilago spp, etc.

USAGE

Soil Drenching – Mix 1 Kg of Bio Sanjeevini in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 5-10 Kg of Bio Sanjeevini in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Drip Fertigation – Mix 1 Kg of Bio Sanjeevini in 40 L of water, filter the solution and fertigate through drip irrigation

PRECAUTION

Do not mix antibiotics, pesticides and insecticides with the product.

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech is the first company in India to licence Arka Microbial Consortium (AMC) from IIHR

BHU SAMRUDDHI

LIQUID ARKA MICROBIAL CONSORTIUM



BHU SAMRUDDHI is the liquid formulation of Arka Microbial Consortium (AMC) developed by Indian Institute of Horticultural Research (IIHR). Product contains superior strains of Azotobacter, Phosphorus & Zinc Solubilizing Bacteria (PSB), Pseudomonas in a single formulation. It eliminates the use of individual biofertilizers. Regular use of Bhu Samruddhi helps to control soil borne diseases and strengthens plant immune system.

ACTIVE INGREDIENT

Pseudomonas taiwanensis, *Azotobacter tropicalis*, *Bacillus aryabhattai*
Combined Colony Forming Unit: $\geq 1 \times 10^{10}$ per ml

BENEFITS

- 1) Biological nitrogen fixation, Phosphorus & Zinc solubilization & disease control in a single formulation by using compatible strains of bacteria
- 2) Patented technology of IIHR
- 3) Effective control of soil borne fungal and bacterial pathogens
- 4) Environmental friendly, non-hazardous to the human beings, livestock and wildlife
- 5) Certified for use in organic agriculture

TARGET CROPS

Suitable for all crops

TARGET DISEASES

Pythium spp., *Phytophthora* spp., *Rhizoctonia solani*, *Fusarium* spp, *Botrytis cinerea*, *Sclerotium* spp., *Sclerotinia* sp. and *Ustilago* spp, etc.

DOSAGE

10 ml/L for Foliar Spray and Drip Fertigation

PRECAUTION

Do not mix antibiotics, pesticides and insecticides with the product

Storage

Store in a cool dry place away from direct sunlight

Bloom Biotech is the first company in India to licence Arka Microbial Consortium (AMC) from IIHR

BIO ASTRA

ARKA ACTINO CONSORTIUM (ACT)



Bio Astra is carrier / liquid based formulation of Arka Actino Consortium (ACT) developed by Indian Institute of Horticultural Research (IIHR). Bio Astra 3 compatible strains of antibiotic producing microorganisms belonging to *Streptomyces* family. This product helps plants by secreting antibiotics in the root zone and keeps away the root infections. In addition to this, these microbes secrete potent plant growth promoters such as IAA, Gibberellins etc which induce profuse rooting and robust plant development.

ACTIVE INGREDIENT

3 strains of *Streptomyces* sp.,
Combined Colony Forming Unit: $\geq 1 \times 10^7$ (carrier), 1×10^9 ml (Liquid)

TARGET CROPS

Suitable for all crops

TARGET DISEASES

Pythium spp., *Phytophthora* spp., *Rhizoctonia solani*, *Fusarium* spp, *Botrytis cinerea*, *Sclerotium* spp., *Sclerotinia* sp. and *Ustilago* spp, etc.

USAGE

Soil Drenching – Mix 1 Kg of Bio Astra in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 5-10 Kg of Bio Astra in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Drip Fertigation – Mix 1 Kg of Bio Astra in 40 L of water, filter the solution and fertigate through drip irrigation

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product.

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech is the first company in India to licence Arka Actino Consortium (ACT) from IIHR

BLUDERMA

TRICHODERMA HARZIANUM / VIRIDE



BLUDERMA is a carrier / liquid based formulation containing the strains of Trichoderma harzianum/viride. It controls soil borne plant diseases like damping off, wilt, root rot, charcoal and collar rot. It grows faster than disease causing fungi, coils around the pathogen, penetrates the pathogenic fungus. The pathogen eventually dies and gets eliminated from the soil.

ACTIVE INGREDIENT

Trichoderma viride/harzianum (carrier based) Colony Forming Unit (CFU): 10^7 per gm

Trichoderma viride/harzianum (liquid) Colony Forming Unit (CFU): 10^9 per ml

TARGET CROPS

Suitable for all crops

TARGET DISEASES

Pythium spp., Phytophthora spp., Rhizoctonia solani, Fusarium spp, Botrytis cinerea, Sclerotium spp., Sclerotinia sp. and Ustilago spp, etc.

USAGE

Soil Drenching – Mix 1 Kg of Bluderma in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 10 Kg of Bluderma in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Neem Cake Enrichment – Mix 1 Kg of Bluderma in 50 kg of neem cake and apply to soil after 1 week

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

BLUMONAS

PSEUDOMONAS FLUORESCENS



BIOMONAS is a carrier / Liquid based formulation of the bacterium; Pseudomonas fluorescens. It controls soil borne plant diseases like damping off, wilt & foliar diseases such as leaf spots, blights, blast in various crops. It also acts as a plant growth promoter by secreting plant growth hormones and organic acids. The pathogen eventually dies and finally gets eliminated from the soil.

ACTIVE INGREDIENT

Pseudomonas fluorescens (carrier based) Colony Forming Unit (CFU): 10^9 per gm

Pseudomonas fluorescens (liquid) Colony Forming Unit (CFU): 10^{11} per ml

TARGET DISEASES

Downy mildew , Powdery mildew , Anthracnose , Blast , Leaf spot , Collar rot , Fruit rot , Root rot , Seedling rot , Botrytis , Early blight , Late blight

USAGE

Soil Drenching – Mix 1 Kg of Bluderma in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 10 Kg of Bluderma in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Neem Cake Enrichment – Mix 1 Kg of Bluderma in 50 kg of neem cake and apply to soil after 1 week

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

BIO VANISH

B I O N E M A T I C I D E



Bio Vanish is a biological nematicide based on a superior strain of naturally-occurring entomopathogenic soil fungi *Pochonia chlamydosporia* that infects and kills both larvae and adult stage of many plant pathogenic nematodes like *Meloidogyne* spp, *Heterodera* spp, *Helicotylenchus* spp, *Hoplolaimus* spp. Bio Vanish is approved for use in Organic agriculture.

ACTIVE INGREDIENT

Pochonia chlamydosporia (carrier based) Colony Forming Unit (CFU): 10^7 per gm

Pochonia chlamydosporia (liquid) Colony Forming Unit (CFU): 10^9 / ml

TARGET CROPS

Suitable for all crops

TARGET DISEASES

Root - knot nematode, Remiform nematode, Cyst nematode, Burrowing nematode, Lesion nematode and many other nematode species

USAGE

Soil Drenching – Mix 1 Kg of Bio Vanish in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 10 Kg of Bio Vanish in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Neem Cake Enrichment – Mix 1 Kg of Bio Vanish in 50 kg of neem cake and apply to soil after 1 week

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

BIO ERASE

M E T A R H I Z I U M A N I S O P H I L E



Bio Erase is a biological insecticide based on a selected strain of naturally-occurring entomopathogenic soil fungus *Metarhizium anisopliae* that infects and kills root grubs, termites, ants, locusts and many soil insects. The spores get attached to the host insect by entering through the host's spiracles and pores of its sense organs and start germinating. Bio Erase infects the insect on contact and does not need to be consumed by the host to cause infection. *Metarhizium anisopliae* establishes infection between 24 to 48 hours. The infected insect may live for three to five days after fungal infection.

ACTIVE INGREDIENT

Metarhizium anisophile (carrier based) Colony Forming Unit (CFU): 10^7 per gm

Metarhizium anisophile (liquid) Colony Forming Unit (CFU): 10^9 / per ml

TARGET CROPS

Suitable for all crops

TARGET INSECTS

Bio Control of Termites, Root Grubs, Locusts, Root weevils, Ants, Beetles and caterpillar pests

USAGE

Soil Drenching – Mix 1 Kg of Bio Erase in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 10 Kg of Bio Erase in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Neem Cake Enrichment – Mix 1 Kg of Bio Erase in 50 kg of neem cake and apply to soil after 1 week

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

BIO HIT

BEAUVERIA BASSIANA



Bio Hit is a biological insecticide based on a selected strain of naturally-occurring entomopathogenic fungus *Beauveria bassiana* that infects both larvae and adults of many insect pests. Bio Hit contains spores and mycelial fragments of *Beauveria bassiana* which secretes enzymes that attack and dissolve the cuticle, penetrate the skin and grow into the insect body. *Beauveria bassiana* present in Bio Hit produces a toxin called Beauvericin that weakens the host's immune system and kills the insect.

ACTIVE INGREDIENT

Beauveria bassiana (carrier based) Colony Forming Unit (CFU): 10^7 per gm

Beauveria bassiana (liquid) Colony Forming Unit (CFU): 10^9 per ml

TARGET CROPS

Suitable for all crops

TARGET INSECTS

Bio Control of Coffee berry borer/Lepidopterous pests / Caterpillar pests/ Mealy Bugs

USAGE

Soil Drenching – Mix 1 Kg of Bio Hit in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 10 Kg of Bio Hit in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Neem Cake Enrichment – Mix 1 Kg of Bio Hit in 50 kg of neem cake and apply to soil after 1 week

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

BIO ACE

VERTICILLIUM LECANII



Bio Ace is a unique biological insecticide based on a selected strain of naturally-occurring entomopathogenic fungus *Verticillium lecanii* that infects and kills mealy bugs and sucking insects like thrips, jassids, aphids, white flies and mites. Mycelia of *Verticillium lecanii* produces toxin having insecticidal properties. These toxins weaken the hosts immune system of insect pest and aid in eventually killing it.

ACTIVE INGREDIENT

Verticillium lecanii (carrier based) Colony Forming Unit (CFU): 107 / gm

Verticillium lecanii (liquid) Colony Forming Unit (CFU): 109 per ml

TARGET CROPS

Suitable for all crops

TARGET INSECTS

Bio Control of Mealy bugs, Thrips, Aphids, White flies and Mites

USAGE

Soil Drenching – Mix 1 Kg of Bio Ace in 40 L of water and drench the entire root system of the plants.

FYM or Compost Enrichment – Mix 10 Kg of Bio Ace in 1 MT of FYM or Compost and apply to soil after 7-10 days.

Neem Cake Enrichment – Mix 1 Kg of Bio Ace in 50 kg of neem cake and apply to soil after 1 week

PRECAUTION

Do not mix fungicides, pesticides and insecticides with the product


STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technology tie up with Indian Institute of Horticultural Research (IIHR)

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

BLOOM COMPOST CULTURE



Bloom Compost Culture is powder based formulation of Arka Fermented Cocopeat (AFC) developed by Indian Institute of Horticultural Research (IIHR). Product contains compatible superior strains of *Aspergillus* spp in a single formulation. It increases the rate of composting process and helps to achieve high value compost in 30-45 days.

ACTIVE INGREDIENT

Aspergillus spp. Combined Colony Forming Unit: $\geq 1 \times 10^9$ per gm

USAGE

Coffee Plup – Mix 2 Kg of Bloom Compost Culture in 1 MT of Coffee pulp waste and prepare windrow beds of appropriate dimension. Proper mixing & adequate moisture will produce mature compost in 30-45 days.

FYM Composting– Mix 3 Kg of Bloom Compost Culture in 1 MT of FYM prepare windrow beds of appropriate dimension. Proper mixing & adequate moisture will produce mature compost in 45 days.

Green Leaf Compost – Mix 1 Kg of Bloom Compost Culture in 1 MT of green leaves and other agricultural waste. Maintain 40-50 % moisture and adequate shade of compost pile. Mature compost should be ready in 30-40 days.

Cocopeat Composting– Mix 4 Kg of Bloom Compost Culture in 1 MT of raw moist cocopeat and 4 Kg of Urea to this mixture. The cocopeat pile should be given proper mixing once in 15 days. Cocopeat media for nursery use will be ready in 30-40 days.

PRECAUTION

Do not mix antibiotics, pesticides and insecticides with the product.

STORAGE

Store in a cool dry place away from direct sunlight

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)

JACKPOT

HIGH GRADE POTASSIUM HUMATE



Jackpot is a high quality plant nutrition fertilizer consisting of Humic Acid molecules enriched with soluble potassium. Jackpot is extracted by novel “Micro Carbon Technology” from natural high grade Leonardite ores. Jackpot is 100% water soluble and an excellent foliar nutrition fertilizer.

BENEFITS

For Plants

- Natural plant growth stimulant, promotes vigorous root development and stimulate seed germination
- Enhance nutrient uptake by combining nutrients with humic acid and achieve balanced plant nutrition
- Increases plant resilience to biotic & abiotic stress such as drought, temperature variations, pest incidence
- Contains potassium which helps in drought tolerance and enhanced photosynthesis

For Soil

- Excellent soil conditioner. Improves soil structure, increased cation exchange capacity (CEC) of soil.
- Stimulates biological activity of beneficial microbes in soil
- Promote fertilizer efficiency. Greatly improves the utilization of macro and micronutrients
- Increases ability of soil to buffer extremes of pH and EC and enables uptake of nutrients by plants under conditions in which they would normally be unavailable to plants.

SPECIFICATION

Item	Details
Humic Acid (dry basis)	70 % min
K ₂ O	12 % min
Solubility	100 % water soluble
Moisture	15 % max
pH	9-11

PACKING

1 Kg, 5 Kg. No repacking in India.

APPLICATION

Used as multifunctional plant nutritional product compatible with both organic and inorganic agro inputs. Jackpot can be used as foliar spray along with NPK fertilizers, micronutrients, fungicides & pesticides. Jackpot can be mixed with NPK fertilizers for ground application. Jackpot can also be mixed with organic inputs and biofertilizers.

DOSAGE

Method	Doses
Foliar	2.5 g/L
Soil Drenching	5.0 g/L
Fertilizer Mix	10 Kg/ MT of NPK
Seed treatment	2 g/L

IMPORTED PRODUCT

FULCARE

POTASSIUM FULVATE

Fulcare is product of mineral fulvic acid combined with humic acid. Fulvic acid is short carbon chain molecule extracted from highly oxidized leonardite ores. Fulvic acid is desired for high loading capacity & enhanced plant physiological activity.

BENEFITS

Fulvic acid is one of the most versatile components in the soil environment due to its ability to form complex or chelate metal ions and its unique ability to dissolve important minerals required by the plants. These activities enhance the availability of nutritionally important trace elements as metal fulvic complexes and enter plant systems.

FOR PLANTS

- Promotes adventitious root development in new and established plants
- Chelate plant nutrients and improve their foliar absorption by plants
- Promote quicker seed germination and faster shoot and root growth
- Stimulate plant enzymatic systems enabling better plant respiration
- Induces systemic resistance to biotic and abiotic stress
- Improve the efficiency of pesticides and fungicides

FOR SOIL

- Increases Soil Organic Carbon (SOC) and helps to activate beneficial microbes
- Helps in chelating metal ions improving their uptake by plants and reduce nutrient immobilization in soil system
- Stimulate root growth in plants

SPECIFICATION

Item	Details
Fulvic Acid (dry basis)	15 % min
Humic Acid (dry basis)	70 % min
K ₂ O	12 % min
Solubility	100 % water soluble
Moisture	1 % max
pH	9-11

PACKING

1 Kg, 25 Kg. No repacking in India.

APPLICATION

Fulcare can be used as foliar spray along with NPK fertilizers, micronutrients, fungicides & pesticides. Fulcare can be mixed with NPK fertilizers for ground application. Fulcare can also be mixed with organic inputs and biofertilizers.



CALCARE

Calcare is unique product of mineral fulvic acid combined with 30 % Calcium. Calcium is a secondary macronutrient which helps the thickening of cell wall in plants, better root system and helps to uptake micronutrients such as boron in plants.

BENEFITS

Calcium is found in many minerals in soil, but is relatively insoluble in this state. Calcium is not considered a leachable nutrient. Many soils will contain high levels of insoluble calcium such as calcium carbonate, but crops grown in these soils will often show a calcium deficiency. Fulvic acid is one of the most versatile components in the soil environment due to its ability to form complex or chelate metal ions and its unique ability to dissolve important minerals required by the plants

FOR PLANTS

- High calcium present in Calcare regulates transport of other nutrients into the plant and is also involved in the activation of certain plant enzymes
- An important feature of calcium-deficient plants is a defective root system. Fulvic acid present in Calcare helps in establishing new roots and calcium helps maintaining healthy root system
- High available calcium helps to increase photosynthesis and strengthens plant structure
- Helps to arrest flower fall and increased fruit formation
- Fulvic acid induces systemic resistance to biotic and abiotic stress

SPECIFICATION


Item	Details
Fulvic Acid (dry basis)	30 % min
CaO (EDTA Calcium)	30 % min
Solubility	100 % water soluble
Moisture	1 % max
pH	9-11

PACKING

1 Kg, 5 Kg. No repacking in India.

APPLICATION

Calcare can be used as foliar spray along with NK fertilizers, micronutrients, fungicides & pesticides. Calcare can also be mixed with organic inputs. Caution should be exercised while mixing Calcare with high phosphorus fertilizers.



IMPORTED PRODUCT

NutriCare C2

EDTA CHELATED MICRONUTRIENTS

NutriCare C2 is a fast acting, stable, water-soluble non-dusting mixture of trace elements chelates. Iron, zinc, manganese, copper are present in an EDTA chelated form. Ideal for foliar feeding of fruit, vegetable, flower and field crops. Also, suitable for soil applications in mixes with NPK fertilizers, and use in fertigation.

APPLICATION

Suitable for foliar feeding for fruit, vegetable, flower and arable crops, especially in zinc deficient areas. Also suitable for soil applications and in mixes with NPK fertilizers for fertigation.

APPEARANCE : Green micro granules

pH (1% solution) : 5 - 6.5

BULK DENSITY : Approx. 600 - 700 kg/m³

APPLICATION RATE : 1 - 2 Kg/Ha per application via foliar spray or drip fertigation.
Typically 2 - 3 applications per growing season. Concentration of solution for foliar spray is 0.75 - 1 gm/L of water

PRODUCT ANALYSIS

Nutrient Chelating Agent	%	Boron (B)	1.5
Iron (Fe)	4.0	Molybdenum (Mo) EDTA	0.05
Zinc (Zn) EDTA	4.0	Magnesium Oxide (MgO)	2.2
Manganese (Mn) EDTA	3.0	Magnesium (Mg)	1.3
Copper (Cu) EDTA	0.5	Sulphur (S)	1.3

PACKING


1 Kg

STORAGE:

Store in original package in a cool dry place at ambient temperature (below 25°C). Exposure to direct sunlight may cause degradation of the product.

IMPORTED PRODUCT

AscoGold



A unique combination of selected Amino Acids & Ascophyllum nodosum sea weed extracts. AscoGold consists of naturally occurring Vitamins, Minerals, Cytokinins, Auxins, with naturally occurring micro nutrients, capable of increasing the photosynthetic activity, cell division and multiplication activities by regulating hormonal secretions and other metabolic activities. AscoGold induces abundant root and shoot growth. It also imparts resistance against drought, other imbalances and also disease resistance in the plant system, resulting in increased crop yield.

ADVANTAGES

- Natural plant growth stimulant, promotes vigorous root development and stimulate seed germination
- Increase in the chlorophyll content due to which there is more absorption of carbon di oxide
- Better uptake of essential micronutrients and fertilizers
- Increasing resistance to biotic & abiotic stresses
- Enhances performance, yield, marketable grade of fruits and vegetables

APPLICATION

Suitable for foliar feeding for fruit, vegetable, flower and arable crops. Also, suitable for drip fertigation applications in mixes with NPK fertilizers & micronutrients

DOSAGE

Dilute 3 ml of AscoGold in one litre of water. Spray thoroughly on the under surface of the leaves

TARGET CROPS

Suitable for all crops

STORAGE

Store in original package in a cool dry place at ambient temperature (below 25°C). Exposure to direct sunlight may cause degradation of the product.

PACKING

1 L, 5 L

Bloom Biotech has technological collaboration with Indian Institute of Horticultural Research (IIHR)