Module 2: Login Page

Vaultra Bank Project | Student Project Report


1. Aim

To create a login page that accepts only a Username and Password and allows only registered Vaultra Bank customers to continue.

2. Description

The login screen is the entry point of the Vaultra Bank application. It contains a form with two inputs (Username and Password) and a Login button. When the button is pressed, JavaScript checks the entered credentials against the accounts saved by the registration page. If they are correct, a success message is shown and the user is marked as logged in; otherwise an error message appears.

3. Output Screenshot



4. Tags and Elements Used

Element / ID	Purpose
`<div class="login-card" id="loginCard">`	Card that holds the heading and the login form.
`<form id="loginForm" novalidate>`	Form that is submitted when Login is pressed.
`<input type="text" id="username" required>`	Username field. required marks it as mandatory.
`<input type="password" id="password" required>`	Password field - characters are shown as dots.
`<button type="button" id="pwToggle">`	SHOW / HIDE button to reveal or hide the password.
`<button type="submit" class="login-btn">`	Login button.

Element / ID	Purpose
`<div class="error-msg" id="loginError">`	Red message box, shown only when login fails.
`<div class="success-msg" id="loginSuccess">`	Green message box, shown when login succeeds.

5. Procedure / Steps

1. Create a login card with a heading ("Welcome Back") and short instruction text.
2. Add a label + input for Username and for Password; mark both as required.
3. Add the Login button, a SHOW/HIDE toggle for the password, and hidden error / success boxes.
4. Write JavaScript on the form's submit event to read the two values and check them.
5. On success show the success message and save the logged-in username; on failure show the error message.

Login Rules

Field	Rule
Username	Must be the username chosen during registration (case-sensitive).
Password	Must match the password set during registration.
Empty fields	Shows "Please enter both username and password."
Result	Valid: shows "Login successful!". Invalid: shows "Invalid username or password."

6. Login page HTML code

```
<div class="login-card" id="loginCard">
  <div class="login-header">
    <span class="eyebrow">Vaultra Bank</span>
    <h2>Welcome Back</h2>
    <p>Enter your Username &amp;amp; Password to sign in.</p>
  </div>
  <form id="loginForm" novalidate>
    <div class="field">
      <label for="username">Username</label>
      <input type="text" id="username" placeholder="Enter your username" autocomplete="username" required>
    </div>
    <div class="field">
      <label for="password">Password</label>
      <input type="password" id="password" placeholder="Enter your password"
      autocomplete="current-password" required>
      <button type="button" class="pw-toggle" id="pwToggle">SHOW</button>
    </div>
    <button type="submit" class="login-btn">Login</button>
    <div class="error-msg" id="loginError">Invalid username or password.</div>
    <div class="success-msg" id="loginSuccess">Login successful!</div>
  </form>
</div>
```

7. CSS code (styling)

```
:root{
  --navy:#182338;
  --gold:#c9a227;
  --gold-light:#b8860b;
  --royal:#1e40af;
  --royal-light:#3b5fd9;
  --text-light:#1a2236;
  --text-muted:#5b6478;
  --danger:#d64545;
  --glass-border:rgba(15,25,50,0.14);
  --font-display:Georgia,'Times New Roman',serif;
  --font-body:'Segoe UI',Tahoma,Geneva,Verdana,sans-serif;
}
*{margin:0;padding:0;box-sizing:border-box;}
body{
  font-family:var(--font-body);
  background:linear-gradient(160deg,#ffffff 0%,#f7f8fc 45%,#eef1f8 100%);
  color:var(--text-light);
  min-height:100vh;
  display:flex;align-items:center;justify-content:center;
  padding:40px 5%;
}
.login-card{
  width:100%;max-width:440px;padding:40px 36px;
  background:#fff;border:1px solid var(--glass-border);
  border-radius:16px;box-shadow:0 12px 40px rgba(15,25,50,.12);
}
.login-header{text-align:center;margin-bottom:28px;}
.eyebrow{display:block;color:var(--gold-light);font-size:12px;letter-spacing:2.5px;text-transform:uppercase;
      font-weight:600;margin-bottom:8px;}
.login-header h2{font-family:var(--font-display);font-size:28px;margin-bottom:6px;color:var(--navy);}
.login-header p{color:var(--text-muted);font-size:14px;}
.field{margin-bottom:20px;position:relative;}
.field label{display:block;font-size:13px;color:var(--text-muted);margin-bottom:6px;font-weight:600;}
.field input{
  width:100%;padding:13px 14px;border-radius:10px;border:1.5px solid var(--glass-border);
  background:#f6f7fb;color:var(--text-light);font-size:14.5px;font-family:var(--font-body);
  transition:border-color .25s, box-shadow .25s, background .25s;
}
.field input:focus{outline:none;border-color:var(--gold-light);background:#fff;box-shadow:0 0 0 4px
      rgba(201,162,39,.15);}
.pw-toggle{position:absolute;right:12px;top:37px;background:none;border:none;color:var(--text-muted);cursor:
      pointer;font-size:12px;font-weight:700;}
.login-btn{
  width:100%;padding:14px;border:none;border-radius:12px;cursor:pointer;
  background:linear-gradient(135deg,var(--gold-light),var(--gold));color:var(--navy);
  font-size:15px;font-weight:700;letter-spacing:.3px;
  box-shadow:0 6px 18px rgba(201,162,39,.35);transition:transform .2s, box-shadow .2s;
}
```

```
.login-btn:hover{transform:translateY(-2px);box-shadow:0 10px 26px rgba(201,162,39,.5);}
.error-msg{display:none;margin-top:16px;padding:10px
      14px;border-radius:8px;background:rgba(214,69,69,.1);color:var(--danger);font-size:13px;text-align:cen
      ter;}
.error-msg.show{display:block;}
.success-msg{display:none;margin-top:16px;padding:10px
      14px;border-radius:8px;background:rgba(31,168,100,.12);color:#1fa864;font-size:13px;text-align:center;
      font-weight:600;}
.success-msg.show{display:block;}
```

8. JavaScript code (login check)

```
const form = document.getElementById('loginForm');
const errorBox = document.getElementById('loginError');
const successBox = document.getElementById('loginSuccess');

/* Show / hide password */
document.getElementById('pwToggle').addEventListener('click', function(){
  const pw = document.getElementById('password');
  const hidden = pw.type === 'password';
  pw.type = hidden ? 'text' : 'password';
  this.textContent = hidden ? 'HIDE' : 'SHOW';
});

/* Login check against accounts saved by the registration page */
form.addEventListener('submit', function(e){
  e.preventDefault();
  errorBox.classList.remove('show');
  successBox.classList.remove('show');

  const username = document.getElementById('username').value.trim();
  const password = document.getElementById('password').value;

  if(!username || !password){
    errorBox.textContent = 'Please enter both username and password.';
    errorBox.classList.add('show');
    return;
  }

  let users = {};
  try { users = JSON.parse(localStorage.getItem('vaultra_users') || '{}'); } catch(err){}
  const user = users[username];

  if(user && user.security && user.security.password === password){
    try { localStorage.setItem('vaultra_current', username); } catch(err){}
    successBox.classList.add('show');
  } else {
    errorBox.textContent = 'Invalid username or password.';
    errorBox.classList.add('show');
  }
});
```

9. Conclusion

The login page restricts access to customers who registered with a valid username and password. Empty input and wrong credentials show a clear error message, while correct credentials show a success message.