

EVALS — VIDEOS 2 & 3

Scripts for Review

Video 2 — eval types + End-to-End testing in depth

*Video 3 — LLM-as-a-Judge in depth (incl. reviewing your code)
(Chrome MCP video dropped)*

Evals Series — Videos 2 & 3 (for review)

Follow-ups to Video 1 ("What Are Evals?"). Same house standard: single protagonist Ali (an engineer learning to work with AI coding agents), one spoken sentence per beat, jargon defined plainly, beginner-friendly but going deeper, ≥2 emotional checkpoints, no title cards / no file-homework, spoken reflection close.

VIDEO 2 — Eval Types, and End-to-End Testing in Depth

Covers: the family of eval types (beyond E2E & LLM-judge) · what E2E is · how to set it up · which scenarios to cover

Through-line: Ali just built a login feature; he surveys the eval types, then sets up end-to-end testing properly and covers the scenarios that matter.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>Evals come in several types — today we go deep on end-to-end testing.</i>	Types + deep on E2E	Ali gesturing to a row of small labelled eval cards
2	scene	<i>Ali just built a login feature and wants to be sure it really works.</i>	A feature to check	Ali at a desk, a login screen on his laptop, bright office
3	info	<i>First, a quick map of the common eval types.</i>	The eval family	[info] checks list revealing ["Code tests", "End-to-end tests", "Human review", "LLM as a judge", "Regression tests"]
4	ali	<i>Each type answers a different question about quality.</i>	Different questions	Ali beside the cards, each card showing a small question mark
5	info	<i>Code tests check tiny pieces; regression tests catch what a change broke.</i>	Two quick ones	[info] twocard — left "Code tests → tiny pieces", right "Regression → did a change break it?"
6	ali	<i>Today Ali zooms into end-to-end testing, the big-picture check.</i>	Zoom into E2E	Ali holding a magnifying glass over the "End-to-end" card
7	info	<i>End-to-end means testing the whole journey, like a real user.</i>	What E2E is	[info] statement — text "Test the whole journey, like a real user.", hi "whole journey"
8	ali	<i>For login, that runs from typing a password to landing inside.</i>	The full flow	Ali tracing a path from a password box to a dashboard
9	info	<i>Setting it up takes four simple steps.</i>	Set up E2E in 4 steps	[info] fourparts — ["Pick a key user flow", "Write the exact steps", "Automate it with a tool", "Check the real result"]
10	ali	<i>Step one: pick the flow that would hurt most if it broke.</i>	1 — Pick a key flow	Ali choosing "login" from several flow cards
11	ali	<i>Step two: write the exact steps a real user would take.</i>	2 — Write the steps	Ali listing steps on a card with blank lines
12	ali	<i>Step three: let a tool run those steps automatically in the app.</i>	3 — Automate it	a small robot clicking through the app on screen
13	ali	<i>Step four: check the real result, not just that it ran.</i>	4 — Check the result	Ali confirming the user actually landed inside, green check
14	scene	<i>If this feels like a lot, relax — you start with just one</i>	Start with one flow	warm scene, Ali calm, a single flow

		<i>flow.</i>		highlighted
15	info	<i>Then cover the scenarios that really matter.</i>	Scenarios to consider	[info] checks list ["Happy path", "Wrong password", "Empty fields", "Different user roles", "Slow or no network", "Phone and desktop"]
16	ali	<i>The happy path is when everything goes right.</i>	The happy path	a smooth green flow from start to finish
17	ali	<i>But real users mistype, lose signal, and use phones.</i>	Real users are messy	Ali showing a mistyped password, a phone, and a weak-signal icon
18	ali	<i>So Ali also tests wrong passwords and clear error messages.</i>	Test the failures too	Ali checking that a friendly error message appears
19	ali	<i>He checks different roles, like an admin versus a normal user.</i>	Different roles	two user badges, one "admin" and one "user"
20	info	<i>Run E2E before you ship, and again after every change.</i>	When to run it	[info] statement — text "Run it before shipping, and after every change.", hi "every change"
21	ali	<i>Now Ali ships knowing the whole journey truly works.</i>	Ship with confidence	Ali relaxed, a green check over the full flow
22	ali	<i>Which flow in your app would hurt most if it silently broke?</i>	Your turn	Ali turning to face the viewer

VIDEO 3 — LLM-as-a-Judge, In Depth

Covers: what an LLM judge is · how to use it well (criteria, score + reason, reliability, bias) · technical uses like reviewing your code, classifying, and comparing

Through-line: Ali starts with fuzzy outputs like summaries, learns to run an LLM judge properly, then points it at harder technical work — including reading his own code.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>An LLM-as-a-judge is a model that scores work against your rules.</i>	What it is	Ali handing an output to a friendly judge-robot holding a scorecard
2	scene	<i>Some outputs have no simple right answer, like a summary.</i>	Fuzzy outputs	Ali reading a paragraph summary on screen
3	ali	<i>You cannot unit-test whether a summary is clear and fair.</i>	Hard to test normally	a broken ruler held against a block of text
4	info	<i>So a second model reads it and scores it against criteria.</i>	How it works	[info] statement — text "A second model scores the output against criteria.", hi "criteria"
5	ali	<i>The secret is giving the judge clear, written criteria.</i>	Clear criteria first	Ali writing a rubric card with blank rows
6	info	<i>Ali scores each summary on accuracy, clarity, and completeness.</i>	A simple rubric	[info] checks list ["Accuracy", "Clarity", "Completeness"]
7	ali	<i>He gives the judge the input, the output, and the rubric.</i>	Feed it everything	three cards (input, output, rubric) flowing into the judge-robot
8	ali	<i>And he asks for a score plus the reason behind it.</i>	Score + reason	the judge returns a "4 out of 5" with a short note

9	scene	<i>The reason matters as much as the number — it tells you why.</i>	Reasons build trust	Ali reading the judge's explanation, nodding
10	info	<i>A few habits make the judge far more reliable.</i>	Make it reliable	[info] checks list ["Use a strong model", "Give it an example answer", "Ask for structured output", "Check it against human scores"]
11	ali	<i>Watch for bias: judges can favour longer or first answers.</i>	Watch for bias	the judge leaning toward a bigger answer, Ali cautioning
12	ali	<i>And never let a model be the only judge of its own work.</i>	Don't self-judge blindly	a model marking its own paper while Ali raises a gentle hand
13	scene	<i>If bias worries you, that caution is exactly right.</i>	Being careful is good	warm scene, Ali reassured
14	scene	<i>Now for the powerful part: judging technical work.</i>	Going technical	Ali turning toward a code editor on screen
15	ali	<i>Ali points the judge at his code, not just his text.</i>	Judge your code	the judge-robot reading a panel of code
16	info	<i>It can review code for spec, safety, readability, and bugs.</i>	What it checks in code	[info] fourparts — ["Matches the spec?", "Is it safe?", "Is it readable?", "Any obvious bugs?"]
17	ali	<i>He asks, does this function actually do what the spec says?</i>	Match the spec	the judge comparing a code block to a spec card
18	ali	<i>He also uses it to sort messages, like a task versus a chat.</i>	Classify too	the judge dropping messages into two bins, "task" and "chat"
19	ali	<i>For big jobs, it compares two versions and picks the better one.</i>	Compare two answers	the judge weighing version A against version B on a balance
20	scene	<i>Start small: one rubric, a few outputs, checked against your own judgement.</i>	Start small	warm scene, Ali with a single rubric card
21	ali	<i>Used well, a judge scales your good taste across thousands of outputs.</i>	Scale your judgement	Ali calm as a stream of outputs each get a score
22	ali	<i>What fuzzy output in your work could a judge start scoring today?</i>	Your turn	Ali turning to face the viewer