

EVALS FOR BEGINNERS

Explainer Video Scripts

*Three short, simple videos: what evals are · the two key types (E2E testing & LLM-as-a-judge)
· how to connect Chrome MCP to run E2E testing*

Evals for Beginners — Video Scripts

Three short, beginner-friendly explainer videos on evaluation ("evals"): what they are, the two key types (end-to-end testing and LLM-as-a-judge), and how to connect Chrome MCP to run the E2E testing. Same house standard: single protagonist Ali (an engineer learning to work with AI coding agents), one spoken sentence per beat, everything defined in plain words, gentle mentor tone, spoken reflection close.

VIDEO 1 — What Are Evals? (and why you need them)

Covers: What an eval is · why evaluation matters · "how does the model know it's correct?"

Through-line: Ali's agent builds a feature that "looks done," but he has no way to know if it's actually right — until he learns what an eval is.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>An eval is simply a way to check if your AI's work is actually correct.</i>	What is an eval?	Ali holding a small checklist beside a screen
2	scene	<i>Ali asked his AI agent to build a small feature.</i>	The agent builds	a friendly agent typing, a feature appearing on screen
3	ali	<i>It looked finished, but Ali couldn't tell if it truly worked.</i>	Looks done... but is it?	Ali unsure, a big question mark over the screen
4	scene	<i>If you've ever just trusted that it works, you are not alone.</i>	We've all done this	warm scene, Ali shrugging with a small smile
5	info	<i>The word 'eval' is just short for evaluation — a quality check.</i>	Eval = evaluation	[info] definition card — "eval = a check of quality"
6	ali	<i>Here is the trap: an AI can pass its own test without being right.</i>	The hidden trap	the agent giving itself a thumbs-up beside a hidden bug
7	info	<i>You cannot improve what you do not measure.</i>	Measure to improve	[info] a fuzzy blob turning sharp once a ruler is laid on it
8	ali	<i>So an eval gives the AI a clear target to be checked against.</i>	A clear target	a bullseye target labeled with simple criteria
9	scene	<i>Think of it like a teacher's answer key for the agent's homework.</i>	Like an answer key	an answer key held beside the agent's worksheet
10	info	<i>Every eval has two parts: what 'good' looks like, and a score.</i>	Criteria + score	[info] card — "EVAL = criteria + score"
11	ali	<i>Without it Ali was only hoping; with it, he actually knows.</i>	Hoping vs. knowing	Ali confident as a green check appears
12	scene	<i>Evals matter even more as the AI does more on its own.</i>	More independence, more checking	the agent working solo with a safety net below it
13	ali	<i>So Ali now starts every task by asking, how will I check this?</i>	Ask this first	Ali writing "How will I check this?" on a sticky note
14	info	<i>Next, we meet the two eval types every beginner should know.</i>	Two key types coming up	[info] two preview cards sliding in
15	ali	<i>Which of your AI's results are you trusting without checking?</i>	Your turn	Ali turning warmly to face the viewer

VIDEO 2 — Two Key Types of Evals: E2E Testing & LLM-as-a-Judge

Covers: end-to-end (E2E) testing · LLM-as-a-judge · when to use each

Through-line: Ali has two very different things to check — a login flow and an AI-written summary — and learns to pick the right eval type for each.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>Two eval types cover most needs: end-to-end testing and LLM-as-a-judge.</i>	The two key types	Ali holding two labeled cards
2	scene	<i>Today Ali has two very different things to check.</i>	Two things to check	Ali with two task cards on his desk
3	ali	<i>One is a login flow; the other is an AI-written summary.</i>	A flow and a summary	a login screen beside a paragraph of text
4	info	<i>Some work has a clear right or wrong; some work is fuzzy.</i>	Clear vs. fuzzy	[info] split card — a checkmark side vs. a shades-of-grey side
5	ali	<i>For the login, Ali uses end-to-end testing.</i>	Type 1 — E2E testing	Ali pointing at the login flow
6	info	<i>End-to-end means testing the whole journey, like a real user would.</i>	E2E = the whole journey	[info] a path — open → type → click → result
7	ali	<i>It opens the app, logs in, and checks the user really gets in.</i>	Does it actually work?	each step completing with a green check
8	scene	<i>If any step breaks, the test catches it before your users do.</i>	Catch it before users	a bug caught safely in a net
9	info	<i>E2E answers one simple question: does the whole thing work?</i>	The E2E question	[info] card — "E2E: did it actually work?"
10	ali	<i>For the fuzzy summary, Ali uses an LLM-as-a-judge.</i>	Type 2 — LLM as a judge	Ali handing the summary to a friendly judge-robot
11	info	<i>LLM-as-a-judge means a second AI scores the output against rules.</i>	An AI that grades	[info] a judge-robot holding a scorecard
12	ali	<i>It rates the summary for accuracy and clarity, one to five.</i>	Scored on criteria	a scorecard — "Accuracy 4/5"
13	scene	<i>A person could grade it too, but the AI does it fast and at scale.</i>	Fast, and at scale	many summaries being scored quickly
14	info	<i>Use E2E for 'did it work'; use a judge for 'was it good'.</i>	Which one to use	[info] two-column — E2E "did it work" / Judge "was it good"
15	scene	<i>As a beginner, you can start with just these two — that is plenty.</i>	Start with these two	warm scene, Ali reassured
16	ali	<i>Both types matter, and together they cover most of your work.</i>	Both are important	the two cards glowing side by side
17	ali	<i>Which of your tasks is 'did it work', and which is 'was it good'?</i>	Your turn	Ali turning to face the viewer

VIDEO 3 — Connect Chrome MCP to Run E2E Testing

Covers: what MCP is · connecting Chrome DevTools to your agent · letting the agent run E2E tests itself

Through-line: Ali used to click through his app by hand; he connects Chrome through MCP so his agent does the end-to-end testing for him.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>Connect Chrome to your AI, and it can test your app by itself.</i>	The goal	an agent driving a browser while Ali watches
2	scene	<i>Ali used to click through every screen by hand after each change.</i>	The old way	Ali tiredly clicking button after button
3	ali	<i>It was slow, and he still missed the occasional bug.</i>	Slow and leaky	a bug slipping quietly past Ali
4	scene	<i>If manual testing drains you, this next part is a relief.</i>	A relief is coming	warm scene, Ali looking hopeful
5	info	<i>MCP is just a bridge that lets your AI use outside tools.</i>	MCP = a bridge to tools	[info] a bridge from an agent to a toolbox
6	info	<i>Chrome DevTools is the browser's own built-in inspection toolkit.</i>	Chrome DevTools, defined	[info] a browser with an inspector panel open
7	ali	<i>Ali connects Chrome DevTools to his agent through MCP.</i>	Connect the two	a cable linking the agent and a Chrome window [overlay] "Chrome DevTools MCP"
8	info	<i>Step one: install the Chrome DevTools MCP connector.</i>	Step 1 — install	[info] numbered step card "1. install connector"
9	info	<i>Step two: add it to your coding tool's MCP settings.</i>	Step 2 — add to settings	[info] a settings toggle switching on
10	info	<i>Step three: start your app so there is a page to test.</i>	Step 3 — run your app	[info] a local app running at localhost
11	ali	<i>Now Ali just asks the agent to test the app end to end.</i>	Ask it to test	Ali typing a request; the agent opens Chrome
12	ali	<i>The agent opens the page, clicks through it, and reads any errors.</i>	It clicks like a user	the agent clicking; a console showing one red line
13	ali	<i>It finds a broken button, fixes it, then checks again.</i>	Find → fix → re-check	a broken button turning green
14	scene	<i>You just watch and approve, instead of clicking it all yourself.</i>	You review, not click	Ali relaxed, reviewing the results
15	info	<i>Save this setup as a reusable skill so you never repeat it.</i>	Save it as a skill	[info] a skill card labeled "e2e-chrome-testing"
16	scene	<i>The same idea works for phone apps and other tools too.</i>	Works beyond the web	a phone screen being checked by the agent
17	ali	<i>As a beginner, start with one page and one flow — that is enough.</i>	Start small	warm scene, one simple flow highlighted
18	ali	<i>Which screen would you let your agent test first?</i>	Your turn	Ali turning to face the viewer