

PHASE 5 — SHARPENING THE BLADE

Consolidated Video Scripts

*21 micro-topics compiled into 5 cohesive videos · single protagonist “Ali”
One spoken sentence per beat · hand to the review gate before art/voice/render*

Phase 5 — "Sharpening the Blade" · Consolidated Video Scripts (5 videos)

The 21 micro-topics compiled into 5 cohesive videos, each one continuous "Ali" story (Ali = an engineer at an ed-tech company who orchestrates AI coding agents). House standard holds throughout: one spoken sentence per beat, pyramid lead, jargon defined on first use, ≥3 emotional checkpoints, no title cards / no file-homework, spoken reflection close. Hand each to `reviewing-explainer-scripts` before art/TTS.

Coverage map — 5 videos cover all 21 original topics + session teaching points

Video	Original SLOs / scripts folded in	Session teaching points covered
1 · Protect Your Focus	1.9 tab tax · 1.10 friction maxxng · 1.11 time blocks	focus & environment design
2 · Think Clearly About Your Agent	1.12 map vs territory · 1.13 hollow vs solid vocab · 1.14 rote vs fresh · 5.2 scout mindset	clear-thinking discipline when the agent surprises you
3 · From Consumer to Producer	SC-1 autonomy · 5.4 identity shift · 5.1a real stakes · 5.3 biomimetics	consumer→producer, autonomy, self-improvement, real stakes
4 · Plan, Build, Verify & Evaluate	SC-2 plan-first · SC-4 BDD · SC-3 browser self-testing · 5.6 worktrees · 5.1b evals · 5.7 rubrics	plan-first, plan-vs-implementation, BDD, Chrome-DevTools-MCP testing, parallel worktrees, layered evals, risky-action hooks, LLM-as-judge, rubrics, reusable skill, slash commands, mobile/Figma, backend functions, limits of self-verification
5 · Data Mastery	5.1d relational vs flat · 5.1c critique DB decisions · 5.1e iterate 3+ cycles · 5.5 reusable skill	data modeling, reviewing the agent, iteration, packaging skills

VIDEO 1 — Protect Your Focus

Covers SLOs: 1.9, 1.10, 1.11

Through-line: Ali, an ed-tech engineer drowning in tabs, meetings, and a buzzing phone, rescues his focus in three moves — one task at a time, friction maxxng, and dedicated deep-work blocks.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>Ali guards his focus with three moves — one task, more friction, blocked time.</i>	Three moves	Ali at desk, three glowing icons above him (single tab, shield, calendar block)
2	scene	<i>It's 9 a.m. — fourteen tabs open, phone buzzing, calendar shredded by meetings.</i>	A chaotic workday	wide shot of Ali's overloaded screen, phone lit up, calendar torn into fragments
3	ali	<i>If your day feels like this, you're not failing; this is normal.</i>	You're not alone	Ali rubbing temples, warm reassuring lighting
4	ali	<i>Ali's first move is doing one problem at a time.</i>	Move 1	Ali turning toward a single highlighted task, others dimming
5	ali	<i>Each task switch charges a hidden cost he calls the</i>	The "tab tax"	a coin dropping from Ali's focus meter each time an arrow jumps between

		<i>tab tax.</i>		tabs [overlay] label "TAB TAX"
6	info	<i>The tab tax is the focus you lose whenever your attention jumps.</i>	Attention leaks on every jump	[info] attention beam splitting across tabs, each split losing brightness
7	info	<i>Switching drains both speed and quality, even when it feels quick.</i>	Slower AND sloppier	[info] two falling bars, "Speed" and "Quality", dropping as switch-count rises
8	ali	<i>So Ali closes thirteen tabs, keeping only the problem he's solving.</i>	Close the rest	tabs sliding shut until a single tab remains [overlay] counter 14 → 1
9	ali	<i>One task, one window — and his thinking finally clears.</i>	Clarity returns	Ali exhaling, screen calm, meter refilling
10	ali	<i>One task helps, yet the buzzing phone still keeps pulling him away.</i>	But the phone still pulls	phone vibrating, a hand-shaped tug drawing Ali's gaze
11	ali	<i>So Ali reaches for move two: friction maxxng.</i>	Move 2	Ali placing obstacles around a phone [overlay] label "FRICTION MAXXING"
12	info	<i>Friction maxxng adds hassle to distractions and removes it from deep work.</i>	Hard to distract, easy to focus	[info] spikes stacking on the "distraction" path, a smooth ramp clearing the "focus" path
13	info	<i>Willpower runs out, but a well-designed environment keeps the promise for you.</i>	Design beats willpower	[info] a draining "willpower" battery beside a steady "environment" gear
14	ali	<i>He deletes tempting apps and runs a website blocker during agent sessions.</i>	Delete apps	app icons dragged to trash, a "blocked" shield over a browser [overlay] "AGENT SESSION: BLOCKER ON"
15	info	<i>Phone goes to another room; one 2022 study found thirty percent less screen time.</i>	Phone away ≈ 30% less screen time	[info] phone placed in a distant room, a big "-30%" with a small "2022 study" tag
16	ali	<i>He sets a Pomodoro timer for short focused sprints and enables downtime mode.</i>	Pomodoro sprints + downtime	a tomato timer counting a sprint, an OS "downtime" toggle on [overlay] "25 min focus"
17	ali	<i>And he keeps one desk used only for deep work, nothing else.</i>	A dedicated workspace	a clean, single-purpose desk, everything unrelated removed
18	ali	<i>Now distractions cost effort to reach, and focus is the easy path.</i>	Focus is now the default	Ali working calmly, obstacles guarding the distractions behind him
19	ali	<i>With his space calm, Ali makes his third and final move.</i>	Move 3	Ali opening his calendar, settled and ready
20	ali	<i>He block-schedules protected deep-work time straight onto his calendar.</i>	Dedicated time blocks	solid "DEEP WORK" blocks dropped onto the calendar grid [overlay] "PROTECTED"
21	info	<i>Each protected block is a small win, and small wins compound.</i>	Small wins compound	[info] daily blocks stacking into a rising staircase over a week
22	ali	<i>Meetings fit around his focus now, instead of nibbling it away.</i>	Meetings orbit the work	meeting bubbles arranging themselves around the protected blocks
23	ali	<i>One task, more friction, blocked time — that's how Ali protects his focus.</i>	The three moves, recapped	the three icons from beat 1 lighting up in sequence beside a calm Ali
24	ali	<i>Your turn: which one distraction could you add friction to tomorrow?</i>	Your turn	Ali looking warmly toward the viewer, a question mark over an empty calendar block

VIDEO 2 — Think Clearly About Your Agent

Covers SLOs: 1.12, 1.13, 1.14, 5.2

Through-line: Ali's coding agent breaks the build, and instead of blaming it he runs through four thinking disciplines — scout not soldier, map vs. territory, hollow vs. solid words, fresh vs. rote — to find the real truth.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>When your agent fails, think clearly instead of blaming it.</i>	Think, don't blame	Ali at his desk, calm, looking at a red screen
2	ali	<i>Ali's coding agent broke the build on a big feature.</i>	The build broke	Ali beside a "BUILD FAILED" panel, agent robot nearby
3	ali	<i>That sinking feeling is normal, and it doesn't mean you failed.</i>	This feeling is normal	Ali exhales, shoulders easing, soft warm tone
4	scene	<i>So Ali slows down and works through four thinking habits.</i>	Four thinking habits	four calm chapter dots lighting up in a row
5	info	<i>First habit: be a scout, not a soldier.</i>	Scout, not soldier	[info] split icon — a soldier's shield vs a scout's lantern
6	ali	<i>The soldier defends the prompt: it should work, the agent's broken.</i>	The soldier defends	Ali arms crossed, defensive, guarding a prompt box
7	ali	<i>The scout asks with curiosity: what did the agent actually understand?</i>	The scout investigates	Ali leaning in with a magnifying glass, curious
8	ali	<i>Ali chooses curiosity, and the panic slowly starts to fade.</i>	Curiosity over panic	Ali's expression softening, red tint cooling to warm cream
9	info	<i>Second habit: separate your map from the territory.</i>	Map vs. territory	[info] a folded map beside real terrain
10	ali	<i>Your prompt is the map; the agent's output is the territory.</i>	Prompt = map, output = territory	prompt labeled MAP, code output labeled TERRITORY [overlay] MAP / TERRITORY labels
11	ali	<i>When it fails, resist the urge to only reword the prompt.</i>	Don't just rewrite the map	Ali's hand pausing over the prompt box
12	ali	<i>Ali reads the actual code the agent wrote instead.</i>	Read what it made	Ali scrolling through the real generated code
13	ali	<i>The territory reveals his instruction was ambiguous, not the agent.</i>	The instruction was unclear	a highlighted vague line in the prompt, a lightbulb over Ali
14	info	<i>Third habit: check whether your words are solid or hollow.</i>	Hollow vs. solid words	[info] a solid brick word vs a hollow cracked shell word
15	ali	<i>Hollow words sound smart but trace back to nothing concrete.</i>	Hollow words trace to nothing	a fancy term floating with empty space beneath it
16	ali	<i>Ali said 'context window' without knowing it means the model's readable memory.</i>	Context window = readable memory	"context window" term with a memory-strip definition appearing [overlay] definition
17	ali	<i>So he runs the Explain-It-Like-I'm-5 test on every term.</i>	The ELI5 test	Ali explaining to a small child cartoon, plain words
18	ali	<i>Hollow words crumble under one honest question; solid ones hold.</i>	One question tests the word	a hollow word cracking, a solid word standing firm

19	ali	<i>Everyone leans on borrowed jargon sometimes, and that's completely okay.</i>	We all borrow jargon	a warm reassuring scene, Ali nodding to himself
20	info	<i>Last habit: think fresh instead of running on autopilot.</i>	Fresh vs. rote	[info] a fresh sprout vs a looping autopilot gear
21	ali	<i>Ali caught himself reusing an old prompt template without thinking.</i>	Recycling the old template	Ali copy-pasting a dusty template, pausing
22	ali	<i>That ritual-without-reason habit has a name: cargo culting.</i>	Cargo culting = ritual, no mechanism	"cargo culting" term over a hollow ritual icon [overlay] term callout
23	ali	<i>So he reasons about this exact problem from first principles.</i>	Reason from first principles	Ali building the prompt fresh from small clear blocks
24	ali	<i>He rewrites the prompt clearly, and the build finally passes.</i>	Build passes	a green "BUILD PASSED", Ali smiling with the agent
25	scene	<i>Notice none of this blamed the agent — it sharpened Ali's thinking.</i>	Sharper thinking, not blame	the four chapter dots glowing together around Ali
26	ali	<i>Next time your agent fails, which habit will you reach for?</i>	Your turn	Ali turning toward the viewer, open, inviting reflection

VIDEO 3 — From Consumer to Producer

Covers SLOs: SC-1 (autonomy), 5.4, 5.1a, 5.3

Through-line: Ali stops hand-fixing his AI's every error and grows into an architect who builds a self-running system he orchestrates — through autonomy, real stakes, a new identity, and nature's designs.

#	Mode	Voiceover (spoken)	Caption	Visual
1	ali	<i>Stop fixing your AI by hand — build a system that fixes itself.</i>	From consumer to producer	Ali facing two paths: one tired at a keyboard, one calm at a control panel
2	ali	<i>Meet Ali, an engineer who guides AI coding agents at an ed-tech company.</i>	Meet Ali	friendly Ali at a warm desk, a small agent robot beside a screen
3	ali	<i>All day, Ali copies each error message and pastes it back by hand.</i>	The copy-paste loop	Ali dragging a red "error" card from screen to agent, over and over, looking drained [overlay] repeated error cards
4	info	<i>That is being a consumer: you tell the AI what to do, then patch it yourself.</i>	Consumer = you patch it	[info] flowchart, a human icon manually repairing every output
5	info	<i>A producer builds a system that runs itself, then simply steers it.</i>	Producer = you steer	[info] flowchart, a human icon at a wheel while the machine self-corrects
6	info	<i>The bridge between them is autonomy — reducing how much the agent needs you.</i>	Autonomy defined	[info] a dial labeled "human dependency" turning down as the agent grows brighter
7	ali	<i>So Ali lets the agent read its own error, diagnose it, and fix itself.</i>	The agent owns it	the agent catching a falling red card and repairing it alone [overlay] "error → self-fix"
8	ali	<i>The first time, it fails — badly — and Ali's stomach drops.</i>	It fails at first	the agent's output cracks; Ali winces
9	scene	<i>That's normal: as an agent does more, it will</i>	Failing is the process	a gentle upward staircase with a few

		<i>stumble more.</i>		loose steps, still climbing
10	ali	<i>This is the process, not proof that you got it wrong.</i>	You're not failing	a reassuring glow around Ali; steady, calm posture
11	ali	<i>So Ali feeds each correction back into the system, not into one throwaway prompt.</i>	Self-improvement loop	a correction card looping into a growing "system" box that strengthens [overlay] correction → system
12	scene	<i>The agent starts owning the task — but Ali senses something is still missing.</i>	Something's missing	the agent running smoothly, Ali thoughtful, a faint question mark
13	info	<i>Here is the missing piece: the work needs real stakes to stay sharp.</i>	Add real stakes	[info] a dry gray page transforming into a vivid, charged scene
14	info	<i>Dry version: 'the AI can analyze student retention data.'</i>	Abstract & flat	[info] a gray spreadsheet, no faces, low energy
15	ali	<i>Real version: this decides whether 50,000 children in Balochistan get effective materials.</i>	50,000 children	a map of Balochistan, warm portraits of learners glowing over the data [overlay] "50,000 children"
16	ali	<i>When Ali feels that weight, he catches errors a bored mind would skip.</i>	Stakes sharpen you	Ali spotting a subtle red flaw the drowsy version missed
17	scene	<i>But to truly change how he works, Ali has to change who he thinks he is.</i>	The real barrier	Ali looking at a mirror showing an old label
18	info	<i>The biggest barrier to using AI isn't skill — it's identity.</i>	Identity, not skill	[info] a locked door labeled "I am a coder," a key labeled "identity"
19	ali	<i>You don't have to be the smartest coder in the room to lead here.</i>	You're capable of this	an encouraging spotlight on Ali, tools arranged around him
20	ali	<i>Ali retires 'I am a coder' and adopts 'I am a system architect who orchestrates AI.'</i>	Reframe the role	an old badge fading, a new "System Architect" badge lighting up [overlay] badge swap
21	info	<i>Think soloist becoming conductor — not a smaller role, a richer one.</i>	Soloist → conductor	[info] a lone violinist morphing into a conductor leading an orchestra of agents
22	scene	<i>Now, as architect, Ali needs a way to design systems that actually hold up.</i>	How to design well	Ali at a drafting table sketching a system blueprint
23	info	<i>So he asks one designer's question: how has nature already solved this?</i>	Biomimetics	[info] the blueprint overlaid with leaf veins, hives, and trails
24	info	<i>Ants find the shortest path by trail; honeybees balance load across the hive.</i>	Nature's playbook	[info] an ant trail routing around an obstacle beside bees sharing flower duties
25	ali	<i>Nature has tuned these systems for 3.8 billion years — free blueprints.</i>	3.8 billion years	a time ribbon of evolving natural systems flowing into Ali's design
26	ali	<i>Your turn: name one task you still fix by hand — how would you make it own itself?</i>	Your turn	Ali turning to face the viewer, a warm open gesture toward the control panel

VIDEO 4 — Plan, Build, Verify & Evaluate

Covers SLOs: SC-2, SC-4, SC-3, 5.6, 5.1b, 5.7

Through-line: Ali ships one team-invite feature the producer's way — plan it, build it (in parallel), verify it, evaluate it — turning an AI agent into a self-checking teammate.

#	Mode	Voiceover (spoken)	Caption	Visual
1	info	<i>The best AI engineers plan, build, verify, then evaluate every feature.</i>	Plan → Build → Verify → Evaluate	[info] four glowing chapter icons forming a loop
2	ali	<i>Meet Ali, an engineer who orchestrates AI coding agents at an ed-tech company.</i>	Meet Ali	Ali at a calm desk, agent avatars beside a laptop
3	ali	<i>Today he ships one real feature: a team invite for admins.</i>	The build: team invite	a mock UI with an "Invite teammate" button lighting up
4	ali	<i>Before any code, Ali writes a documented plan in a file.</i>	Chapter 1 — Plan first	Ali typing a plan.md file, the code editor dimmed behind
5	scene	<i>It feels slower, but that plan saves you real pain later.</i>	Slow now, smooth later	two paths — one straight, one tangled — merging to a goal
6	ali	<i>He builds the feature, then checks the code against the written plan.</i>	Build, then verify	a split screen, plan on left, implementation on right, checkmarks matching
7	ali	<i>He triggers it with a slash command, /plan, since keyword hooks can silently fail.</i>	/plan (reliable trigger)	a command palette showing "/plan", a faded keyword bubble fizzling out [overlay] "/plan"
8	info	<i>A plan alone is too vague to test on its own.</i>	Chapter 2 — BDD cases	[info] a blurry plan doc morphing into sharp checklist rows
9	ali	<i>So Ali writes BDD cases — behavior-driven development — concrete behaviors to check.</i>	BDD = behavior-driven development	Ali writing crisp behavior cards [overlay] "BDD"
10	info	<i>Given an admin, when they invite an email, then an invite sends.</i>	Given / When / Then	[info] three stacked panels labeled Given, When, Then, each animating in
11	ali	<i>He stores each in docs/features, one feature at a time, reviewed first.</i>	One at a time — reviewed first	a docs/features folder filling with one card, Ali nodding calmly [overlay] "docs/features"
12	scene	<i>No plan yet? The agent reads the codebase and drafts the cases.</i>	No plan? Read the code	the agent scanning code lines, drafting behavior cards
13	ali	<i>While building, Ali runs a second agent on a refactor at the same time.</i>	Chapter 3 — Work in parallel	two agent panels working side by side [overlay] "git worktree"
14	info	<i>A worktree is a second working copy of the repo — isolated, but sharing one history.</i>	worktree = isolated copy	[info] one repo icon splitting into two labeled folders
15	ali	<i>Each agent edits its own folder, so they never clobber each other's files.</i>	No collisions	two tidy desks under one workshop roof, calm
16	ali	<i>Next, Ali connects Chrome DevTools through MCP, a bridge to tools.</i>	Chapter 4 — Browser self-testing	a bridge from an agent icon to a Chrome window [overlay] "MCP = agent-to-tools bridge"
17	info	<i>The agent opens the app, catches console errors, and fixes them.</i>	The agent tests itself	[info] a browser opening, a red console error caught, then turning green
18	ali	<i>Ali saves this as a reusable skill, e2e-chrome-testing.</i>	Save it as a skill	a skill card "e2e-chrome-testing" dropping into a toolbox [overlay] "e2e-chrome-testing"
19	info	<i>It extends to mobile and design tools; for backend,</i>	Generalizes (backend: test	[info] the skill icon fanning to a phone + a design tool, plus a function-test

		<i>test functions directly.</i>	functions)	node
20	ali	<i>Verifying one feature is good; Ali evaluates the whole system in layers.</i>	Chapter 5 — Evaluate in layers	a single check expanding into a stacked layer diagram
21	info	<i>First, automated unit tests check small pieces of code.</i>	Layer 1 — unit tests	[info] a bottom layer with small green code blocks passing
22	info	<i>Then hooks, code that runs first, pause before deleting a database.</i>	Layer 2 — safety hooks	[info] a hook icon halting a red "DELETE DATABASE" action, asking permission
23	info	<i>Then browser end-to-end tests, and scoring the AI's own outputs.</i>	Layers 3 & 4 — e2e + scoring	[info] top layers, a browser flow and a score gauge lighting up
24	scene	<i>If that feels like a lot, relax — each layer is one habit.</i>	One habit at a time	a warm scene, layers assembling gently one by one
25	info	<i>Why score at all? You can't improve what you can't measure.</i>	Chapter 6 — Why evals	[info] a ruler laid against an unmeasured, wobbly output
26	info	<i>An eval is the measuring stick for whether the build is correct.</i>	eval = the measuring stick	[info] an eval label on a ruler grading a feature to a target line
27	ali	<i>For fuzzy outputs, a second model — an LLM-as-a-Judge — scores against criteria.</i>	LLM-as-a-Judge for fuzzy output	a judge-model avatar reading criteria, stamping a score [overlay] "LLM-as-a-Judge"
28	info	<i>Those criteria live in a rubric — a scorecard of clear standards.</i>	Chapter 7 — Rubrics	[info] a clean scorecard grid with labeled rows
29	ali	<i>Ali scores completeness, accuracy, efficiency, safety, and style.</i>	Five criteria	five rubric rows filling with dots as each is named
30	ali	<i>He starts by hand, automates later, and weights safety so it's never skipped.</i>	Manual → automated, weight safety	hand-scoring turning into auto-scoring; the safety row glowing heavy
31	info	<i>Andrew Ng calls evaluation the biggest predictor of an agent's success.</i>	Andrew Ng: eval predicts success	[info] a quote card, an evaluation gauge climbing to the top
32	ali	<i>Ali's agent now plans, tests, and grades much of its own work.</i>	A self-checking teammate	Ali relaxed, the agent running the full loop beside him
33	scene	<i>But how far can it go before it truly needs you?</i>	Where are the limits?	the self-checking loop reaching an edge, a human hand waiting
34	scene	<i>Ask yourself: which step would you never hand fully to an agent?</i>	Your turn	the chapter icons, one softly highlighted with a question mark

VIDEO 5 — Data Mastery

Covers SLOs: 5.1d, 5.1c, 5.1e, 5.5

Through-line: Ali chases one question — why students quit in week three — and learns to shape data, review his agent, iterate, and save the win as a reusable skill.

#	Mode	Voiceover (spoken)	Caption	Visual
1	scene	<i>Ali finally found why students quit in week three.</i>	The answer was in the data	Ali at a desk, a bright "week 3" curve dipping behind him
2	ali	<i>It started, like most things do, with one messy spreadsheet.</i>	Everyone starts here	Ali shrugging warmly beside a huge cluttered sheet

3	ali	<i>Everything sat in one flat table, every fact repeated.</i>	Flat data	a wide single table, student names repeating down many rows, duplicates highlighted [overlay] duplicate cells
4	info	<i>Flat data means one giant sheet where details copy over and over.</i>	One sheet, everything repeated	[info] a single fat table, duplicate cells glowing softly
5	ali	<i>To fix a student's name, Ali had to change fifty rows.</i>	The same edit, fifty times	Ali editing rows one by one, calm but frustrated
6	info	<i>A relational model splits it into linked tables: Students, Courses, Enrollments.</i>	Relational data	[info] three neat tables connected by lines
7	info	<i>Each table links through a shared key — a common ID they all point to.</i>	Key = the shared link	[info] a "student_id" column glowing across the three tables
8	ali	<i>Now he changes a name once, and it updates everywhere.</i>	Change once, not fifty times	Ali relaxed, one edit rippling across the linked tables
9	ali	<i>This is where his AI coding agent stepped in to help.</i>	Enter the agent	Ali turning toward a friendly robot-assistant panel
10	ali	<i>The agent proposed a new schema, some queries, and a migration.</i>	Migration = moving data to a new shape	"schema [overlay] the three cards
11	info	<i>But Ali reviews the agent's plan before it touches real data.</i>	You review first	[info] a magnifying glass over the agent's proposal
12	info	<i>He checks three things: schema fit, query speed, and reversibility.</i>	Fit	[info] a checklist of the three checks ticking on
13	ali	<i>So he tests every change on a copy, never on the live database.</i>	Test on a copy, never live	Ali running the migration on a duplicate labelled "copy", the "live" one safely aside
14	ali	<i>Questioning your agent isn't distrust — it's how good work happens.</i>	This is your job	Ali and the agent side by side, nodding, equal partners
15	ali	<i>His first query gave an answer, but it was really a draft.</i>	First pass = a draft	Ali looking at a rough, cluttered first chart
16	info	<i>Iterating means cycling the work: draft, then sharpen, then clarify.</i>	Draft → Sharpen → Clarify	[info] three arrows looping a chart getting cleaner
17	ali	<i>Cycle one: he sharpened the query to compare weeks side by side.</i>	Cycle 1 — sharpen	a tighter query, week-by-week bars appearing [overlay] cleaner query
18	ali	<i>Cycle two: he cleaned the visualization so the dip stood out.</i>	Cycle 2 — clarify	a cleaner chart, the week-three dip highlighted [overlay] highlighted dip
19	ali	<i>Cycle three revealed it: payment reminders land exactly in week three.</i>	Cycle 3 — the real insight	a link between a "reminder" icon and the week-three drop [overlay] reminder → drop
20	ali	<i>The first answer is rarely the best, and that's completely normal.</i>	Keep going — that's normal	Ali smiling at the polished final chart, reassured
21	ali	<i>This worked so well that Ali refused to let it be a one-off.</i>	Don't waste a good pattern	Ali saving the whole workflow into a labelled box
22	info	<i>A skill is a saved procedure — steps plus example output — you can trigger anytime.</i>	Skill = reusable, trigger-able	[info] a "skill" card with steps and a sample chart inside
23	ali	<i>He packaged the steps, an example output, and a simple trigger phrase.</i>	Steps	the finished skill card with its three parts [overlay] three parts

24	ali	<i>Now the monthly drop-off check runs in minutes, not a whole afternoon.</i>	One-off → monthly capability	Ali relaxed, a calendar with "monthly" and a fast clock
25	scene	<i>Shape the data, review the agent, iterate, then save the skill.</i>	The four moves	four connected icons — tables, magnifier, loop, skill card
26	ali	<i>Where in your own work could one saved skill replace a repeated afternoon?</i>	Your turn	Ali looking at the viewer warmly, an open reflective gesture