

## Reliability

### Notes

|                        |                                |                                                                                                                                                      |
|------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Output Created         |                                | 04-AUG-2026 01:26:25                                                                                                                                 |
| Comments               |                                |                                                                                                                                                      |
| Input                  | Active Dataset                 | DataSet1                                                                                                                                             |
|                        | Filter                         | <none>                                                                                                                                               |
|                        | Weight                         | <none>                                                                                                                                               |
|                        | Split File                     | <none>                                                                                                                                               |
|                        | N of Rows in Working Data File | 20                                                                                                                                                   |
|                        | Matrix Input                   |                                                                                                                                                      |
| Missing Value Handling | Definition of Missing          | User-defined missing values are treated as missing.                                                                                                  |
|                        | Cases Used                     | Statistics are based on all cases with valid data for all variables in the procedure.                                                                |
| Syntax                 |                                | RELIABILITY<br>/VARIABLES=E1 E2 E3 E4 E5<br>/SCALE('ALL VARIABLES') ALL<br>/MODEL=ALPHA<br>/ICC=MODEL(RANDOM)<br>TYPE(ABSOLUTE) CIN=95<br>TESTVAL=0. |
| Resources              | Processor Time                 | 00:00:00.03                                                                                                                                          |
|                        | Elapsed Time                   | 00:00:00.03                                                                                                                                          |

[DataSet1]

**Scale: ALL VARIABLES**

### Case Processing Summary

|       |                       | N  | %     |
|-------|-----------------------|----|-------|
| Cases | Valid                 | 20 | 100.0 |
|       | Excluded <sup>a</sup> | 0  | .0    |
|       | Total                 | 20 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

## Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .945             | 5          |

## Intraclass Correlation Coefficient

|                  | Intraclass Correlation <sup>b</sup> | 95% Confidence Interval |             | F Test with True Value 0 |     |     |
|------------------|-------------------------------------|-------------------------|-------------|--------------------------|-----|-----|
|                  |                                     | Lower Bound             | Upper Bound | Value                    | df1 | df2 |
| Single Measures  | .760 <sup>a</sup>                   | .609                    | .880        | 18.087                   | 19  | 76  |
| Average Measures | .940                                | .886                    | .973        | 18.087                   | 19  | 76  |

## Intraclass Correlation Coefficient

|                  | F Test with ..<br>Sig |
|------------------|-----------------------|
| Single Measures  | <.001                 |
| Average Measures | <.001                 |

Two-way random effects model where both people effects and measures effects are random.

- The estimator is the same, whether the interaction effect is present or not.
- Type A intraclass correlation coefficients using an absolute agreement definition.