

Ejemplo de configuración real: 5gc-no-scp-sepp2-001-01.yaml.in

```
<!DOCTYPE html>
<html
  lang="en"

  data-color-mode="auto" data-light-theme="light" data-dark-theme="dark"
  data-a11y-animated-images="system" data-a11y-link-underlines="true"

>

<head>
  <meta charset="utf-8">
  <link rel="dns-prefetch" href="https://github.githubassets.com">
  <link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
  <link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
  <link rel="dns-prefetch" href="https://user-images.githubusercontent.com/">
  <link rel="preconnect" href="https://github.githubassets.com" crossorigin>
  <link rel="preconnect" href="https://avatars.githubusercontent.com">

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/light-2ff56e

  <style type="text/css">
    :root {
      --tab-size-preference: 4;
    }

    pre, code {
      tab-size: var(--tab-size-preference);
    }
  </style>

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-pr
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-bf8
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/global-105
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/github-f82
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/repository-6
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-c4c2752e6

  <script type="application/json" id="client-env">{"locale":"en","featureFlags":["actions_custom_images_storage_billir
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/high-contras
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/wp-runtime-6
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/fetch-utilit
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/28839-28bb58
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/85924-1f0f5f
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/34646-3b3c3c
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/environment-
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/runtime-help
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2966-db5d66e7
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/96232-2f91b9
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/41013-ce9f0a
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/51210-07f011
```



```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/64443-bc8da
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-view-0
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-view.753b

    <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/84534-73dc
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/88041-185496
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/notifications-

<title>open5gs/configs/examples/5gc-no-scp-sepp2-001-01.yaml.in at main · open5gs/open5gs · GitHub</title>

<meta name="route-pattern" content="/:user_id/:repository/blob/*name/*path)" data-turbo-transient>
<meta name="route-controller" content="blob" data-turbo-transient>
<meta name="route-action" content="show" data-turbo-transient>
<meta name="fetch-nonce" content="v2:0478024f-1c17-86d3-1cfa-5b1153edf6c5">

<meta name="current-catalog-service-hash" content="f3abb0cc802f3d7b95fc8762b94bdc13bf39634c40c357301c4aa1d67a256fb1

<meta name="request-id" content="8642:9CD9C:7C990D:5B33B0:6A04B90B" data-pjax-transient="true"/><meta name="html-saf

    <meta name="hovercard-subject-tag" content="repository:80611216" data-turbo-transient>

<meta name="github-keyboard-shortcuts" content="repository,source-code,file-tree,copilot" data-turbo-transient="true

<meta name="selected-link" value="repo_source" data-turbo-transient>
<link rel="assets" href="https://github.githubassets.com/">

    <meta name="google-site-verification" content="Apib7-x98H0j5cPqHwwSMm6dNU4GmODRoqxLiDzdx9I">

<meta name="octolytics-url" content="https://collector.github.com/github/collect" />

<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name&gt;/blob/show" data-turbo-transient="true"

<meta name="user-login" content="">

<meta name="viewport" content="width=device-width">

<meta name="description" content="Open5GS is a C-language Open Source implementation for 5G Core and EPC, i.e. t

<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub">

<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub">
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905, app-argument=https://github.com/open5gs/open5gs/blob/main
```

```
<meta name="twitter:image" content="https://opengraph.githubassets.com/3628e27fafde8616e69ec9ca3f2022263711a825e5" />
<meta property="og:image" content="https://opengraph.githubassets.com/3628e27fafde8616e69ec9ca3f2022263711a825efe5c5" />

<meta name="hostname" content="github.com">

<meta name="expected-hostname" content="github.com">

<meta http-equiv="x-pjax-version" content="5c0e6d820ba22e833b51dd57fad4fbde397844c712733d0efd1126c170c78919" data-turbo-track="reload" />
<meta http-equiv="x-pjax-csp-version" content="568c098497d98702bac1642a2a853732a047a6ced28eabd3e15d50041a890235" data-turbo-track="reload" />
<meta http-equiv="x-pjax-css-version" content="0665215f8f70df41587fed29f01b8abf7bc1391c738fff68da9cac870279321f" data-turbo-track="reload" />
<meta http-equiv="x-pjax-js-version" content="b10971cf3625469b119996bb49f643c07fa79e3818e1d57e445fee4340426ef6" data-turbo-track="reload" />

<meta name="turbo-cache-control" content="no-preview" data-turbo-transient="">

<meta name="turbo-cache-control" content="no-cache" data-turbo-transient="">

<meta data-hydrostats="publish">

<meta name="go-import" content="github.com/open5gs/open5gs git https://github.com/open5gs/open5gs.git">

<meta name="octolytics-dimension-user_id" content="44808635" /><meta name="octolytics-dimension-user_login" content="open5gs" />

<meta name="turbo-body-classes" content="logged-out env-production page-responsive">
<meta name="disable-turbo" content="false">

<meta name="browser-stats-url" content="https://api.github.com/_private/browser/stats">

<meta name="browser-errors-url" content="https://api.github.com/_private/browser/errors">

<meta name="release" content="556b51f3b24687d4b08c3d1d3258e5d6a9912844">
<meta name="ui-target" content="canary-2">

<link rel="mask-icon" href="https://github.githubassets.com/assets/pinned-octocat-093da3e6fa40.svg" color="#000000" />
<link rel="alternate icon" class="js-site-favicon" type="image/png" href="https://github.githubassets.com/favicons/favicons.png" />
<link rel="icon" class="js-site-favicon" type="image/svg+xml" href="https://github.githubassets.com/favicons/favicons.svg" />

<meta name="theme-color" content="#1e2327">
<meta name="color-scheme" content="light dark" />

<link rel="manifest" href="/manifest.json" crossOrigin="use-credentials">

</head>

<body class="logged-out env-production page-responsive" style="word-wrap: break-word;" >
  <div data-turbo-body class="logged-out env-production page-responsive" style="word-wrap: break-word;" >
    <div id="__primerPortalRoot__" style="z-index: 1000; position: absolute; width: 100%;" data-turbo-permanent></div>

    <div class="position-relative header-wrapper js-header-wrapper">
      <a href="#start-of-content" data-skip-target-assigned="false" class="px-2 tmp-py-4 color-bg-accent-emphasis color-text-white">Skip to start of content</a>

      <span data-view-component="true" class="progress-pjax-loader Progress position-fixed width-full">
        <span style="width: 0%;" data-view-component="true" class="Progress-item progress-pjax-loader-bar left-0 top-0 color-text-white"></span>
      </span>
    </div>
  </div>
</body>
```

```
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-r
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/keyboard-short

<react-partial
  partial-name="keyboard-shortcuts-dialog"
  data-ssr="false"
  data-attempted-ssr="false"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"docsUrl":"https://docs.github.co
  <div data-target="react-partial.reactRoot"></div>
</react-partial>

<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46752-54fb31
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/90350-46ab3e
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/sessions-427

<style>
  /* Override primer focus outline color for marketing header dropdown links for better contrast */
  [data-color-mode="light"] .HeaderMenu-dropdown-link:focus-visible,
  [data-color-mode="light"] .HeaderMenu-trailing-link a:focus-visible {
    outline-color: var(--color-accent-fg);
  }
</style>

<header class="HeaderMktg header-logged-out js-details-container js-header Details f4 tmp-py-3" role="banner" data-is-
  <h2 class="sr-only">Navigation Menu</h2>

  <button type="button" class="HeaderMktg-backdrop d-lg-none border-0 position-fixed top-0 left-0 width-full height-fu
    <span class="d-none">Toggle navigation</span>
  </button>

  <div class="d-flex flex-column flex-lg-row flex-items-center tmp-px-3 tmp-px-md-4 tmp-px-lg-5 height-full position-r
    <div class="d-flex flex-justify-between flex-items-center width-full width-lg-auto">
      <div class="flex-1">
        <button aria-label="Toggle navigation" aria-expanded="false" type="button" data-view-component="true" class="j
      <span class="Button-label"><div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div></span>
      </span>
    </button>
  </div>

  <a class="tmp-mr-lg-3 color-fg-inherit flex-order-2 js-prevent-focus-on-mobile-nav"
    href="/"
    aria-label="Homepage"
    data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to go to
    <svg height="32" aria-hidden="true" data-component="Octicon" viewBox="0 0 24 24" version="1.1" width="32" data
  <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
</a>

  <div class="d-flex flex-1 flex-order-2 text-right d-lg-none gap-2 flex-justify-end">
    <a
      href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples%2F5
      class="HeaderMenu-link HeaderMenu-button d-inline-flex f5 no-underline border color-border-default rounded
      data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;loc
```

```

data-analytics-event="{&quot;category&quot;;:&quot;Marketing nav&quot;;,&quot;action&quot;;:&quot;click to Si
>
  Sign in
</a>
  <div class="AppHeader-appearanceSettings">
<react-partial-anchor>
  <button data-target="react-partial-anchor.anchor" id="icon-button-f1bbfe19-02dc-40a6-b412-fef5a392a79d" aria-label="
  <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zM-8.5.75v1.25a.75.75 0 0 0 1.5 0
</svg>
</button><tool-tip id="tooltip-87275a88-1826-4d2b-ba6b-d06ada663742" for="icon-button-f1bbfe19-02dc-40a6-b412-fef5a392a79d"
  <template data-target="react-partial-anchor.template">
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-settings-
</template>
</react-partial-anchor>
</div>
  </div>
</div>
  <div class="HeaderMenu js-header-menu height-fit position-lg-relative d-lg-flex flex-column flex-auto top-0">
    <div class="HeaderMenu-wrapper d-flex flex-column flex-self-start flex-lg-row flex-auto rounded rounded-lg-0">
      <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/marketing-navigation-
</react-partial
  partial-name="marketing-navigation"
  data-ssr="true"
  data-attempted-ssr="true"
  data-react-profiling="false"
>
  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"should_use_dotcom_links":true}}</script>
  <div data-target="react-partial.reactRoot"><nav class="MarketingNavigation-module__nav__w0KY" aria-label="Global">
</react-partial>
  <div class="d-flex flex-column flex-lg-row width-full flex-justify-end flex-lg-items-center text-center tmp-mr-4">
    <div class="search-input" data-scope="repo:open5gs/open5gs" data-custom-scopes-path="/search/custom_scopes" data-action="click:qbsearch-input#searchInputContainerClicked">
      <div class="search-input-container search-with-dialog position-relative d-flex flex-row flex-items-center tmp-mr-4 rounded">
        <button type="button" class="header-search-button placeholder input-button form-control d-flex flex-1 flex-self-stretch flex-items-center">
          Search or jump to?
        </button>
      </div>
    </div>
  </div>
</div>

```

```

placeholder="Search or jump to..."
data-hotkey=s,/
autocapitalize="off"
data-analytics-event="{&quot;location&quot;:&quot;navbar&quot;;,&quot;action&quot;:&quot;searchbar&quot;;,&quot;
data-action="click:qbsearch-input#handleExpand"
>
<div class="mr-2 color-fg-muted">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
<path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</div>
<span class="flex-1" data-target="qbsearch-input.inputButtonText">Search or jump to...</span>
<div class="d-flex" data-target="qbsearch-input.hotkeyIndicator">
  <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20" aria-hidden="true" class="mr-1"><path fill=
  </div>
</button>

<input type="hidden" name="type" class="js-site-search-type-field">

<div class="Overlay--hidden " data-modal-dialog-overlay>
  <modal-dialog data-action="close:qbsearch-input#handleClose cancel:qbsearch-input#handleClose" data-target="qbsearch
  <h1 id="search-suggestions-dialog-header" class="sr-only">Search code, repositories, users, issues, pull request
  <div class="Overlay-body Overlay-body--paddingNone">

    <div data-view-component="true">      <div class="search-suggestions position-fixed width-full color-shad
    style="border-radius: 12px;"
    data-target="qbsearch-input.queryBuilderContainer"
    hidden
  >
    <!-- `` --><!-- </textarea></xmp> --></option></form><form id="query-builder-test-form" action="" accept-ch
<query-builder data-target="qbsearch-input.queryBuilder" id="query-builder-query-builder-test" data-filter-key=":" c
  <div class="FormControl FormControl--fullWidth">
    <label id="query-builder-test-label" for="query-builder-test" class="FormControl-label sr-only">
      Search
    </label>
    <div
      class="QueryBuilder-StyledInput width-fit "
      data-target="query-builder.styledInput"
    >
      <span id="query-builder-test-leadingvisual-wrap" class="FormControl-input-leadingVisualWrap QueryBuilder-lea
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
        </svg>
      </span>
    <div data-target="query-builder.styledInputContainer" class="QueryBuilder-StyledInputContainer">
      <div
        aria-hidden="true"
        class="QueryBuilder-StyledInputContent"
        data-target="query-builder.styledInputContent"
      ></div>
      <div class="QueryBuilder-InputWrapper">
        <div aria-hidden="true" class="QueryBuilder-Sizer" data-target="query-builder.sizer"></div>
        <input id="query-builder-test" name="query-builder-test" value="" autocomplete="off" type="text" role="com
        input:query-builder#inputChange
        blur:query-builder#inputBlur
        keydown:query-builder#inputKeydown
        focus:query-builder#inputFocus
      " data-view-component="true" class="FormControl-input QueryBuilder-Input FormControl-medium" />
      </div>
    </div>
    <span data-target="query-builder.clearButton" hidden>
      <span class="sr-only" id="query-builder-test-clear">Clear</span>
      <button role="button" id="query-builder-test-clear-button" aria-labelledby="query-builder-test-clear query
        click:query-builder#clear
        focus:query-builder#clearButtonFocus
        blur:query-builder#clearButtonBlur
        " variant="small" type="button" data-view-component="true" class="Button Button--iconOnly Button--inv

```



```
<path d="M1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25V1.75C0 .784 0 0 1 1.75 0" data-bbox="47 32 1000 58" />
</svg>
</template>

<template id="pencil-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 88 1000 138" />
  <path d="M11.013 1.427a1.75 1.75 0 0 1 2.474 0l1.086 1.086a1.75 1.75 0 0 1 0 2.474l-8.61 8.61c-.21.21-.47.364-.75.474" data-bbox="47 113 1000 138" />
</svg>
</template>

<template id="copilot-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 183 1000 233" />
  <path d="M7.998 15.035c-4.562 0-7.873-2.914-7.998-3.749V9.338c.085-.628.677-1.686 1.588-2.065.013-.07.024-.143.035-.216" data-bbox="47 198 1000 233" />
</svg>
</template>

<template id="copilot-error-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 263 1000 313" />
  <path d="M16 11.24c0 .112-.072.274-.21.467L13 9.688V7.862l-.023-.116c-.49.21-1.075.291-1.727.291-.198 0-.388-.009-.578-.035" data-bbox="47 278 1000 313" />
</svg>
</template>

<template id="workflow-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 343 1000 393" />
  <path d="M0 1.75C0 .784.784 0 1.75 0h3.5C6.216 0 7 .784 7 1.75v3.5A1.75 1.75 0 0 1 5.25 7h4v4a1 1 0 0 0 1 1h4v-1.25" data-bbox="47 358 1000 393" />
</svg>
</template>

<template id="book-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 423 1000 473" />
  <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75" data-bbox="47 438 1000 473" />
</svg>
</template>

<template id="code-review-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 503 1000 553" />
  <path d="M1.75 1h12.5c.966 0 1.75.784 1.75 1.75v8.5A1.75 1.75 0 0 1 14.25 13H8.061l-2.574 2.573A1.458 1.458 0 0 1 6.5 13" data-bbox="47 518 1000 553" />
</svg>
</template>

<template id="codespaces-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 583 1000 633" />
  <path d="M0 11.25c0-.966.784-1.75 1.75-1.75h12.5c.966 0 1.75.784 1.75 1.75v3A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25" data-bbox="47 598 1000 633" />
</svg>
</template>

<template id="comment-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 663 1000 713" />
  <path d="M1 2.75C1 1.784 1.784 1 2.75 1h10.5c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 13.25 12H9.061l-2.573 2.573" data-bbox="47 678 1000 713" />
</svg>
</template>

<template id="comment-discussion-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 743 1000 793" />
  <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.5 10" data-bbox="47 758 1000 793" />
</svg>
</template>

<template id="organization-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 823 1000 873" />
  <path d="M1.75 16A1.75 1.75 0 0 1 0 14.25V1.75C0 .784.784 0 1.75 0h8.5C11.216 0 12 .784 12 1.75v12.5c0 .085-.006.169-.013.25" data-bbox="47 838 1000 873" />
</svg>
</template>

<template id="rocket-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="47 903 1000 946" />
  <path d="M14.064 0h.186C15.216 0 16 .784 16 1.75v.186a8.752 8.752 0 0 1-2.564 6.186l-.458.459c-.314.314-.641.616-.966.87" data-bbox="47 918 1000 946" />
</svg>
</template>
```



```
<template id="device-desktop-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M14.25 1c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 14.25 12h-3.727c.099 1.041.52 1.872 1.292 2.757A.7
  </svg>
</template>

  <div class="position-relative">
    <ul
      role="listbox"
      class="ActionListWrap QueryBuilder-ListWrap"
      aria-label="Suggestions"
      data-action="
        combobox-commit:query-builder#comboboxCommit
        mousedown:query-builder#resultsMouseDown
      "
      data-target="query-builder.resultsList"
      data-persist-list=false
      id="query-builder-test-results"
      tabindex="-1"
    ></ul>

  </div>
  <div class="FormControl-inlineValidation" id="validation-d5b52ed2-f4b7-4710-be29-6dec308b900f" hidden="hidden">
    <span class="FormControl-inlineValidation--visual">
      <svg aria-hidden="true" data-component="Octicon" height="12" viewBox="0 0 12 12" version="1.1" width="12" da
        <path d="M4.855.708c.5-.896 1.79-.896 2.29 0l4.675 8.351a1.312 1.312 0 0 1-1.146 1.954H1.33A1.313 1.313 0 0 1 .183
    </svg>
  </span>
  <span></span>
</div> </div>
  <div data-target="query-builder.screenReaderFeedback" aria-live="polite" aria-atomic="true" class="sr-only"></div>
</query-builder></form>
  <div class="d-flex flex-row color-fg-muted tmp-px-3 text-small color-bg-default search-feedback-prompt">
    <a target="_blank" href="https://docs.github.com/search-github/github-code-search/understanding-github-co
  </div>
</div>

</div>
</modal-dialog></div>
</div>
  <div data-action="click:qbsearch-input#retract" class="dark-backdrop position-fixed" hidden data-target="qbsearch-in
  <div class="color-fg-default">

<dialog-helper>
  <dialog data-target="qbsearch-input.feedbackDialog" data-action="close:qbsearch-input#handleDialogClose cancel:qbsea
    <div data-view-component="true" class="Overlay-header">
  <div class="Overlay-headerContentWrap">
    <div class="Overlay-titleWrap">
      <h1 class="Overlay-title " id="feedback-dialog-title">
        Provide feedback
      </h1>
    </div>
    <div class="Overlay-actionWrap">
      <button data-close-dialog-id="feedback-dialog" aria-label="Close" aria-label="Close" type="button" data-view-com
        <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
    </svg></button>
  </div>
</div>

  <scrollable-region data-labelled-by="feedback-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <p>We read every piece of feedback, and take your input very seriously.</p>
      <textarea name="feedback" class="form-control width-full mb-2" style="height: 120px" id="feedback"></textarea>
      <input name="include_email" id="include_email" aria-label="Include my email address so I can be contacted" c
      <label for="include_email" style="font-weight: normal">Include my email address so I can be contacted</label>
```

```

</form></div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd">
    <button data-close-dialog="true" type="button">Close</button>
    <button form="code-search-feedback-form" data-action="click:qbsearch-input#submitFeedback" type="submit" data-view-component="true">Feedback</button>
  </div>
</dialog></dialog-helper>

  <custom-scopes data-target="qbsearch-input.customScopesManager">

<dialog-helper>
  <dialog data-target="custom-scopes.customScopesModalDialog" data-action="close:qbsearch-input#handleDialogClose" data-view-component="true">
    <div data-view-component="true" class="Overlay-header Overlay-header--divided">
      <div class="Overlay-headerContentWrap">
        <div class="Overlay-titleWrap">
          <h1 class="Overlay-title" id="custom-scopes-dialog-title">
            Saved searches
          </h1>
          <h2 id="custom-scopes-dialog-description" class="Overlay-description">Use saved searches to filter your results</h2>
        </div>
        <div class="Overlay-actionWrap">
          <button data-close-dialog-id="custom-scopes-dialog" aria-label="Close" type="button">Close</button>
          <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.22-3.22a.75.75 0 0 1 1.06 0L13.28 8a.75.75 0 0 1 0 1.06L12 9.28a.75.75 0 0 1-1.06 0L8 10a.75.75 0 0 1 0 1.06L7 11.28a.75.75 0 0 1 1.06 0L3.72 11.28a.75.75 0 0 1 0 1.06L2.72 10a.75.75 0 0 1 1.06 0L3.72 8a.75.75 0 0 1 0 1.06L3.72 3.72z" data-view-component="true">
        </div>
      </div>
    </div>

</div>
  <scrollable-region data-labelled-by="custom-scopes-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <div data-target="custom-scopes.customScopesModalDialogFlash">
        <div hidden class="create-custom-scope-form" data-target="custom-scopes.createCustomScopeForm">
          <!-- '"` --><!-- /textarea></xmp> --></option></form><form id="custom-scopes-dialog-form" data-turbo="false">
            <div data-target="custom-scopes.customScopesModalDialogFlash"></div>

            <input type="hidden" id="custom_scope_id" name="custom_scope_id" data-target="custom-scopes.customScopesIdField">

            <div class="form-group">
              <label for="custom_scope_name">Name</label>
              <auto-check src="/search/custom_scopes/check_name" required>
                <input
                  type="text"
                  name="custom_scope_name"
                  id="custom_scope_name"
                  data-target="custom-scopes.customScopesNameField"
                  class="form-control"
                  autocomplete="off"
                  placeholder="github-ruby"
                  required
                  maxlength="50">
                <input type="hidden" data-csrf="true" value="1F5Fq/h9GPLN0iY5ZncB/2roCTbz4D5I1m05Y89lR0z+VCNDF/e69/53l2U" data-target="custom-scopes.csrfField">
              </auto-check>
            </div>

            <div class="form-group">
              <label for="custom_scope_query">Query</label>
              <input
                type="text"
                name="custom_scope_query"
                id="custom_scope_query"
                data-target="custom-scopes.customScopesQueryField"
                class="form-control"
                autocomplete="off"
                placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
                required
                maxlength="500">
            </div>
          </div>
        </div>
      </div>
    </div>
  </scrollable-region>
</div>

```

```

    <p class="text-small color-fg-muted">
      To see all available qualifiers, see our <a class="Link--inTextBlock" href="https://docs.github.com/search
    </p>
  </form>
    </div>

    <div data-target="custom-scopes.manageCustomScopesForm">
      <div data-target="custom-scopes.list"></div>
    </div>

  </div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd Overlay-footer--divided">
</button>
    <button form="custom-scopes-dialog-form" data-action="click:custom-scopes#customScopesSubmit" data-target="c
</button>
  </div>
</dialog></dialog-helper>
  </custom-scopes>
</div>
</qbsearch-input>

    <div class="position-relative HeaderMenu-link-wrap d-lg-inline-block">
      <a
        href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples
        class="HeaderMenu-link HeaderMenu-link--sign-in HeaderMenu-button flex-shrink-0 no-underline d-none d-
        style="margin-left: 12px;"
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
        data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to
      >
        Sign in
      </a>
    </div>

    <a href="/signup?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2F%3Cuser-name%3E%2F%3Crepo
    class="HeaderMenu-link HeaderMenu-link--sign-up HeaderMenu-button flex-shrink-0 d-flex d-lg-inline-fle
    data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
    data-analytics-event="{&quot;category&quot;:&quot;Sign up&quot;;&quot;action&quot;:&quot;click to sign
  >
    Sign up
  </a>

    <div class="AppHeader-appearanceSettings">
  <react-partial-anchor>
    <button data-target="react-partial-anchor.anchor" id="icon-button-b204161b-4c24-4bb0-b6fd-9aee4a9eaf19" aria-lab
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zm-8.5.75v1.25a.75.75 0 0 0 1.5 0
  </svg>
</button><tool-tip id="tooltip-088e1ba1-472f-4275-a661-8c558159b18f" for="icon-button-b204161b-4c24-4bb0-b6fd-9aee4a9eaf19"
  </div>

  <template data-target="react-partial-anchor.template">
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer
  </link>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-set

  <react-partial
    partial-name="appearance-settings"
    data-ssr="false"
    data-attempted-ssr="false"
    data-react-profiling="false"
  >

    <script type="application/json" data-target="react-partial.embeddedData">{"props":{}}</script>
    <div data-target="react-partial.reactRoot"></div>
  </react-partial>

  </template>
</react-partial-anchor>

```



```
<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  data-project-hovercards-enabled
>
  <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
    <main id="js-repo-pjax-container" >

<div id="repository-container-header" class="tmp-pt-3 hide-full-screen" style="background-color: var(--page-header-

  <div class="d-flex flex-nowrap flex-justify-end tmp-mb-3 tmp-px-3 tmp-px-lg-5" style="gap: 1rem;">

    <div class="flex-auto min-width-0 width-fit">

<div class=" d-flex flex-wrap flex-items-center wb-break-word f3 text-normal">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
  <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>

  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="organization" data-hovercard-url="/orgs/open5gs/hovercard" o
      open5gs
</a>    </span>
    <span class="mx-1 flex-self-stretch color-fg-muted"></span>
    <strong itemprop="name" class="mr-2 flex-self-stretch">
      <a data-pjax="#repo-content-pjax-container" data-turbo-frame="repo-content-turbo-frame" href="/open5gs/open5gs">
</strong>

    <span></span><span class="Label Label--secondary v-align-middle mr-1">Public</span>
</div>

</div>

<div id="repository-details-container" class="flex-shrink-0" data-turbo-replace style="max-width: 70%;">
  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" style="padding: 2px 0;">

    <li>
      <include-fragment src="/open5gs/open5gs/sponsor_button" data-nonce="v2:0478024f-1c17-86d3-1cfa-5b1153edf6c5"

<div data-show-on-forbidden-error hidden>
  <div class="Box">
<div class="blankslate-container">
  <div data-view-component="true" class="blankslate blankslate-spacious color-bg-default rounded-2">

    <h3 data-view-component="true" class="blankslate-heading">      Uh oh!
</h3>
    <p data-view-component="true" class="blankslate-description">      <p class="color-fg-muted my-2 mb-2 ws-norma
</p>

</div> </div>
</div> </div>
```

```
</include-fragment>
    </li>

    <li>
        <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" id="repository-details-watch-button" data-h
        <path d="M8 16a2 2 0 0 1.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.138 0-.252.113-.235.25A2 2 0 0 0 8 16ZM3 5a
    </svg>Notifications
</a>    <tool-tip id="tooltip-23b405be-d4cf-470b-8f1e-0657933464c6" for="repository-details-watch-button" popover="mar

    </li>

    <li>
        <a icon="repo-forked" id="fork-button" href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydr
        <path d="M5 5.372v.878c0 .414.336.75.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1 1 1.5 0v.878a2.25 2.25 0 0
    </svg>Fork
        <span id="repo-network-counter" data-pjax-replace="true" data-turbo-replace="true" title="1,031" data-view-compone
    </a>
    </li>

    <li>
        <div data-view-component="true" class="BtnGroup d-flex">
            <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydro-click="{&quot;event_type&quot;:&quot;
            <path d="M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.216.612a.75.75 0 0 1 .416 1.279l-3.046 2.97.719 4.192a.751.751
    </svg><span data-view-component="true" class="d-inline">
        Star
    </span>    <span id="repo-stars-counter-star" aria-label="2560 users starred this repository" data-singular-suff
    </a></div>
    </li>

</ul>

    </div>
</div>

    <div id="responsive-meta-container" data-turbo-replace>

        <nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-component="true" class="js-repo-r

        <ul data-view-component="true" class="UnderlineNav-body list-style-none">
            <li data-view-component="true" class="d-inline-flex">
                <a id="code-tab" href="/open5gs/open5gs" data-tab-item="i0code-tab" data-selected-links="repo_source repo_downloads
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
    </svg>
                <span data-content="Code">Code</span>
                <span id="code-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
                <a id="issues-tab" href="/open5gs/open5gs/issues" data-tab-item="i1issues-tab" data-selected-links="repo_issues repo
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5
    </svg>
                <span data-content="Issues">Issues</span>
                <span id="issues-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="246" data-view-component=

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
```



```
<a id="pull-requests-tab" href="/open5gs/open5gs/pulls" data-tab-item="i2pull-requests-tab" data-selected-links="repo_pull_requests" data-view-component="true" class="d-inline-flex">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
    <path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-1.175a2.25 2.25 0 0 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Z" data-bbox="16 16 32 32"/>
  </svg>
  <span data-content="Pull requests">Pull requests</span>
  <span id="pull-requests-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="100" data-view-component="true"></span>
</a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="discussions-tab" href="/open5gs/open5gs/discussions" data-tab-item="i3discussions-tab" data-selected-links="repo_discussions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.677 10.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Discussions">Discussions</span>
    <span id="discussions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

  <li data-view-component="true" class="d-inline-flex">
    <a id="actions-tab" href="/open5gs/open5gs/actions" data-tab-item="i4actions-tab" data-selected-links="repo_actions" data-view-component="true" class="d-inline-flex">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
        <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559A1.75 1.75 0 0 1 8 10.25Z" data-bbox="16 16 32 32"/>
      </svg>
      <span data-content="Actions">Actions</span>
      <span id="actions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
    </a></li>

    <li data-view-component="true" class="d-inline-flex">
      <a id="projects-tab" href="/open5gs/open5gs/projects" data-tab-item="i5projects-tab" data-selected-links="repo_projects" data-view-component="true" class="d-inline-flex">
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
          <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="16 16 32 32"/>
        </svg>
        <span data-content="Projects">Projects</span>
        <span id="projects-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
      </a></li>

      <li data-view-component="true" class="d-inline-flex">
        <a id="wiki-tab" href="/open5gs/open5gs/wiki" data-tab-item="i6wiki-tab" data-selected-links="repo_wiki /open5gs/open5gs/wiki" data-view-component="true" class="d-inline-flex">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
            <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="16 16 32 32"/>
          </svg>
          <span data-content="Wiki">Wiki</span>
          <span id="wiki-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
        </a></li>

        <li data-view-component="true" class="d-inline-flex">
          <a id="security-and-quality-tab" href="/open5gs/open5gs/security" data-tab-item="i7security-and-quality-tab" data-selected-links="repo_security_and_quality" data-view-component="true" class="d-inline-flex">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
              <path d="M7.467.133a1.748 1.748 0 0 1 1.066 0l5.25 1.68A1.75 1.75 0 0 1 15 3.48V7c0 1.566-.32 3.182-1.303 4.682-.966 1.5-2.467 2.5-4.0 3.0Z" data-bbox="16 16 32 32"/>
            </svg>
            <span data-content="Security and quality">Security and quality</span>
            <span id="security-and-quality-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="0" hidden="" data-view-component="true"></span>
          </a></li>
```

```
</a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="insights-tab" href="/open5gs/open5gs/pulse" data-tab-item="i8insights-tab" data-selected-links="repo_graphs m
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
        <path d="M1.5 1.75V13.5h13.75a.75.75 0 0 1 0 1.5H.75a.75.75 0 0 1-.75-.75V1.75a.75.75 0 0 1 1.5 0Zm14.28 2.53-5.25 5.25" data-view-component="true">
      </svg>
      <span data-content="Insights">Insights</span>
      <span id="insights-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true">
    </a></li>
</ul>
  <div style="visibility:hidden;" data-view-component="true" class="UnderlineNav-actions js-responsive-underlinenav-actions">
    <focus-group direction="vertical" mnemonics retain>
      <button id="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-button" popovertarget="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-button" data-view-component="true">
        <path d="M8 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm1.5 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm13 0a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z" data-view-component="true">
      </svg>
    </button><tool-tip id="tooltip-83f04c20-1d02-4f5a-a8ad-53b434323ad2" for="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-button" data-view-component="true">
    </div>
<div data-view-component="true" class="Overlay Overlay--size-auto">
  <div data-view-component="true" class="Overlay-body Overlay-body--paddingNone">
    <div data-view-component="true">
      <ul aria-labelledby="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-button" id="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-list" data-view-component="true">
        <li hidden="hidden" data-menu-item="i0code-tab" data-targets="action-list.items" role="none" data-view-component="true">
          <a tabindex="-1" id="item-e6cec054-510f-4fa2-8803-44f00372db02" href="/open5gs/open5gs" role="menuitem" data-view-component="true">
            <span class="ActionListItem-visual ActionListItem-visual--leading">
              <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
                <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L11.28 3.22" data-view-component="true">
              </svg>
            </span>
            <span data-view-component="true" class="ActionListItem-label">
              Code
            </span>
          </a>
        </li>
        <li hidden="hidden" data-menu-item="i1issues-tab" data-targets="action-list.items" role="none" data-view-component="true">
          <a tabindex="-1" id="item-579ef61e-4837-47aa-971c-80954c53f80c" href="/open5gs/open5gs/issues" role="menuitem" data-view-component="true">
            <span class="ActionListItem-visual ActionListItem-visual--leading">
              <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
                <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 8 0Zm1.5 8a6.5 6.5 0 0 0 0-13 6.5 6.5 0 0 0 0 13Z" data-view-component="true">
              </svg>
            </span>
            <span data-view-component="true" class="ActionListItem-label">
              Issues
            </span>
          </a>
        </li>
        <li hidden="hidden" data-menu-item="i2pull-requests-tab" data-targets="action-list.items" role="none" data-view-component="true">
          <a tabindex="-1" id="item-207e4d49-d375-4087-ae06-1aaa3b323096" href="/open5gs/open5gs/pulls" role="menuitem" data-view-component="true">
            <span class="ActionListItem-visual ActionListItem-visual--leading">
              <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
```

```

<path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-.177" data-bbox="111 102 200 117"/>
</svg>
</span>

<span data-view-component="true" class="ActionListItem-label">
  Pull requests
</span>
</a>

</li>

<li hidden="hidden" data-menu-item="i3discussions-tab" data-targets="action-list.items" role="none" data-view-component="true">

  <a tabindex="-1" id="item-e6fbd4ec-8439-4b09-b507-9488fecddfef" href="/open5gs/open5gs/discussions" role="menuitem" data-bbox="111 152 889 167">
    <span class="ActionListItem-visual ActionListItem-visual--leading">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="111 167 200 182">
<path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 2.574 10.25Z" data-bbox="111 182 200 197"/>
</svg>
</span>

    <span data-view-component="true" class="ActionListItem-label">
      Discussions
    </span>
  </a>

</li>

<li hidden="hidden" data-menu-item="i4actions-tab" data-targets="action-list.items" role="none" data-view-component="true">

  <a tabindex="-1" id="item-69d9a7bb-82f9-4c64-9e68-512d73b674e0" href="/open5gs/open5gs/actions" role="menuitem" data-bbox="111 232 889 247">
    <span class="ActionListItem-visual ActionListItem-visual--leading">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="111 247 200 262">
<path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a.5.5 0 0 1 0 1Z" data-bbox="111 262 200 277"/>
</svg>
</span>

    <span data-view-component="true" class="ActionListItem-label">
      Actions
    </span>
  </a>

</li>

<li hidden="hidden" data-menu-item="i5projects-tab" data-targets="action-list.items" role="none" data-view-component="true">

  <a tabindex="-1" id="item-e420472d-284a-4127-a4ff-1f5876244cea" href="/open5gs/open5gs/projects" role="menuitem" data-bbox="111 312 889 327">
    <span class="ActionListItem-visual ActionListItem-visual--leading">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="111 327 200 342">
<path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="111 342 200 357"/>
</svg>
</span>

    <span data-view-component="true" class="ActionListItem-label">
      Projects
    </span>
  </a>

</li>

<li hidden="hidden" data-menu-item="i6wiki-tab" data-targets="action-list.items" role="none" data-view-component="true">

  <a tabindex="-1" id="item-ed76909b-e9fc-4d80-b4f6-7f0919996f56" href="/open5gs/open5gs/wiki" role="menuitem" data-bbox="111 392 889 407">
    <span class="ActionListItem-visual ActionListItem-visual--leading">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="111 407 200 422">
<path d="M0 1.75A1.75 1.75 0 0 1 .75 1.75h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a.75.75 0 0 1 0 1.75v12.5A.75.75 0 0 1 10.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="111 422 200 437"/>
</svg>
</span>

    <span data-view-component="true" class="ActionListItem-label">
      Wiki
    </span>
  </a>

</li>

```



```

<react-app
  app-name="code-view"
  initial-path="/open5gs/open5gs/blob/main/configs/examples/5gc-no-scp-sepp2-001-01.yaml.in"
  style="display: block; min-height: calc(100vh - 64px);"
  data-attempted-ssr="true"
  data-ssr="true"
  data-lazy="false"
  data-alternate="false"
  data-data-router-enabled="true"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-app.embeddedData">{"payload":{"codeViewBlobRoute":{"csv":null,"cs
  <div data-target="react-app.reactRoot"><meta name="github-code-view-meta-stats" id="github-code-view-meta-stats" dat
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC3" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC5" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC25" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC44" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC79" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC90" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC144" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC197" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC205" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC224" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC261" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC272" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC306" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC316" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC333" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC503" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC525" d
</react-app>

</div>

</turbo-frame>

  </main>
</div>

</div>

  <footer class="footer tmp-pt-7 tmp-pb-6 f6 color-fg-muted color-border-subtle p-responsive" role="contentinfo">
<h2 class='sr-only'>Footer</h2>

  <div class="d-flex flex-justify-center flex-items-center flex-column-reverse flex-lg-row flex-wrap flex-lg-nowrap">
    <div class="d-flex flex-items-center flex-shrink-0 mx-2">
      <a aria-label="GitHub Homepage" class="footer-octicon mr-2" href="https://github.com">
        <svg aria-hidden="true" data-component="Octicon" height="24" viewBox="0 0 24 24" version="1.1" width="24" data-
        <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
      </a>
      <span>
        &copy; 2026 GitHub,&nbsp;Inc.
      </span>
    </div>

    <nav aria-label="Footer">
      <h3 class="sr-only" id="sr-footer-heading">Footer navigation</h3>

```

```
<ul class="list-style-none d-flex flex-justify-center flex-wrap mb-2 mb-lg-0" aria-labelledby="sr-footer-heading">

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to Terms&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to privacy&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to security&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to status&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to community&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to docs&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to contact&quot;}">
  </li>

  <li class="mx-2" >
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;cookies&quot;,&quot;cont
      >
        Manage cookies
      </button>
    </cookie-consent-link>
  </li>

  <li class="mx-2">
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent text-left"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;dont_share_info&quot;,&quot;
      >
        Do not share my personal information
      </button>
    </cookie-consent-link>
  </li>

</ul>
</nav>
</div>
</footer>
```

```
<ghcc-consent id="ghcc" class="position-fixed bottom-0 left-0" style="z-index: 999999"
  data-locale="en"
  data-initial-cookie-consent-allowed=""
  data-cookie-consent-required="true"
```

```
></ghcc-consent>

<div id="ajax-error-message" class="ajax-error-message flash flash-error" hidden>
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-vie
  <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0l8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
  </button>
  You can?t perform that action at this time.
</div>

  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-default color-fg-default hx_rsm" open>
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in fast hx_rsm-dialog hx_rsm-modal">
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right-0 top-0" type="button" aria-label="Close
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0l8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
    </button>
    <div class="octocat-spinner tmp-my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;">
  <div class="Popover-message Popover-message--bottom-left Popover-message--large Box color-shadow-large" style="width:
  </div>
</div>

  <template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">
  <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn js-clipboard-copy m-2 p-0" data-cop
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>
<template id="snippet-clipboard-copy-button-unpositioned">
  <div class="zeroclipboard-container">
    <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn btn-invisible js-clipboard-copy m-2
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>

  </div>
  <div id="js-global-screen-reader-notice" class="sr-only mt-n1" aria-live="polite" aria-atomic="true" ></div>
  <div id="js-global-screen-reader-notice-assertive" class="sr-only mt-n1" aria-live="assertive" aria-atomic="true">
</body>
```


Ejemplo de configuración real: 5gc-no-scp-sepp3-315-010.yaml.in

```
<!DOCTYPE html>
<html
  lang="en"

  data-color-mode="auto" data-light-theme="light" data-dark-theme="dark"
  data-a11y-animated-images="system" data-a11y-link-underlines="true"

>

<head>
  <meta charset="utf-8">
  <link rel="dns-prefetch" href="https://github.githubassets.com">
  <link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
  <link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
  <link rel="dns-prefetch" href="https://user-images.githubusercontent.com/">
  <link rel="preconnect" href="https://github.githubassets.com" crossorigin>
  <link rel="preconnect" href="https://avatars.githubusercontent.com">

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/light-2ff56e...>

  <style type="text/css">
    :root {
      --tab-size-preference: 4;
    }

    pre, code {
      tab-size: var(--tab-size-preference);
    }
  </style>

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-primitives-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-bootstrap-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/global-105...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/github-f8...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/repository-...>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-c4c2752e...>

  <script type="application/json" id="client-env">{"locale":"en","featureFlags":["actions_custom_images_storage_billing...]}
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/high-contrast-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/wp-runtime-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/fetch-utility-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/28839-28bb58...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/85924-1f0f5f...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/34646-3b3c3c...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/environment-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/runtime-help-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2966-db5d6e...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/96232-2f91b5...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/41013-ce9f0d...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/51210-07f011...>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81058-4b90d5-4b90d5.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81683-6e7915-6e7915.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46740-4421ca-4421ca.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26859-860fab-860fab.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/67466-c0fee2-c0fee2.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/github-element-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/element-reg-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-core-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-lib-4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79039-f2b817-f2b817.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/61110-f40600-f40600.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2887-d67f71-d67f71.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26533-318ac4-318ac4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/86483-00384c-00384c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49521-900eb9-900eb9.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/60481-2e0076-2e0076.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46287-1fd98f-1fd98f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/33805-370111-370111.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/89627-12a64f-12a64f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79087-909cf1-909cf1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49029-3a132c-3a132c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/99328-82a965-82a965.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/behaviors-56.js"></script>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/react-core-ca.js">
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/4244-23afe6-23afe6.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/39373-492474-492474.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-menu-e8.js"></script>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/64443-bc8da
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-view-0
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-view.753b

    <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/84534-73dc
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/88041-185496
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/notifications-

<title>open5gs/configs/examples/5gc-no-scp-sepp3-315-010.yaml.in at main · open5gs/open5gs · GitHub</title>

<meta name="route-pattern" content="/:user_id/:repository/blob/*name/*path)" data-turbo-transient>
<meta name="route-controller" content="blob" data-turbo-transient>
<meta name="route-action" content="show" data-turbo-transient>
<meta name="fetch-nonce" content="v2:5ba06980-4f75-7a8b-6c52-b7ffbff1be99">

<meta name="current-catalog-service-hash" content="f3abb0cc802f3d7b95fc8762b94bdc13bf39634c40c357301c4aa1d67a256fb1

<meta name="request-id" content="8642:9CD9C:7CEDA0:5B731A:6A04B911" data-pjax-transient="true"/><meta name="html-saf

    <meta name="hovercard-subject-tag" content="repository:80611216" data-turbo-transient>

<meta name="github-keyboard-shortcuts" content="repository,source-code,file-tree,copilot" data-turbo-transient="true

<meta name="selected-link" value="repo_source" data-turbo-transient>
<link rel="assets" href="https://github.githubassets.com/">

    <meta name="google-site-verification" content="Apib7-x98H0j5cPqHwwSMm6dNU4GmODRoqxLiDzdx9I">

<meta name="octolytics-url" content="https://collector.github.com/github/collect" />

<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name&gt;/blob/show" data-turbo-transient="true"

<meta name="user-login" content="">

<meta name="viewport" content="width=device-width">

<meta name="description" content="Open5GS is a C-language Open Source implementation for 5G Core and EPC, i.e. t

<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub">

<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub">
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905, app-argument=https://github.com/open5gs/open5gs/blob/main
```



```
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-r
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/keyboard-short

<react-partial
  partial-name="keyboard-shortcuts-dialog"
  data-ssr="false"
  data-attempted-ssr="false"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"docsUrl":"https://docs.github.co
  <div data-target="react-partial.reactRoot"></div>
</react-partial>

<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46752-54fb31
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/90350-46ab3e
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/sessions-427

<style>
  /* Override primer focus outline color for marketing header dropdown links for better contrast */
  [data-color-mode="light"] .HeaderMenu-dropdown-link:focus-visible,
  [data-color-mode="light"] .HeaderMenu-trailing-link a:focus-visible {
    outline-color: var(--color-accent-fg);
  }
</style>

<header class="HeaderMktg header-logged-out js-details-container js-header Details f4 tmp-py-3" role="banner" data-is-
  <h2 class="sr-only">Navigation Menu</h2>

  <button type="button" class="HeaderMktg-backdrop d-lg-none border-0 position-fixed top-0 left-0 width-full height-fu
    <span class="d-none">Toggle navigation</span>
  </button>

  <div class="d-flex flex-column flex-lg-row flex-items-center tmp-px-3 tmp-px-md-4 tmp-px-lg-5 height-full position-r
    <div class="d-flex flex-justify-between flex-items-center width-full width-lg-auto">
      <div class="flex-1">
        <button aria-label="Toggle navigation" aria-expanded="false" type="button" data-view-component="true" class="j
      <span class="Button-label"><div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div></span>
      </span>
    </button>
  </div>

  <a class="tmp-mr-lg-3 color-fg-inherit flex-order-2 js-prevent-focus-on-mobile-nav"
    href="/"
    aria-label="Homepage"
    data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to go to
    <svg height="32" aria-hidden="true" data-component="Octicon" viewBox="0 0 24 24" version="1.1" width="32" data
  <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
</a>

  <div class="d-flex flex-1 flex-order-2 text-right d-lg-none gap-2 flex-justify-end">
    <a
      href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples%2F5
      class="HeaderMenu-link HeaderMenu-button d-inline-flex f5 no-underline border color-border-default rounded
      data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;loca
```

[illegible]

```

placeholder="Search or jump to..."
data-hotkey=s,/
autocapitalize="off"
data-analytics-event="{&quot;location&quot;:&quot;navbar&quot;;,&quot;action&quot;:&quot;searchbar&quot;;,&quot;
data-action="click:qbsearch-input#handleExpand"
>
<div class="mr-2 color-fg-muted">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
<path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</div>
<span class="flex-1" data-target="qbsearch-input.inputButtonText">Search or jump to...</span>
<div class="d-flex" data-target="qbsearch-input.hotkeyIndicator">
  <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20" aria-hidden="true" class="mr-1"><path fill=
  </div>
</button>

<input type="hidden" name="type" class="js-site-search-type-field">

<div class="Overlay--hidden " data-modal-dialog-overlay>
  <modal-dialog data-action="close:qbsearch-input#handleClose cancel:qbsearch-input#handleClose" data-target="qbsearch
  <h1 id="search-suggestions-dialog-header" class="sr-only">Search code, repositories, users, issues, pull request
  <div class="Overlay-body Overlay-body--paddingNone">

    <div data-view-component="true">      <div class="search-suggestions position-fixed width-full color-shad
    style="border-radius: 12px;"
    data-target="qbsearch-input.queryBuilderContainer"
    hidden
  >
    <!-- `` --><!-- </textarea></xmp> --></option></form><form id="query-builder-test-form" action="" accept-ch
<query-builder data-target="qbsearch-input.queryBuilder" id="query-builder-query-builder-test" data-filter-key=":" c
  <div class="FormControl FormControl--fullWidth">
    <label id="query-builder-test-label" for="query-builder-test" class="FormControl-label sr-only">
      Search
    </label>
    <div
      class="QueryBuilder-StyledInput width-fit "
      data-target="query-builder.styledInput"
    >
      <span id="query-builder-test-leadingvisual-wrap" class="FormControl-input-leadingVisualWrap QueryBuilder-lea
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
        </svg>
      </span>
    <div data-target="query-builder.styledInputContainer" class="QueryBuilder-StyledInputContainer">
      <div
        aria-hidden="true"
        class="QueryBuilder-StyledInputContent"
        data-target="query-builder.styledInputContent"
      ></div>
      <div class="QueryBuilder-InputWrapper">
        <div aria-hidden="true" class="QueryBuilder-Sizer" data-target="query-builder.sizer"></div>
        <input id="query-builder-test" name="query-builder-test" value="" autocomplete="off" type="text" role="com
        input:query-builder#inputChange
        blur:query-builder#inputBlur
        keydown:query-builder#inputKeydown
        focus:query-builder#inputFocus
      " data-view-component="true" class="FormControl-input QueryBuilder-Input FormControl-medium" />
      </div>
    </div>
    <span data-target="query-builder.clearButton" hidden>
      <span class="sr-only" id="query-builder-test-clear">Clear</span>
      <button role="button" id="query-builder-test-clear-button" aria-labelledby="query-builder-test-clear query
        click:query-builder#clear
        focus:query-builder#clearButtonFocus
        blur:query-builder#clearButtonBlur
        " variant="small" type="button" data-view-component="true" class="Button Button--iconOnly Button--inv

```

```

        <path d="M2.343 13.657A8 8 0 1 1 13.658 2.343 8 8 0 0 1 2.343 13.657ZM6.03 4.97a.751.751 0 0 0-1.042.018.751.751 0
</svg>
</button>

        </span>
    </div>
    <template id="search-icon">
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</template>

<template id="code-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
</svg>
</template>

<template id="file-code-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M4 1.75C4 .784 4.784 0 5.75 0h5.586c.464 0 .909.184 1.237.513l2.914 2.914c.329.328.513.773.513 1.237v8.586
</svg>
</template>

<template id="history-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="m.427 1.927 1.215 1.215a8.002 8.002 0 1 1-1.6 5.685.75.75 0 1 1 1.493-.154 6.5 6.5 0 1 0 1.18-4.458l1.358
</svg>
</template>

<template id="repo-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>
</template>

<template id="bookmark-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M3 2.75C3 1.784 3.784 1 4.75 1h6.5c.966 0 1.75.784 1.75 1.75v11.5a.75.75 0 0 1-1.227.579L8 11.722l-3.773
</svg>
</template>

<template id="plus-circle-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm7.25-3.25v2.5h2.5a.75.75
</svg>
</template>

<template id="circle-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M8 4a4 4 0 1 1 0 8 4 4 0 0 1 0-8Z"></path>
</svg>
</template>

<template id="trash-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M11 1.75V3h2.25a.75.75 0 0 1 0 1.5H2.75a.75.75 0 0 1 0-1.5H5V1.75C5 .784 5.784 0 6.75 0h2.5C10.216 0 11
</svg>
</template>

<template id="team-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M2 5.5a3.5 3.5 0 1 1 5.898 2.549 5.508 5.508 0 0 1 3.034 4.084.75.75 0 1 1-1.482.235 4 4 0 0 0-7.9 0 .75.
</svg>
</template>

<template id="project-icon">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
```



```
<path d="M1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25V1.75C0 .784 1.75 0 1.75 0" data-bbox="100 32 300 60" />
</svg>
</template>

<template id="pencil-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 90 300 120">
    <path d="M11.013 1.427a1.75 1.75 0 0 1 2.474 0l1.086 1.086a1.75 1.75 0 0 1 0 2.474l-8.61 8.61c-.21.21-.47.364-.75.427" data-bbox="100 120 300 150" />
  </svg>
</template>

<template id="copilot-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 180 300 210">
    <path d="M7.998 15.035c-4.562 0-7.873-2.914-7.998-3.749V9.338c.085-.628.677-1.686 1.588-2.065.013-.07.024-.143.035-.216" data-bbox="100 210 300 240" />
  </svg>
</template>

<template id="copilot-error-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 270 300 300">
    <path d="M16 11.24c0 .112-.072.274-.21.467L13 9.688V7.862l-.023-.116c-.49.21-1.075.291-1.727.291-.198 0-.388-.009-.578-.035" data-bbox="100 300 300 330" />
  </svg>
</template>

<template id="workflow-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 360 300 390">
    <path d="M0 1.75C0 .784.784 0 1.75 0h3.5C6.216 0 7 .784 7 1.75v3.5A1.75 1.75 0 0 1 5.25 7h4v4a1 1 0 0 0 1 1h4v-1.25" data-bbox="100 390 300 420" />
  </svg>
</template>

<template id="book-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 450 300 480">
    <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.25c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75" data-bbox="100 480 300 510" />
  </svg>
</template>

<template id="code-review-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 540 300 570">
    <path d="M1.75 1h12.5c.966 0 1.75.784 1.75 1.75v8.5A1.75 1.75 0 0 1 14.25 13H8.061l-2.574 2.573A1.458 1.458 0 0 1 6.5 13" data-bbox="100 570 300 600" />
  </svg>
</template>

<template id="codespaces-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 630 300 660">
    <path d="M0 11.25c0-.966.784-1.75 1.75-1.75h12.5c.966 0 1.75.784 1.75 1.75v3A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25" data-bbox="100 660 300 690" />
  </svg>
</template>

<template id="comment-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 720 300 750">
    <path d="M1 2.75C1 1.784 1.784 1 2.75 1h10.5c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 13.25 12H9.061l-2.573 2.573" data-bbox="100 750 300 780" />
  </svg>
</template>

<template id="comment-discussion-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 810 300 840">
    <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.5 10" data-bbox="100 840 300 870" />
  </svg>
</template>

<template id="organization-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 900 300 930">
    <path d="M1.75 16A1.75 1.75 0 0 1 0 14.25V1.75C0 .784.784 0 1.75 0h8.5C11.216 0 12 .784 12 1.75v12.5c0 .085-.006.169-.013.25" data-bbox="100 930 300 960" />
  </svg>
</template>

<template id="rocket-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 990 300 1020">
    <path d="M14.064 0h.186C15.216 0 16 .784 16 1.75v.186a8.752 8.752 0 0 1-2.564 6.186l-.458.459c-.314.314-.641.616-.968.87" data-bbox="100 1020 300 1050" />
  </svg>
</template>
```



```
<template id="device-desktop-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M14.25 1c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 14.25 12h-3.727c.099 1.041.52 1.872 1.292 2.757A.7
  </svg>
</template>

  <div class="position-relative">
    <ul
      role="listbox"
      class="ActionListWrap QueryBuilder-ListWrap"
      aria-label="Suggestions"
      data-action="
        combobox-commit:query-builder#comboboxCommit
        mousedown:query-builder#resultsMouseDown
      "
      data-target="query-builder.resultsList"
      data-persist-list=false
      id="query-builder-test-results"
      tabindex="-1"
    ></ul>

  </div>
  <div class="FormControl-inlineValidation" id="validation-66c471f1-b0dd-48f2-8f3b-37f98b160ca2" hidden="hidden">
    <span class="FormControl-inlineValidation--visual">
      <svg aria-hidden="true" data-component="Octicon" height="12" viewBox="0 0 12 12" version="1.1" width="12" da
    <path d="M4.855.708c.5-.896 1.79-.896 2.29 0l4.675 8.351a1.312 1.312 0 0 1-1.146 1.954H1.33A1.313 1.313 0 0 1 .183
  </svg>
    </span>
    <span></span>
  </div>
  </div>
  <div data-target="query-builder.screenReaderFeedback" aria-live="polite" aria-atomic="true" class="sr-only"></div>
</query-builder></form>
  <div class="d-flex flex-row color-fg-muted tmp-px-3 text-small color-bg-default search-feedback-prompt">
    <a target="_blank" href="https://docs.github.com/search-github/github-code-search/understanding-github-code-search">
    </div>
  </div>
</div>

  </div>
</modal-dialog></div>
  </div>
  <div data-action="click:qbsearch-input#retract" class="dark-backdrop position-fixed" hidden data-target="qbsearch-in
  <div class="color-fg-default">

<dialog-helper>
  <dialog data-target="qbsearch-input.feedbackDialog" data-action="close:qbsearch-input#handleDialogClose cancel:qbsea
    <div data-view-component="true" class="Overlay-header">
  <div class="Overlay-headerContentWrap">
    <div class="Overlay-titleWrap">
      <h1 class="Overlay-title " id="feedback-dialog-title">
        Provide feedback
      </h1>
    </div>
    <div class="Overlay-actionWrap">
      <button data-close-dialog-id="feedback-dialog" aria-label="Close" aria-label="Close" type="button" data-view-com
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
    </svg></button>
    </div>
  </div>

  <div>
    <scrollable-region data-labelled-by="feedback-dialog-title">
      <div data-view-component="true" class="Overlay-body">
        <!-- "" --><!-- </textarea></xmp> --></option></div>
        <p>We read every piece of feedback, and take your input very seriously.</p>
        <textarea name="feedback" class="form-control width-full mb-2" style="height: 120px" id="feedback"></textarea>
        <input name="include_email" id="include_email" aria-label="Include my email address so I can be contacted" c
        <label for="include_email" style="font-weight: normal">Include my email address so I can be contacted</label>
      </div>
    </scrollable-region>
  </div>
</div>
```

```
</form></div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd">
    <button data-close-dialog="close:qbsearch-input#handleDialogClose" type="button">Close</button>
    <button form="code-search-feedback-form" data-action="click:qbsearch-input#submitFeedback" type="submit" data-view-component="true">Feedback</button>
  </div>
</dialog></dialog-helper>

  <custom-scopes data-target="qbsearch-input.customScopesManager">

<dialog-helper>
  <dialog data-target="custom-scopes.customScopesModalDialog" data-action="close:qbsearch-input#handleDialogClose" data-view-component="true">
    <div data-view-component="true" class="Overlay-header Overlay-header--divided">
      <div class="Overlay-headerContentWrap">
        <div class="Overlay-titleWrap">
          <h1 class="Overlay-title" id="custom-scopes-dialog-title">
            Saved searches
          </h1>
          <h2 id="custom-scopes-dialog-description" class="Overlay-description">Use saved searches to filter your results</h2>
        </div>
        <div class="Overlay-actionWrap">
          <button data-close-dialog-id="custom-scopes-dialog" aria-label="Close" type="button" data-view-component="true">Close</button>
          <path d="M3.72 3.72a.75.75 0 0 1 1.06 1.06L8 6.94l3.22-3.22a.75.75 0 0 1 1.27 1.27L9.73 8.73a.75.75 0 0 1-.21.73L9.06 8.13" data-view-component="true"></svg></button>
        </div>
      </div>
</div>

<div>
  <scrollable-region data-labelled-by="custom-scopes-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <div data-target="custom-scopes.customScopesModalDialogFlash">
        <div hidden class="create-custom-scope-form" data-target="custom-scopes.createCustomScopeForm">
          <!-- '"` --><!-- /textarea></xmp> --></option></form><form id="custom-scopes-dialog-form" data-turbo="false">
            <div data-target="custom-scopes.customScopesModalDialogFlash"></div>

            <input type="hidden" id="custom_scope_id" name="custom_scope_id" data-target="custom-scopes.customScopesIdField">

            <div class="form-group">
              <label for="custom_scope_name">Name</label>
              <auto-check src="/search/custom_scopes/check_name" required>
                <input
                  type="text"
                  name="custom_scope_name"
                  id="custom_scope_name"
                  data-target="custom-scopes.customScopesNameField"
                  class="form-control"
                  autocomplete="off"
                  placeholder="github-ruby"
                  required
                  maxlength="50">
                <input type="hidden" data-csrf="true" value="6RuUgVKkQ1TcL0aeF/UEZi5Kp+eXn6tFFw4/INKIk17DEfJpvS7hUe+K982" data-view-component="true">
              </auto-check>
            </div>

            <div class="form-group">
              <label for="custom_scope_query">Query</label>
              <input
                type="text"
                name="custom_scope_query"
                id="custom_scope_query"
                data-target="custom-scopes.customScopesQueryField"
                class="form-control"
                autocomplete="off"
                placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
                required
                maxlength="500">
            </div>
          </div>
        </div>
      </div>
    </div>
  </scrollable-region>
</div>
```

```

    <p class="text-small color-fg-muted">
      To see all available qualifiers, see our <a class="Link--inTextBlock" href="https://docs.github.com/search
    </p>
  </form>
    </div>

    <div data-target="custom-scopes.manageCustomScopesForm">
      <div data-target="custom-scopes.list"></div>
    </div>

  </div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd Overlay-footer--divided">
</button>
    <button form="custom-scopes-dialog-form" data-action="click:custom-scopes#customScopesSubmit" data-target="c
</button>
</div>
</dialog></dialog-helper>
  </custom-scopes>
</div>
</qbsearch-input>

    <div class="position-relative HeaderMenu-link-wrap d-lg-inline-block">
      <a
        href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples
        class="HeaderMenu-link HeaderMenu-link--sign-in HeaderMenu-button flex-shrink-0 no-underline d-none d-
        style="margin-left: 12px;"
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
        data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click t
      >
        Sign in
      </a>
    </div>

    <a href="/signup?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2F%3Cuser-name%3E%2F%3Crepo
    class="HeaderMenu-link HeaderMenu-link--sign-up HeaderMenu-button flex-shrink-0 d-flex d-lg-inline-fle
    data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
    data-analytics-event="{&quot;category&quot;:&quot;Sign up&quot;;&quot;action&quot;:&quot;click to sign
  >
    Sign up
  </a>

    <div class="AppHeader-appearanceSettings">
  <react-partial-anchor>
    <button data-target="react-partial-anchor.anchor" id="icon-button-cb483bfe-e8bd-41e1-b0c0-fdd4d3c9c9a4" aria-lab
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zm-8.5.75v1.25a.75.75 0 0 0 1.5 0
  </svg>
</button><tool-tip id="tooltip-1178d406-a929-4735-9bbd-7ab2177ccda5" for="icon-button-cb483bfe-e8bd-41e1-b0c0-fdd4d3c9

    <template data-target="react-partial-anchor.template">
      <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer
    </link>
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-set

  <react-partial
    partial-name="appearance-settings"
    data-ssr="false"
    data-attempted-ssr="false"
    data-react-profiling="false"
  >

    <script type="application/json" data-target="react-partial.embeddedData">{"props":{}}</script>
    <div data-target="react-partial.reactRoot"></div>
  </react-partial>

  </template>
</react-partial-anchor>

```

```
</div>

    <button type="button" class="sr-only js-header-menu-focus-trap d-block d-lg-none">Resetting focus</button>
  </div>
</div>
</div>
</div>
</header>
```

```
  <div hidden="hidden" data-view-component="true" class="js-stale-session-flash stale-session-flash flash flash-wa

    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-
    <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
  </svg>
    <span class="js-stale-session-flash-signed-in" hidden>You signed in with another tab or window. <a class="Link
    <span class="js-stale-session-flash-signed-out" hidden>You signed out in another tab or window. <a class="Link
    <span class="js-stale-session-flash-switched" hidden>You switched accounts on another tab or window. <a class=

    <button id="icon-button-8ddef18a-2f43-40fa-b0c5-47deac54b6f4" aria-labelledby="tooltip-12f72d02-4842-4a21-871d-f4
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
  </svg>
</button><tool-tip id="tooltip-12f72d02-4842-4a21-871d-f40bd8caea20" for="icon-button-8ddef18a-2f43-40fa-b0c5-47deac54

</div>
  </div>
```

```
<div id="start-of-content" class="show-on-focus"></div>
```

```
<div id="js-flash-container" class="flash-container" data-turbo-replace>
```

```
<template class="js-flash-template">
```

```
<div class="flash flash-full {{ className }}">
  <div >
    <button autofocus class="flash-close js-flash-close" type="button" aria-label="Dismiss this message">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
    </svg>
  </button>
  <div aria-atomic="true" role="alert" class="js-flash-alert">

    <div>{{ message }}</div>

  </div>
</div>
</div>
</div>
</div>
```

```
<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  data-project-hovercards-enabled
>
  <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
    <main id="js-repo-pjax-container" >

<div id="repository-container-header" class="tmp-pt-3 hide-full-screen" style="background-color: var(--page-header-

  <div class="d-flex flex-nowrap flex-justify-end tmp-mb-3 tmp-px-3 tmp-px-lg-5" style="gap: 1rem;">

    <div class="flex-auto min-width-0 width-fit">

<div class=" d-flex flex-wrap flex-items-center wb-break-word f3 text-normal">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
  <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>

  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="organization" data-hovercard-url="/orgs/open5gs/hovercard" o
      open5gs
</a>    </span>
    <span class="mx-1 flex-self-stretch color-fg-muted"></span>
    <strong itemprop="name" class="mr-2 flex-self-stretch">
      <a data-pjax="#repo-content-pjax-container" data-turbo-frame="repo-content-turbo-frame" href="/open5gs/open5gs">
</strong>

    <span></span><span class="Label Label--secondary v-align-middle mr-1">Public</span>
</div>

</div>

<div id="repository-details-container" class="flex-shrink-0" data-turbo-replace style="max-width: 70%;">
  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" style="padding: 2px 0;">

    <li>
      <include-fragment src="/open5gs/open5gs/sponsor_button" data-nonce="v2:5ba06980-4f75-7a8b-6c52-b7ffbff1be99"

<div data-show-on-forbidden-error hidden>
  <div class="Box">
<div class="blankslate-container">
  <div data-view-component="true" class="blankslate blankslate-spacious color-bg-default rounded-2">

    <h3 data-view-component="true" class="blankslate-heading"> Uh oh!
</h3>
    <p data-view-component="true" class="blankslate-description"> <p class="color-fg-muted my-2 mb-2 ws-norma
</p>

</div> </div>
</div> </div>
```

```
</include-fragment>
    </li>

    <li>
        <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" id="repository-details-watch-button" data-h
        <path d="M8 16a2 2 0 0 0 1.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.138 0-.252.113-.235.25A2 2 0 0 0 8 16ZM3 5a
    </svg>Notifications
</a>    <tool-tip id="tooltip-0f5f5032-1c68-43a1-b267-b2c788eef52b" for="repository-details-watch-button" popover="mar

    </li>

    <li>
        <a icon="repo-forked" id="fork-button" href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydr
        <path d="M5 5.372v.878c0 .414.336.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1 1 1.5 0v.878a2.25 2.25 0 0
    </svg>Fork
        <span id="repo-network-counter" data-pjax-replace="true" data-turbo-replace="true" title="1,031" data-view-compone
    </a>
    </li>

    <li>
        <div data-view-component="true" class="BtnGroup d-flex">
            <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydro-click="{&quot;event_type&quot;:&quot;
            <path d="M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.216.612a.75.75 0 0 1 .416 1.279l-3.046 2.97.719 4.192a.751.751
    </svg><span data-view-component="true" class="d-inline">
        Star
    </span>    <span id="repo-stars-counter-star" aria-label="2560 users starred this repository" data-singular-suff
    </a></div>
    </li>

</ul>

    </div>
</div>

    <div id="responsive-meta-container" data-turbo-replace>

        <nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-component="true" class="js-repo-r

        <ul data-view-component="true" class="UnderlineNav-body list-style-none">
            <li data-view-component="true" class="d-inline-flex">
                <a id="code-tab" href="/open5gs/open5gs" data-tab-item="i0code-tab" data-selected-links="repo_source repo_downloads

                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
    </svg>
                <span data-content="Code">Code</span>
                <span id="code-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
                <a id="issues-tab" href="/open5gs/open5gs/issues" data-tab-item="i1issues-tab" data-selected-links="repo_issues repo

                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5
    </svg>
                <span data-content="Issues">Issues</span>
                <span id="issues-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="246" data-view-component=

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
```



```

<a id="pull-requests-tab" href="/open5gs/open5gs/pulls" data-tab-item="i2pull-requests-tab" data-selected-links="repo_pull_requests">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-1.125a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Z" data-bbox="11 11 11 11"/>
    </svg>
    <span data-content="Pull requests">Pull requests</span>
    <span id="pull-requests-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="100" data-view-component="true"></span>
  </a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="discussions-tab" href="/open5gs/open5gs/discussions" data-tab-item="i3discussions-tab" data-selected-links="repo_discussions">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
        <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.677 10.25Z" data-bbox="11 11 11 11"/>
      </svg>
      <span data-content="Discussions">Discussions</span>
      <span id="discussions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
    </a></li>
    <li data-view-component="true" class="d-inline-flex">
      <a id="actions-tab" href="/open5gs/open5gs/actions" data-tab-item="i4actions-tab" data-selected-links="repo_actions">
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
          <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a1.75 1.75 0 0 1 0 3.122v5.256a1.751 1.751 0 1 1-1.5 0V5.372A1.75 1.75 0 0 1 1.5 3.25Z" data-bbox="11 11 11 11"/>
        </svg>
        <span data-content="Actions">Actions</span>
        <span id="actions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
      </a></li>
      <li data-view-component="true" class="d-inline-flex">
        <a id="projects-tab" href="/open5gs/open5gs/projects" data-tab-item="i5projects-tab" data-selected-links="repo_projects">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
            <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="11 11 11 11"/>
          </svg>
          <span data-content="Projects">Projects</span>
          <span id="projects-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
        </a></li>
        <li data-view-component="true" class="d-inline-flex">
          <a id="wiki-tab" href="/open5gs/open5gs/wiki" data-tab-item="i6wiki-tab" data-selected-links="repo_wiki /open5gs/open5gs/wiki">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
              <path d="M0 1.75A.75.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a.75.75 0 0 1 0 1.5Z" data-bbox="11 11 11 11"/>
            </svg>
            <span data-content="Wiki">Wiki</span>
            <span id="wiki-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
          </a></li>
          <li data-view-component="true" class="d-inline-flex">
            <a id="security-and-quality-tab" href="/open5gs/open5gs/security" data-tab-item="i7security-and-quality-tab" data-selected-links="repo_security_and_quality">
              <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
                <path d="M7.467.133a1.748 1.748 0 0 1 1.066 0l5.25 1.68A1.75 1.75 0 0 1 15 3.48V7c0 1.566-.32 3.182-1.303 4.682-.966 1.5-2.467 2.5-4.0 3.0Z" data-bbox="11 11 11 11"/>
              </svg>
              <span data-content="Security and quality">Security and quality</span>
              <span id="security-and-quality-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="0" hidden="true"></span>
            </a></li>

```

```
</a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="insights-tab" href="/open5gs/open5gs/pulse" data-tab-item="i8insights-tab" data-selected-links="repo_graphs m
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
        <path d="M1.5 1.75V13.5h13.75a.75.75 0 0 1 0 1.5H.75a.75.75 0 0 1-.75-.75V1.75a.75.75 0 0 1 1.5 0Zm14.28 2.53-5.25 5.25" data-view-component="true">
      </svg>
      <span data-content="Insights">Insights</span>
      <span id="insights-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true">
    </a></li>
</ul>
  <div style="visibility:hidden;" data-view-component="true" class="UnderlineNav-actions js-responsive-underlinenav-actions">
    <focus-group direction="vertical" mnemonics retain>
      <button id="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f-button" popovertarget="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f" data-view-component="true">
        <path d="M8 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm1.5 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm13 0a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z" data-view-component="true">
      </svg>
    </button><tool-tip id="tooltip-f6726994-77f8-479d-93d9-d66985b40c7f" for="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f" data-view-component="true">
    </div>
    <div data-view-component="true" class="Overlay Overlay--size-auto">
      <div data-view-component="true" class="Overlay-body Overlay-body--paddingNone">
        <div data-view-component="true">
          <ul aria-labelledby="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f-button" id="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f" data-view-component="true">
            <li hidden="hidden" data-menu-item="i0code-tab" data-targets="action-list.items" role="none" data-view-component="true">
              <a tabindex="-1" id="item-a1914bb8-119b-4239-b576-c7186f17011d" href="/open5gs/open5gs" role="menuitem" data-view-component="true">
                <span class="ActionListItem-visual ActionListItem-visual--leading">
                  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L11.28 3.22" data-view-component="true">
                  </svg>
                  </span>
                  <span data-view-component="true" class="ActionListItem-label">
                    Code
                  </span>
                </a>
              </li>
              <li hidden="hidden" data-menu-item="i1issues-tab" data-targets="action-list.items" role="none" data-view-component="true">
                <a tabindex="-1" id="item-a9630246-8d5e-40c7-a87b-62c2706a074c" href="/open5gs/open5gs/issues" role="menuitem" data-view-component="true">
                  <span class="ActionListItem-visual ActionListItem-visual--leading">
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
                      <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 8 0Zm1.5 8a6.5 6.5 0 0 1 1.5 0Z" data-view-component="true">
                    </svg>
                  </span>
                  <span data-view-component="true" class="ActionListItem-label">
                    Issues
                  </span>
                </a>
              </li>
              <li hidden="hidden" data-menu-item="i2pull-requests-tab" data-targets="action-list.items" role="none" data-view-component="true">
                <a tabindex="-1" id="item-7e04fe6b-de3f-465d-b3d1-ccfd62102c62" href="/open5gs/open5gs/pulls" role="menuitem" data-view-component="true">
                  <span class="ActionListItem-visual ActionListItem-visual--leading">
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
```

```
<path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-.177" data-bbox="115 32 1000 45"/>  
</svg>  
</span>  
  
<span data-view-component="true" class="ActionListItem-label">  
  Pull requests  
</span>  
</a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i3discussions-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-0bd89bcf-c04b-429e-a960-e0ca6a15675a" href="/open5gs/open5gs/discussions" role="menuitem" data-bbox="85 208 1000 220">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 220 1000 232"/>  
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 2.574 10.25Z" data-bbox="85 232 1000 244"/>  
    </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Discussions  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i4actions-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-9c4ac86c-7057-4693-a6a6-3566b0ef7fb7" href="/open5gs/open5gs/actions" role="menuitem" data-bbox="85 424 1000 436">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 436 1000 448"/>  
      <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a1.458 1.458 0 0 1 2.559 4.264 6.5 6.5 0 0 1-4.264 2.773Z" data-bbox="85 448 1000 460"/>  
    </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Actions  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i5projects-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-e8311b38-f1e8-433d-b8ba-27ea57b93412" href="/open5gs/open5gs/projects" role="menuitem" data-bbox="85 640 1000 652">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 652 1000 664"/>  
      <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="85 664 1000 676"/>  
    </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Projects  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i6wiki-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-bced5f01-8eab-4ed3-8954-a09bbb76dafb" href="/open5gs/open5gs/wiki" role="menuitem" data-bbox="85 856 1000 868">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 868 1000 880"/>  
      <path d="M0 1.75A1.75.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a.75.75 0 0 1 .75 0 1.75.75 0 0 1 0 1.75Z" data-bbox="85 880 1000 892"/>  
    </svg>  
    </span>
```



```

<react-app
  app-name="code-view"
  initial-path="/open5gs/open5gs/blob/main/configs/examples/5gc-no-scp-sepp3-315-010.yaml.in"
  style="display: block; min-height: calc(100vh - 64px);"
  data-attempted-ssr="true"
  data-ssr="true"
  data-lazy="false"
  data-alternate="false"
  data-data-router-enabled="true"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-app.embeddedData">{"payload":{"codeViewBlobRoute":{"csv":null,"cs
  <div data-target="react-app.reactRoot"><meta name="github-code-view-meta-stats" id="github-code-view-meta-stats" dat
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC3" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC5" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC25" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC44" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC79" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC90" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC144" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC197" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC205" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC224" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC261" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC272" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC306" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC316" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC333" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC503" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC525" d
</react-app>

</div>

</turbo-frame>

  </main>
</div>

</div>

  <footer class="footer tmp-pt-7 tmp-pb-6 f6 color-fg-muted color-border-subtle p-responsive" role="contentinfo">
<h2 class='sr-only'>Footer</h2>

  <div class="d-flex flex-justify-center flex-items-center flex-column-reverse flex-lg-row flex-wrap flex-lg-nowrap">
    <div class="d-flex flex-items-center flex-shrink-0 mx-2">
      <a aria-label="GitHub Homepage" class="footer-octicon mr-2" href="https://github.com">
        <svg aria-hidden="true" data-component="Octicon" height="24" viewBox="0 0 24 24" version="1.1" width="24" data-
        <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
      </a>
      <span>
        &copy; 2026 GitHub,&nbsp;Inc.
      </span>
    </div>

    <nav aria-label="Footer">
      <h3 class="sr-only" id="sr-footer-heading">Footer navigation</h3>

```

```

<ul class="list-style-none d-flex flex-justify-center flex-wrap mb-2 mb-lg-0" aria-labelledby="sr-footer-heading">

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to Terms&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to privacy&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to security&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to status&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to community&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to docs&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to contact&quot;}">
  </li>

  <li class="mx-2" >
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;cookies&quot;,&quot;cont
      >
        Manage cookies
      </button>
    </cookie-consent-link>
  </li>

  <li class="mx-2">
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent text-left"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;dont_share_info&quot;,&quot;
      >
        Do not share my personal information
      </button>
    </cookie-consent-link>
  </li>

</ul>
</nav>
</div>
</footer>

```

```

<ghcc-consent id="ghcc" class="position-fixed bottom-0 left-0" style="z-index: 999999"
  data-locale="en"
  data-initial-cookie-consent-allowed=""
  data-cookie-consent-required="true"

```

```
></ghcc-consent>

<div id="ajax-error-message" class="ajax-error-message flash flash-error" hidden>
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-vie
  <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
  </button>
  You can?t perform that action at this time.
</div>

  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-default color-fg-default hx_rsm" open>
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in fast hx_rsm-dialog hx_rsm-modal">
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right-0 top-0" type="button" aria-label="Close
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
    </button>
    <div class="octocat-spinner tmp-my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;">
<div class="Popover-message Popover-message--bottom-left Popover-message--large Box color-shadow-large" style="width:
</div>
</div>

  <template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">
  <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn js-clipboard-copy m-2 p-0" data-cop
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>
<template id="snippet-clipboard-copy-button-unpositioned">
  <div class="zeroclipboard-container">
    <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn btn-invisible js-clipboard-copy m-2
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
    </clipboard-copy>
  </div>
</template>

  </div>
  <div id="js-global-screen-reader-notice" class="sr-only mt-n1" aria-live="polite" aria-atomic="true" ></div>
  <div id="js-global-screen-reader-notice-assertive" class="sr-only mt-n1" aria-live="assertive" aria-atomic="true">
</body>
```


Ejemplo de configuración real: 5gc-no-scp-sepp2-001-01.yaml.in

```
<!DOCTYPE html>
<html
  lang="en"

  data-color-mode="auto" data-light-theme="light" data-dark-theme="dark"
  data-a11y-animated-images="system" data-a11y-link-underlines="true"

>

<head>
  <meta charset="utf-8">
  <link rel="dns-prefetch" href="https://github.githubassets.com">
  <link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
  <link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
  <link rel="dns-prefetch" href="https://user-images.githubusercontent.com/">
  <link rel="preconnect" href="https://github.githubassets.com" crossorigin>
  <link rel="preconnect" href="https://avatars.githubusercontent.com">

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/light-2ff56e...>

  <style type="text/css">
    :root {
      --tab-size-preference: 4;
    }

    pre, code {
      tab-size: var(--tab-size-preference);
    }
  </style>

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-primitives-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-bootstrap-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/global-105...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/github-f8...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/repository-0...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-c4c2752e...>

  <script type="application/json" id="client-env">{"locale":"en","featureFlags":["actions_custom_images_storage_billing...]}
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/high-contrast-...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/wp-runtime-6...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/fetch-utiliti...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/28839-28bb58...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/85924-1f0f5f...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/34646-3b3c3c...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/environment-...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/runtime-help...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2966-db5d6e7...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/96232-2f91b5...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/41013-ce9f0a...>
  <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/51210-07f011...>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81058-4b90d5-4b90d5.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81683-6e7915-6e7915.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46740-4421ca-4421ca.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26859-860fab-860fab.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/67466-c0fee2-c0fee2.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/github-element-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/element-reg-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-core-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-lib-4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79039-f2b817-f2b817.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/61110-f40600-f40600.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2887-d67f71-d67f71.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26533-318ac4-318ac4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/86483-00384c-00384c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49521-900eb9-900eb9.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/60481-2e0076-2e0076.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46287-1fd98f-1fd98f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/33805-370111-370111.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/89627-12a64f-12a64f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79087-909cf1-909cf1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49029-3a132c-3a132c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/99328-82a965-82a965.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/behaviors-56.js"></script>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/react-core-ca.js">
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/4244-23afe6-23afe6.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/39373-492474-492474.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-menu-e8.js"></script>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/64443-bc8da
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-view-0
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-view.753b

    <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/84534-73dc
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/88041-185496
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/notifications-

<title>open5gs/configs/examples/5gc-no-scp-sepp2-001-01.yaml.in at main · open5gs/open5gs · GitHub</title>

<meta name="route-pattern" content="/:user_id/:repository/blob/*name/*path)" data-turbo-transient>
<meta name="route-controller" content="blob" data-turbo-transient>
<meta name="route-action" content="show" data-turbo-transient>
<meta name="fetch-nonce" content="v2:0478024f-1c17-86d3-1cfa-5b1153edf6c5">

<meta name="current-catalog-service-hash" content="f3abb0cc802f3d7b95fc8762b94bdc13bf39634c40c357301c4aa1d67a256fb1

<meta name="request-id" content="8642:9CD9C:7C990D:5B33B0:6A04B90B" data-pjax-transient="true"/><meta name="html-saf

    <meta name="hovercard-subject-tag" content="repository:80611216" data-turbo-transient>

<meta name="github-keyboard-shortcuts" content="repository,source-code,file-tree,copilot" data-turbo-transient="true

<meta name="selected-link" value="repo_source" data-turbo-transient>
<link rel="assets" href="https://github.githubassets.com/">

    <meta name="google-site-verification" content="Apib7-x98H0j5cPqHwwSMm6dNU4GmODRoqxLiDzdx9I">

<meta name="octolytics-url" content="https://collector.github.com/github/collect" />

<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name&gt;/blob/show" data-turbo-transient="true"

<meta name="user-login" content="">

<meta name="viewport" content="width=device-width">

<meta name="description" content="Open5GS is a C-language Open Source implementation for 5G Core and EPC, i.e. t

<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub">

<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub">
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905, app-argument=https://github.com/open5gs/open5gs/blob/main
```

```
<meta name="twitter:image" content="https://opengraph.githubassets.com/3628e27fafde8616e69ec9ca3f2022263711a825e5" />
<meta property="og:image" content="https://opengraph.githubassets.com/3628e27fafde8616e69ec9ca3f2022263711a825efe5c5" />

<meta name="hostname" content="github.com">

<meta name="expected-hostname" content="github.com">

<meta http-equiv="x-pjax-version" content="5c0e6d820ba22e833b51dd57fad4fbde397844c712733d0efd1126c170c78919" data-turbo-track="reload" />
<meta http-equiv="x-pjax-csp-version" content="568c098497d98702bac1642a2a853732a047a6ced28eabd3e15d50041a890235" data-turbo-track="reload" />
<meta http-equiv="x-pjax-css-version" content="0665215f8f70df41587fed29f01b8abf7bc1391c738fff68da9cac870279321f" data-turbo-track="reload" />
<meta http-equiv="x-pjax-js-version" content="b10971cf3625469b119996bb49f643c07fa79e3818e1d57e445fee4340426ef6" data-turbo-track="reload" />

<meta name="turbo-cache-control" content="no-preview" data-turbo-transient="">

<meta name="turbo-cache-control" content="no-cache" data-turbo-transient="">

<meta data-hydrostats="publish">

<meta name="go-import" content="github.com/open5gs/open5gs git https://github.com/open5gs/open5gs.git">

<meta name="octolytics-dimension-user_id" content="44808635" /><meta name="octolytics-dimension-user_login" content="open5gs" />

<meta name="turbo-body-classes" content="logged-out env-production page-responsive">
<meta name="disable-turbo" content="false">

<meta name="browser-stats-url" content="https://api.github.com/_private/browser/stats">

<meta name="browser-errors-url" content="https://api.github.com/_private/browser/errors">

<meta name="release" content="556b51f3b24687d4b08c3d1d3258e5d6a9912844">
<meta name="ui-target" content="canary-2">

<link rel="mask-icon" href="https://github.githubassets.com/assets/pinned-octocat-093da3e6fa40.svg" color="#000000" />
<link rel="alternate icon" class="js-site-favicon" type="image/png" href="https://github.githubassets.com/favicons/favicons.png" />
<link rel="icon" class="js-site-favicon" type="image/svg+xml" href="https://github.githubassets.com/favicons/favicons.svg" />

<meta name="theme-color" content="#1e2327">
<meta name="color-scheme" content="light dark" />

<link rel="manifest" href="/manifest.json" crossOrigin="use-credentials">

</head>

<body class="logged-out env-production page-responsive" style="word-wrap: break-word;" >
  <div data-turbo-body class="logged-out env-production page-responsive" style="word-wrap: break-word;" >
    <div id="__primerPortalRoot__" style="z-index: 1000; position: absolute; width: 100%;" data-turbo-permanent></div>

    <div class="position-relative header-wrapper js-header-wrapper">
      <a href="#start-of-content" data-skip-target-assigned="false" class="px-2 tmp-py-4 color-bg-accent-emphasis color-text-white">Skip to content</a>

      <span data-view-component="true" class="progress-pjax-loader Progress position-fixed width-full">
        <span style="width: 0%;" data-view-component="true" class="Progress-item progress-pjax-loader-bar left-0 top-0 color-white"></span>
      </span>
    </div>
  </div>
</body>
```

```
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-r
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/keyboard-short

<react-partial
  partial-name="keyboard-shortcuts-dialog"
  data-ssr="false"
  data-attempted-ssr="false"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"docsUrl":"https://docs.github.co
  <div data-target="react-partial.reactRoot"></div>
</react-partial>

<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46752-54fb31
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/90350-46ab3e
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/sessions-427

<style>
  /* Override primer focus outline color for marketing header dropdown links for better contrast */
  [data-color-mode="light"] .HeaderMenu-dropdown-link:focus-visible,
  [data-color-mode="light"] .HeaderMenu-trailing-link a:focus-visible {
    outline-color: var(--color-accent-fg);
  }
</style>

<header class="HeaderMktg header-logged-out js-details-container js-header Details f4 tmp-py-3" role="banner" data-is-
  <h2 class="sr-only">Navigation Menu</h2>

  <button type="button" class="HeaderMktg-backdrop d-lg-none border-0 position-fixed top-0 left-0 width-full height-fu
    <span class="d-none">Toggle navigation</span>
  </button>

  <div class="d-flex flex-column flex-lg-row flex-items-center tmp-px-3 tmp-px-md-4 tmp-px-lg-5 height-full position-r
    <div class="d-flex flex-justify-between flex-items-center width-full width-lg-auto">
      <div class="flex-1">
        <button aria-label="Toggle navigation" aria-expanded="false" type="button" data-view-component="true" class="j
      <span class="Button-label"><div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div></span>
      </span>
    </button>
  </div>

  <a class="tmp-mr-lg-3 color-fg-inherit flex-order-2 js-prevent-focus-on-mobile-nav"
    href="/"
    aria-label="Homepage"
    data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to go to
    <svg height="32" aria-hidden="true" data-component="Octicon" viewBox="0 0 24 24" version="1.1" width="32" data
  <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
</a>

  <div class="d-flex flex-1 flex-order-2 text-right d-lg-none gap-2 flex-justify-end">
    <a
      href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples%2F5
      class="HeaderMenu-link HeaderMenu-button d-inline-flex f5 no-underline border color-border-default rounded
      data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;loca
```

[illegible]

```

placeholder="Search or jump to..."
data-hotkey=s,/
autocapitalize="off"
data-analytics-event="{&quot;location&quot;:&quot;navbar&quot;;,&quot;action&quot;:&quot;searchbar&quot;;,&quot;
data-action="click:qbsearch-input#handleExpand"
>
<div class="mr-2 color-fg-muted">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
<path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</div>
<span class="flex-1" data-target="qbsearch-input.inputButtonText">Search or jump to...</span>
<div class="d-flex" data-target="qbsearch-input.hotkeyIndicator">
  <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20" aria-hidden="true" class="mr-1"><path fill=
  </div>
</button>

<input type="hidden" name="type" class="js-site-search-type-field">

<div class="Overlay--hidden " data-modal-dialog-overlay>
<modal-dialog data-action="close:qbsearch-input#handleClose cancel:qbsearch-input#handleClose" data-target="qbsearch
  <h1 id="search-suggestions-dialog-header" class="sr-only">Search code, repositories, users, issues, pull request
  <div class="Overlay-body Overlay-body--paddingNone">

    <div data-view-component="true">      <div class="search-suggestions position-fixed width-full color-shad
      style="border-radius: 12px;"
      data-target="qbsearch-input.queryBuilderContainer"
      hidden
    >
      <!-- `` --><!-- </textarea></xmp> --></option></form><form id="query-builder-test-form" action="" accept-ch
<query-builder data-target="qbsearch-input.queryBuilder" id="query-builder-query-builder-test" data-filter-key=":" c
  <div class="FormControl FormControl--fullWidth">
    <label id="query-builder-test-label" for="query-builder-test" class="FormControl-label sr-only">
      Search
    </label>
    <div
      class="QueryBuilder-StyledInput width-fit "
      data-target="query-builder.styledInput"
    >
      <span id="query-builder-test-leadingvisual-wrap" class="FormControl-input-leadingVisualWrap QueryBuilder-lea
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
        </svg>
      </span>
    <div data-target="query-builder.styledInputContainer" class="QueryBuilder-StyledInputContainer">
      <div
        aria-hidden="true"
        class="QueryBuilder-StyledInputContent"
        data-target="query-builder.styledInputContent"
      ></div>
      <div class="QueryBuilder-InputWrapper">
        <div aria-hidden="true" class="QueryBuilder-Sizer" data-target="query-builder.sizer"></div>
        <input id="query-builder-test" name="query-builder-test" value="" autocomplete="off" type="text" role="com
        input:query-builder#inputChange
        blur:query-builder#inputBlur
        keydown:query-builder#inputKeydown
        focus:query-builder#inputFocus
      " data-view-component="true" class="FormControl-input QueryBuilder-Input FormControl-medium" />
      </div>
    </div>
    <span data-target="query-builder.clearButton" hidden>
      <span class="sr-only" id="query-builder-test-clear">Clear</span>
      <button role="button" id="query-builder-test-clear-button" aria-labelledby="query-builder-test-clear query
        click:query-builder#clear
        focus:query-builder#clearButtonFocus
        blur:query-builder#clearButtonBlur
        " variant="small" type="button" data-view-component="true" class="Button Button--iconOnly Button--inv

```



```
<path d="M1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25V1.75C0 .784 1.75 0 1.75 0" data-bbox="100 32 300 60" />
</svg>
</template>

<template id="pencil-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 90 300 120">
    <path d="M11.013 1.427a1.75 1.75 0 0 1 2.474 0l1.086 1.086a1.75 1.75 0 0 1 0 2.474l-8.61 8.61c-.21.21-.47.364-.75.427" data-bbox="100 120 300 150" />
  </svg>
</template>

<template id="copilot-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 180 300 210">
    <path d="M7.998 15.035c-4.562 0-7.873-2.914-7.998-3.749V9.338c.085-.628.677-1.686 1.588-2.065.013-.07.024-.143.035-.216" data-bbox="100 210 300 240" />
  </svg>
</template>

<template id="copilot-error-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 270 300 300">
    <path d="M16 11.24c0 .112-.072.274-.21.467L13 9.688V7.862l-.023-.116c-.49.21-1.075.291-1.727.291-.198 0-.388-.009-.578-.035" data-bbox="100 300 300 330" />
  </svg>
</template>

<template id="workflow-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 360 300 390">
    <path d="M0 1.75C0 .784.784 0 1.75 0h3.5C6.216 0 7 .784 7 1.75v3.5A1.75 1.75 0 0 1 5.25 7h4v4a1 1 0 0 0 1 1h4v-1.25" data-bbox="100 390 300 420" />
  </svg>
</template>

<template id="book-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 450 300 480">
    <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75" data-bbox="100 480 300 510" />
  </svg>
</template>

<template id="code-review-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 540 300 570">
    <path d="M1.75 1h12.5c.966 0 1.75.784 1.75 1.75v8.5A1.75 1.75 0 0 1 14.25 13H8.061l-2.574 2.573A1.458 1.458 0 0 1 6.5 13" data-bbox="100 570 300 600" />
  </svg>
</template>

<template id="codespaces-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 630 300 660">
    <path d="M0 11.25c0-.966.784-1.75 1.75-1.75h12.5c.966 0 1.75.784 1.75 1.75v3A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25" data-bbox="100 660 300 690" />
  </svg>
</template>

<template id="comment-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 720 300 750">
    <path d="M1 2.75C1 1.784 1.784 1 2.75 1h10.5c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 13.25 12H9.061l-2.573 2.573" data-bbox="100 750 300 780" />
  </svg>
</template>

<template id="comment-discussion-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 810 300 840">
    <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.5 10" data-bbox="100 840 300 870" />
  </svg>
</template>

<template id="organization-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 900 300 930">
    <path d="M1.75 16A1.75 1.75 0 0 1 0 14.25V1.75C0 .784.784 0 1.75 0h8.5C11.216 0 12 .784 12 1.75v12.5c0 .085-.006.17-.013.254" data-bbox="100 930 300 960" />
  </svg>
</template>

<template id="rocket-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 990 300 1000">
    <path d="M14.064 0h.186C15.216 0 16 .784 16 1.75v.186a8.752 8.752 0 0 1-2.564 6.186l-.458.459c-.314.314-.641.616-.966.87" data-bbox="100 1000 300 1000" />
  </svg>
</template>
```



```
<template id="device-desktop-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M14.25 1c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 14.25 12h-3.727c.099 1.041.52 1.872 1.292 2.757A.7
  </svg>
</template>

  <div class="position-relative">
    <ul
      role="listbox"
      class="ActionListWrap QueryBuilder-ListWrap"
      aria-label="Suggestions"
      data-action="
        combobox-commit:query-builder#comboboxCommit
        mousedown:query-builder#resultsMouseDown
      "
      data-target="query-builder.resultsList"
      data-persist-list=false
      id="query-builder-test-results"
      tabindex="-1"
    ></ul>

  </div>
  <div class="FormControl-inlineValidation" id="validation-d5b52ed2-f4b7-4710-be29-6dec308b900f" hidden="hidden">
    <span class="FormControl-inlineValidation--visual">
      <svg aria-hidden="true" data-component="Octicon" height="12" viewBox="0 0 12 12" version="1.1" width="12" da
    <path d="M4.855.708c.5-.896 1.79-.896 2.29 0l4.675 8.351a1.312 1.312 0 0 1-1.146 1.954H1.33A1.313 1.313 0 0 1 .183
  </svg>
    </span>
    <span></span>
  </div>
  </div>
  <div data-target="query-builder.screenReaderFeedback" aria-live="polite" aria-atomic="true" class="sr-only"></div>
</query-builder></form>
  <div class="d-flex flex-row color-fg-muted tmp-px-3 text-small color-bg-default search-feedback-prompt">
    <a target="_blank" href="https://docs.github.com/search-github/github-code-search/understanding-github-co
  </div>
  </div>
</div>

  </div>
</modal-dialog></div>
  </div>
  <div data-action="click:qbsearch-input#retract" class="dark-backdrop position-fixed" hidden data-target="qbsearch-in
  <div class="color-fg-default">

<dialog-helper>
  <dialog data-target="qbsearch-input.feedbackDialog" data-action="close:qbsearch-input#handleDialogClose cancel:qbsea
    <div data-view-component="true" class="Overlay-header">
  <div class="Overlay-headerContentWrap">
    <div class="Overlay-titleWrap">
      <h1 class="Overlay-title " id="feedback-dialog-title">
        Provide feedback
      </h1>
    </div>
    <div class="Overlay-actionWrap">
      <button data-close-dialog-id="feedback-dialog" aria-label="Close" aria-label="Close" type="button" data-view-com
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
    </svg></button>
    </div>
  </div>

  <scrollable-region data-labelled-by="feedback-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <p>We read every piece of feedback, and take your input very seriously.</p>
      <textarea name="feedback" class="form-control width-full mb-2" style="height: 120px" id="feedback"></textarea>
      <input name="include_email" id="include_email" aria-label="Include my email address so I can be contacted" c
      <label for="include_email" style="font-weight: normal">Include my email address so I can be contacted</label>
```

```
</form></div>
    </scrollable-region>
    <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd">
        <button data-close-dialog="close:qbsearch-input#handleDialogClose" type="button">Close</button>
        <button form="code-search-feedback-form" data-action="click:qbsearch-input#submitFeedback" type="submit" data-view-component="true">Feedback</button>
    </div>
</dialog></dialog-helper>

    <custom-scopes data-target="qbsearch-input.customScopesManager">

<dialog-helper>
    <dialog data-target="custom-scopes.customScopesModalDialog" data-action="close:qbsearch-input#handleDialogClose" data-view-component="true">
        <div data-view-component="true" class="Overlay-header Overlay-header--divided">
            <div class="Overlay-headerContentWrap">
                <div class="Overlay-titleWrap">
                    <h1 class="Overlay-title" id="custom-scopes-dialog-title">
                        Saved searches
                    </h1>
                    <h2 id="custom-scopes-dialog-description" class="Overlay-description">Use saved searches to filter your results</h2>
                </div>
                <div class="Overlay-actionWrap">
                    <button data-close-dialog-id="custom-scopes-dialog" aria-label="Close" type="button" data-view-component="true">Close</button>
                </div>
            </div>
            <div class="Overlay-body">
                <div data-target="custom-scopes.createCustomScopeForm">
                    <!-- ` ` --><!-- </textarea></xmp> --></option></form><form id="custom-scopes-dialog-form" data-turbo="false">
                        <div data-target="custom-scopes.customScopesModalDialogFlash"></div>

                        <input type="hidden" id="custom_scope_id" name="custom_scope_id" data-target="custom-scopes.customScopesIdField">

                        <div class="form-group">
                            <label for="custom_scope_name">Name</label>
                            <auto-check src="/search/custom_scopes/check_name" required>
                                <input
                                    type="text"
                                    name="custom_scope_name"
                                    id="custom_scope_name"
                                    data-target="custom-scopes.customScopesNameField"
                                    class="form-control"
                                    autocomplete="off"
                                    placeholder="github-ruby"
                                    required
                                    maxlength="50">
                                <input type="hidden" data-csrf="true" value="1F5Fq/h9GPLN0iY5ZncB/2roCTbz4D5I1m05Y89lR0z+VCNDF/e69/53l2U">
                            </auto-check>
                        </div>

                        <div class="form-group">
                            <label for="custom_scope_query">Query</label>
                            <input
                                type="text"
                                name="custom_scope_query"
                                id="custom_scope_query"
                                data-target="custom-scopes.customScopesQueryField"
                                class="form-control"
                                autocomplete="off"
                                placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
                                required
                                maxlength="500">
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </dialog>
</div>
```

```

    <p class="text-small color-fg-muted">
      To see all available qualifiers, see our <a class="Link--inTextBlock" href="https://docs.github.com/search
    </p>
  </form>
    </div>

    <div data-target="custom-scopes.manageCustomScopesForm">
      <div data-target="custom-scopes.list"></div>
    </div>

  </div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd Overlay-footer--divided">
</button>
    <button form="custom-scopes-dialog-form" data-action="click:custom-scopes#customScopesSubmit" data-target="c
</button>
</div>
</dialog></dialog-helper>
  </custom-scopes>
</div>
</qbsearch-input>

    <div class="position-relative HeaderMenu-link-wrap d-lg-inline-block">
      <a
        href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples
        class="HeaderMenu-link HeaderMenu-link--sign-in HeaderMenu-button flex-shrink-0 no-underline d-none d-
        style="margin-left: 12px;"
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
        data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to
      >
        Sign in
      </a>
    </div>

    <a href="/signup?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2F%3Cuser-name%3E%2F%3Crepo
    class="HeaderMenu-link HeaderMenu-link--sign-up HeaderMenu-button flex-shrink-0 d-flex d-lg-inline-fle
    data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
    data-analytics-event="{&quot;category&quot;:&quot;Sign up&quot;;&quot;action&quot;:&quot;click to sign
  >
    Sign up
  </a>

    <div class="AppHeader-appearanceSettings">
  <react-partial-anchor>
    <button data-target="react-partial-anchor.anchor" id="icon-button-b204161b-4c24-4bb0-b6fd-9aee4a9eaf19" aria-lab
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zm-8.5.75v1.25a.75.75 0 0 0 1.5 0
  </svg>
</button><tool-tip id="tooltip-088e1ba1-472f-4275-a661-8c558159b18f" for="icon-button-b204161b-4c24-4bb0-b6fd-9aee4a9eaf19"
  </div>

    <template data-target="react-partial-anchor.template">
      <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer
    </link>
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-set

  <react-partial
    partial-name="appearance-settings"
    data-ssr="false"
    data-attempted-ssr="false"
    data-react-profiling="false"
  >

    <script type="application/json" data-target="react-partial.embeddedData">{"props":{}}</script>
    <div data-target="react-partial.reactRoot"></div>
  </react-partial>

  </template>
</react-partial-anchor>

```



```
<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  data-project-hovercards-enabled
>
  <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
    <main id="js-repo-pjax-container" >

<div id="repository-container-header" class="tmp-pt-3 hide-full-screen" style="background-color: var(--page-header-

  <div class="d-flex flex-nowrap flex-justify-end tmp-mb-3 tmp-px-3 tmp-px-lg-5" style="gap: 1rem;">

    <div class="flex-auto min-width-0 width-fit">

<div class=" d-flex flex-wrap flex-items-center wb-break-word f3 text-normal">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
  <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>

  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="organization" data-hovercard-url="/orgs/open5gs/hovercard" o
      open5gs
</a>    </span>
    <span class="mx-1 flex-self-stretch color-fg-muted"></span>
    <strong itemprop="name" class="mr-2 flex-self-stretch">
      <a data-pjax="#repo-content-pjax-container" data-turbo-frame="repo-content-turbo-frame" href="/open5gs/open5gs">
</strong>

    <span></span><span class="Label Label--secondary v-align-middle mr-1">Public</span>
</div>

</div>

<div id="repository-details-container" class="flex-shrink-0" data-turbo-replace style="max-width: 70%;">
  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" style="padding: 2px 0;">

    <li>
      <include-fragment src="/open5gs/open5gs/sponsor_button" data-nonce="v2:0478024f-1c17-86d3-1cfa-5b1153edf6c5"

<div data-show-on-forbidden-error hidden>
  <div class="Box">
<div class="blankslate-container">
  <div data-view-component="true" class="blankslate blankslate-spacious color-bg-default rounded-2">

    <h3 data-view-component="true" class="blankslate-heading">      Uh oh!
</h3>
    <p data-view-component="true" class="blankslate-description">      <p class="color-fg-muted my-2 mb-2 ws-norma
</p>

</div> </div>
</div> </div>
```

```
</include-fragment>
    </li>

    <li>
        <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" id="repository-details-watch-button" data-h
        <path d="M8 16a2 2 0 0 1.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.138 0-.252.113-.235.25A2 2 0 0 0 8 16ZM3 5a
    </svg>Notifications
</a>    <tool-tip id="tooltip-23b405be-d4cf-470b-8f1e-0657933464c6" for="repository-details-watch-button" popover="mar

    </li>

    <li>
        <a icon="repo-forked" id="fork-button" href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydr
        <path d="M5 5.372v.878c0 .414.336.75.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1 1 1.5 0v.878a2.25 2.25 0 0
    </svg>Fork
        <span id="repo-network-counter" data-pjax-replace="true" data-turbo-replace="true" title="1,031" data-view-component=
    </a>
    </li>

    <li>
        <div data-view-component="true" class="BtnGroup d-flex">
            <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydro-click="{&quot;event_type&quot;:&quot;
            <path d="M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.216.612a.75.75 0 0 1 .416 1.279l-3.046 2.97.719 4.192a.751.751
    </svg><span data-view-component="true" class="d-inline">
        Star
    </span>    <span id="repo-stars-counter-star" aria-label="2560 users starred this repository" data-singular-suff
    </a></div>
    </li>

</ul>

    </div>
</div>

    <div id="responsive-meta-container" data-turbo-replace>

        <nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-component="true" class="js-repo-r

        <ul data-view-component="true" class="UnderlineNav-body list-style-none">
            <li data-view-component="true" class="d-inline-flex">
                <a id="code-tab" href="/open5gs/open5gs" data-tab-item="i0code-tab" data-selected-links="repo_source repo_downloads
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
    </svg>
                <span data-content="Code">Code</span>
                <span id="code-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
                <a id="issues-tab" href="/open5gs/open5gs/issues" data-tab-item="i1issues-tab" data-selected-links="repo_issues repo
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5
    </svg>
                <span data-content="Issues">Issues</span>
                <span id="issues-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="246" data-view-component=

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
```



```
</a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="insights-tab" href="/open5gs/open5gs/pulse" data-tab-item="i8insights-tab" data-selected-links="repo_graphs r

      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16">
        <path d="M1.5 1.75V13.5h13.75a.75.75 0 0 1 0 1.5H.75a.75.75 0 0 1-.75-.75V1.75a.75.75 0 0 1 1.5 0Zm14.28 2.53-5.25
      </svg>
      <span data-content="Insights">Insights</span>
      <span id="insights-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-

    </a></li>
  </ul>
  <div style="visibility:hidden;" data-view-component="true" class="UnderlineNav-actions js-responsive-underlinenav-
  <focus-group direction="vertical" mnemonics retain>
    <button id="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-button" popovertarget="action-menu-8c910401-f2b0-4805-
    <path d="M8 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 3Zm1.5 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 3Zm13 0a1.5 1.5 0 1 0 0
  </svg>
</button><tool-tip id="tooltip-83f04c20-1d02-4f5a-a8ad-53b434323ad2" for="action-menu-8c910401-f2b0-4805-b6bf-dfeadb28

<anchored-position data-target="action-menu.overlay" id="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-overlay" and
  <div data-view-component="true" class="Overlay Overlay--size-auto">

    <div data-view-component="true" class="Overlay-body Overlay-body--paddingNone">
      <action-list>
    <div data-view-component="true">
      <ul aria-labelledby="action-menu-8c910401-f2b0-4805-b6bf-dfeadb284c40-button" id="action-menu-8c910401-f2b0-4805-b
        <li hidden="hidden" data-menu-item="i0code-tab" data-targets="action-list.items" role="none" data-view-compone

      <a tabindex="-1" id="item-e6cec054-510f-4fa2-8803-44f00372db02" href="/open5gs/open5gs" role="menuitem" data-view-
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
          <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
        </svg>
        </span>

        <span data-view-component="true" class="ActionListItem-label">
          Code
        </span>
      </a>

    </li>
    <li hidden="hidden" data-menu-item="i1issues-tab" data-targets="action-list.items" role="none" data-view-compone

      <a tabindex="-1" id="item-579ef61e-4837-47aa-971c-80954c53f80c" href="/open5gs/open5gs/issues" role="menuitem" data
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
          <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 8 0Zm1.5 8a6.5
        </svg>
        </span>

        <span data-view-component="true" class="ActionListItem-label">
          Issues
        </span>
      </a>

    </li>
    <li hidden="hidden" data-menu-item="i2pull-requests-tab" data-targets="action-list.items" role="none" data-view-

      <a tabindex="-1" id="item-207e4d49-d375-4087-ae06-1aaa3b323096" href="/open5gs/open5gs/pulls" role="menuitem" data
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
```

```
<path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-.177" data-bbox="115 32 1000 45"/>
</svg>
</span>

<span data-view-component="true" class="ActionListItem-label">
  Pull requests
</span>
</a>

</li>
<li hidden="hidden" data-menu-item="i3discussions-tab" data-targets="action-list.items" role="none" data-view-component="true">

  <a tabindex="-1" id="item-e6fbd4ec-8439-4b09-b507-9488fecddfef" href="/open5gs/open5gs/discussions" role="menuitem" data-bbox="115 208 1000 220">
    <span class="ActionListItem-visual ActionListItem-visual--leading">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 220 1000 232"/>
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 2.574 10.25Z" data-bbox="115 232 1000 244"/>
    </span>

    <span data-view-component="true" class="ActionListItem-label">
      Discussions
    </span>
  </a>

  </li>
  <li hidden="hidden" data-menu-item="i4actions-tab" data-targets="action-list.items" role="none" data-view-component="true">

    <a tabindex="-1" id="item-69d9a7bb-82f9-4c64-9e68-512d73b674e0" href="/open5gs/open5gs/actions" role="menuitem" data-bbox="115 424 1000 436">
      <span class="ActionListItem-visual ActionListItem-visual--leading">
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 436 1000 448"/>
        <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a1.458 1.458 0 0 1 2.574 1.458 0 0 1-2.574 1.458 0 0 1-1.458 0Z" data-bbox="115 448 1000 460"/>
      </span>

      <span data-view-component="true" class="ActionListItem-label">
        Actions
      </span>
    </a>

    </li>
    <li hidden="hidden" data-menu-item="i5projects-tab" data-targets="action-list.items" role="none" data-view-component="true">

      <a tabindex="-1" id="item-e420472d-284a-4127-a4ff-1f5876244cea" href="/open5gs/open5gs/projects" role="menuitem" data-bbox="115 640 1000 652">
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 652 1000 664"/>
          <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="115 664 1000 676"/>
        </span>

        <span data-view-component="true" class="ActionListItem-label">
          Projects
        </span>
      </a>

      </li>
      <li hidden="hidden" data-menu-item="i6wiki-tab" data-targets="action-list.items" role="none" data-view-component="true">

        <a tabindex="-1" id="item-ed76909b-e9fc-4d80-b4f6-7f0919996f56" href="/open5gs/open5gs/wiki" role="menuitem" data-bbox="115 856 1000 868">
          <span class="ActionListItem-visual ActionListItem-visual--leading">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 868 1000 880"/>
            <path d="M0 1.75A1.75.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a.75.75 0 0 1 .75 0Z" data-bbox="115 880 1000 892"/>
          </span>

          </a>

        </li>
```



```

<react-app
  app-name="code-view"
  initial-path="/open5gs/open5gs/blob/main/configs/examples/5gc-no-scp-sepp2-001-01.yaml.in"
  style="display: block; min-height: calc(100vh - 64px);"
  data-attempted-ssr="true"
  data-ssr="true"
  data-lazy="false"
  data-alternate="false"
  data-data-router-enabled="true"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-app.embeddedData">{"payload":{"codeViewBlobRoute":{"csv":null,"cs
  <div data-target="react-app.reactRoot"><meta name="github-code-view-meta-stats" id="github-code-view-meta-stats" dat
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC3" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC5" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC25" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC44" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC79" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC90" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC144" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC197" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC205" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC224" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC261" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC272" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC306" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC316" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC333" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC503" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC525" c
</react-app>

</div>

</turbo-frame>

  </main>
</div>

</div>

  <footer class="footer tmp-pt-7 tmp-pb-6 f6 color-fg-muted color-border-subtle p-responsive" role="contentinfo">
<h2 class='sr-only'>Footer</h2>

  <div class="d-flex flex-justify-center flex-items-center flex-column-reverse flex-lg-row flex-wrap flex-lg-nowrap">
    <div class="d-flex flex-items-center flex-shrink-0 mx-2">
      <a aria-label="GitHub Homepage" class="footer-octicon mr-2" href="https://github.com">
        <svg aria-hidden="true" data-component="Octicon" height="24" viewBox="0 0 24 24" version="1.1" width="24" data-
        <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
      </a>
      <span>
        &copy; 2026 GitHub,&nbsp;Inc.
      </span>
    </div>

    <nav aria-label="Footer">
      <h3 class="sr-only" id="sr-footer-heading">Footer navigation</h3>

```

```
<ul class="list-style-none d-flex flex-justify-center flex-wrap mb-2 mb-lg-0" aria-labelledby="sr-footer-heading">

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to Terms&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to privacy&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to security&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to status&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to community&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to docs&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to contact&quot;}">
  </li>

  <li class="mx-2" >
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;cookies&quot;,&quot;cont
      >
        Manage cookies
      </button>
    </cookie-consent-link>
  </li>

  <li class="mx-2">
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent text-left"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;dont_share_info&quot;,&quot;cont
      >
        Do not share my personal information
      </button>
    </cookie-consent-link>
  </li>

</ul>
</nav>
</div>
</footer>
```

```
<ghcc-consent id="ghcc" class="position-fixed bottom-0 left-0" style="z-index: 999999"
  data-locale="en"
  data-initial-cookie-consent-allowed=""
  data-cookie-consent-required="true"
```

```
></ghcc-consent>

<div id="ajax-error-message" class="ajax-error-message flash flash-error" hidden>
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-vie
  <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
  </button>
  You can?t perform that action at this time.
</div>

  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-default color-fg-default hx_rsm" open>
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in fast hx_rsm-dialog hx_rsm-modal">
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right-0 top-0" type="button" aria-label="Close
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
    </button>
    <div class="octocat-spinner tmp-my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;">
  <div class="Popover-message Popover-message--bottom-left Popover-message--large Box color-shadow-large" style="width:
  </div>
</div>

  <template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">
  <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn js-clipboard-copy m-2 p-0" data-cop
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>
<template id="snippet-clipboard-copy-button-unpositioned">
  <div class="zeroclipboard-container">
    <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn btn-invisible js-clipboard-copy m-2
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>

  </div>
  <div id="js-global-screen-reader-notice" class="sr-only mt-n1" aria-live="polite" aria-atomic="true" ></div>
  <div id="js-global-screen-reader-notice-assertive" class="sr-only mt-n1" aria-live="assertive" aria-atomic="true">
</body>
```


Ejemplo de configuración real: 5gc-no-scp-sepp3-315-010.yaml.in

```
<!DOCTYPE html>
<html
  lang="en"

  data-color-mode="auto" data-light-theme="light" data-dark-theme="dark"
  data-a11y-animated-images="system" data-a11y-link-underlines="true"

>

<head>
  <meta charset="utf-8">
  <link rel="dns-prefetch" href="https://github.githubassets.com">
  <link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
  <link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
  <link rel="dns-prefetch" href="https://user-images.githubusercontent.com/">
  <link rel="preconnect" href="https://github.githubassets.com" crossorigin>
  <link rel="preconnect" href="https://avatars.githubusercontent.com">

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/light-2ff56e...>

  <style type="text/css">
    :root {
      --tab-size-preference: 4;
    }

    pre, code {
      tab-size: var(--tab-size-preference);
    }
  </style>

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-primitives-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-bootstrap-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/global-105...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/github-f8...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/repository-...>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-c4c2752e...>

  <script type="application/json" id="client-env">{"locale":"en","featureFlags":["actions_custom_images_storage_billing...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/high-contrast-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/wp-runtime-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/fetch-utility-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/28839-28bb58...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/85924-1f0f5f...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/34646-3b3c3c...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/environment-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/runtime-help-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2966-db5d6e7...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/96232-2f91b5...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/41013-ce9f0d...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/51210-07f011...>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81058-4b90d5-4b90d5.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81683-6e7915-6e7915.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46740-4421ca-4421ca.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26859-860fab-860fab.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/67466-c0fee2-c0fee2.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/github-element-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/element-reg-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-core-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-lib-4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79039-f2b817-f2b817.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/61110-f40600-f40600.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2887-d67f10-d67f10.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26533-318ac4-318ac4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/86483-00384c-00384c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49521-900eb9-900eb9.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/60481-2e0076-2e0076.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46287-1fd98f-1fd98f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/33805-370111-370111.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/89627-12a64f-12a64f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79087-909cf1-909cf1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49029-3a132c-3a132c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/99328-82a965-82a965.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/behaviors-56.js"></script>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/react-core-ca.js">
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/4244-23afe63-23afe63.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/39373-492474-492474.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-menu-e8.js"></script>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/64443-bc8da
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-view-0
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-view.753b

    <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/84534-73dc
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/88041-185496
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/notifications-

<title>open5gs/configs/examples/5gc-no-scp-sepp3-315-010.yaml.in at main · open5gs/open5gs · GitHub</title>

<meta name="route-pattern" content="/:user_id/:repository/blob/*name/*path)" data-turbo-transient>
<meta name="route-controller" content="blob" data-turbo-transient>
<meta name="route-action" content="show" data-turbo-transient>
<meta name="fetch-nonce" content="v2:5ba06980-4f75-7a8b-6c52-b7ffbff1be99">

<meta name="current-catalog-service-hash" content="f3abb0cc802f3d7b95fc8762b94bdcb13bf39634c40c357301c4aa1d67a256fb1

<meta name="request-id" content="8642:9CD9C:7CEDA0:5B731A:6A04B911" data-pjax-transient="true"/><meta name="html-saf

    <meta name="hovercard-subject-tag" content="repository:80611216" data-turbo-transient>

<meta name="github-keyboard-shortcuts" content="repository,source-code,file-tree,copilot" data-turbo-transient="true

<meta name="selected-link" value="repo_source" data-turbo-transient>
<link rel="assets" href="https://github.githubassets.com/">

    <meta name="google-site-verification" content="Apib7-x98H0j5cPqHwwSMm6dNU4GmODRoqxLiDzdx9I">

<meta name="octolytics-url" content="https://collector.github.com/github/collect" />

<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name&gt;/blob/show" data-turbo-transient="true"

<meta name="user-login" content="">

<meta name="viewport" content="width=device-width">

<meta name="description" content="Open5GS is a C-language Open Source implementation for 5G Core and EPC, i.e. t

<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub">

<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub">
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905, app-argument=https://github.com/open5gs/open5gs/blob/main
```

```
<meta name="twitter:image" content="https://opengraph.githubassets.com/3628e27fafde8616e69ec9ca3f2022263711a825e5" />
<meta property="og:image" content="https://opengraph.githubassets.com/3628e27fafde8616e69ec9ca3f2022263711a825efe5c5" />

<meta name="hostname" content="github.com">

<meta name="expected-hostname" content="github.com">

<meta http-equiv="x-pjax-version" content="5c0e6d820ba22e833b51dd57fad4fbde397844c712733d0efd1126c170c78919" data-turbo-track="reload" />
<meta http-equiv="x-pjax-csp-version" content="568c098497d98702bac1642a2a853732a047a6ced28eabd3e15d50041a890235" data-turbo-track="reload" />
<meta http-equiv="x-pjax-css-version" content="0665215f8f70df41587fed29f01b8abf7bc1391c738fff68da9cac870279321f" data-turbo-track="reload" />
<meta http-equiv="x-pjax-js-version" content="b10971cf3625469b119996bb49f643c07fa79e3818e1d57e445fee4340426ef6" data-turbo-track="reload" />

<meta name="turbo-cache-control" content="no-preview" data-turbo-transient="">

<meta name="turbo-cache-control" content="no-cache" data-turbo-transient="">

<meta data-hydrostats="publish">

<meta name="go-import" content="github.com/open5gs/open5gs git https://github.com/open5gs/open5gs.git">

<meta name="octolytics-dimension-user_id" content="44808635" /><meta name="octolytics-dimension-user_login" content="open5gs" />

<meta name="turbo-body-classes" content="logged-out env-production page-responsive">
<meta name="disable-turbo" content="false">

<meta name="browser-stats-url" content="https://api.github.com/_private/browser/stats">

<meta name="browser-errors-url" content="https://api.github.com/_private/browser/errors">

<meta name="release" content="556b51f3b24687d4b08c3d1d3258e5d6a9912844">
<meta name="ui-target" content="canary-2">

<link rel="mask-icon" href="https://github.githubassets.com/assets/pinned-octocat-093da3e6fa40.svg" color="#000000" />
<link rel="alternate icon" class="js-site-favicon" type="image/png" href="https://github.githubassets.com/favicons/favicons.png" />
<link rel="icon" class="js-site-favicon" type="image/svg+xml" href="https://github.githubassets.com/favicons/favicons.svg" />

<meta name="theme-color" content="#1e2327">
<meta name="color-scheme" content="light dark" />

<link rel="manifest" href="/manifest.json" crossOrigin="use-credentials">

</head>

<body class="logged-out env-production page-responsive" style="word-wrap: break-word;" >
  <div data-turbo-body class="logged-out env-production page-responsive" style="word-wrap: break-word;" >
    <div id="__primerPortalRoot__" style="z-index: 1000; position: absolute; width: 100%;" data-turbo-permanent></div>

    <div class="position-relative header-wrapper js-header-wrapper">
      <a href="#start-of-content" data-skip-target-assigned="false" class="px-2 tmp-py-4 color-bg-accent-emphasis color-text-inverse">Skip to start of content</a>

      <span data-view-component="true" class="progress-pjax-loader Progress position-fixed width-full">
        <span style="width: 0%;" data-view-component="true" class="Progress-item progress-pjax-loader-bar left-0 top-0 color-text-inverse"></span>
      </span>
    </div>
  </div>
</body>
```

```
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-r
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/keyboard-short

<react-partial
  partial-name="keyboard-shortcuts-dialog"
  data-ssr="false"
  data-attempted-ssr="false"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"docsUrl":"https://docs.github.co
  <div data-target="react-partial.reactRoot"></div>
</react-partial>

<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46752-54fb31
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/90350-46ab3e
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/sessions-427

<style>
  /* Override primer focus outline color for marketing header dropdown links for better contrast */
  [data-color-mode="light"] .HeaderMenu-dropdown-link:focus-visible,
  [data-color-mode="light"] .HeaderMenu-trailing-link a:focus-visible {
    outline-color: var(--color-accent-fg);
  }
</style>

<header class="HeaderMktg header-logged-out js-details-container js-header Details f4 tmp-py-3" role="banner" data-is-
  <h2 class="sr-only">Navigation Menu</h2>

  <button type="button" class="HeaderMktg-backdrop d-lg-none border-0 position-fixed top-0 left-0 width-full height-fu
    <span class="d-none">Toggle navigation</span>
  </button>

  <div class="d-flex flex-column flex-lg-row flex-items-center tmp-px-3 tmp-px-md-4 tmp-px-lg-5 height-full position-r
    <div class="d-flex flex-justify-between flex-items-center width-full width-lg-auto">
      <div class="flex-1">
        <button aria-label="Toggle navigation" aria-expanded="false" type="button" data-view-component="true" class="j
      <span class="Button-label"><div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div></span>
      </span>
    </button>
  </div>

  <a class="tmp-mr-lg-3 color-fg-inherit flex-order-2 js-prevent-focus-on-mobile-nav"
    href="/"
    aria-label="Homepage"
    data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to go to
    <svg height="32" aria-hidden="true" data-component="Octicon" viewBox="0 0 24 24" version="1.1" width="32" data
  <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
</a>

  <div class="d-flex flex-1 flex-order-2 text-right d-lg-none gap-2 flex-justify-end">
    <a
      href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples%2F5
      class="HeaderMenu-link HeaderMenu-button d-inline-flex f5 no-underline border color-border-default rounded
      data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;loca
```

```

        data-analytics-event="{&quot;category&quot;;:&quot;Marketing nav&quot;;,&quot;action&quot;;:&quot;click to Sign in&quot;}";
      >
      Sign in
    </a>
    <div class="AppHeader-appearanceSettings">
<react-partial-anchor>
  <button data-target="react-partial-anchor.anchor" id="icon-button-a1e314a8-ffaa-493d-a009-b5dd4d4b1cc4" aria-label="Sign Out icon" type="button">
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zM-8.5.75v1.25a.75.75 0 0 0 1.5 0" />
</svg>
</button><tool-tip id="tooltip-a23267b5-4876-4776-b529-ac15218a2909" for="icon-button-a1e314a8-ffaa-493d-a009-b5dd4d4b1cc4">Sign Out</tool-tip>
  <template data-target="react-partial-anchor.template">
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-components.css">
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-settings.css">
</template>
</react-partial-anchor>
</div>

</div>
</div>

<div class="HeaderMenu js-header-menu height-fit position-lg-relative d-lg-flex flex-column flex-auto top-0">
  <div class="HeaderMenu-wrapper d-flex flex-column flex-self-start flex-lg-row flex-auto rounded rounded-lg-0">
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-search.css">
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/marketing-navigation.css">
</div>
</div>

<script type="application/json" data-target="react-partial.embeddedData">{"props":{"should_use_dotcom_links":true}}<div class="d-flex flex-column flex-lg-row width-full flex-justify-end flex-lg-items-center text-center tmp-mr-4">
    <qbssearch-input class="search-input" data-scope="repo:open5gs/open5gs" data-custom-scopes-path="/search/custom_scopes/" data-action="click:qbssearch-input#searchInputContainerClicked">
      <div class="search-input-container search-with-dialog position-relative d-flex flex-row flex-items-center tmp-mr-4 rounded">
        <button type="button" class="header-search-button placeholder input-button form-control d-flex flex-1 flex-self-stretch flex-items-center">Search or jump to?
          </button>

```

```

placeholder="Search or jump to..."
data-hotkey=s,/
autocapitalize="off"
data-analytics-event="{&quot;location&quot;:&quot;navbar&quot;;,&quot;action&quot;:&quot;searchbar&quot;;,&quot;
data-action="click:qbsearch-input#handleExpand"
>
<div class="mr-2 color-fg-muted">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
<path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</div>
<span class="flex-1" data-target="qbsearch-input.inputButtonText">Search or jump to...</span>
<div class="d-flex" data-target="qbsearch-input.hotkeyIndicator">
  <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20" aria-hidden="true" class="mr-1"><path fill=
  </div>
</button>

<input type="hidden" name="type" class="js-site-search-type-field">

<div class="Overlay--hidden " data-modal-dialog-overlay>
  <modal-dialog data-action="close:qbsearch-input#handleClose cancel:qbsearch-input#handleClose" data-target="qbsearch
  <h1 id="search-suggestions-dialog-header" class="sr-only">Search code, repositories, users, issues, pull request
  <div class="Overlay-body Overlay-body--paddingNone">

    <div data-view-component="true">      <div class="search-suggestions position-fixed width-full color-shad
    style="border-radius: 12px;"
    data-target="qbsearch-input.queryBuilderContainer"
    hidden
  >
    <!-- `` --><!-- </textarea></xmp> --></option></form><form id="query-builder-test-form" action="" accept-ch
<query-builder data-target="qbsearch-input.queryBuilder" id="query-builder-query-builder-test" data-filter-key=":" c
  <div class="FormControl FormControl--fullWidth">
    <label id="query-builder-test-label" for="query-builder-test" class="FormControl-label sr-only">
      Search
    </label>
    <div
      class="QueryBuilder-StyledInput width-fit "
      data-target="query-builder.styledInput"
    >
      <span id="query-builder-test-leadingvisual-wrap" class="FormControl-input-leadingVisualWrap QueryBuilder-lea
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
        </svg>
      </span>
      <div data-target="query-builder.styledInputContainer" class="QueryBuilder-StyledInputContainer">
        <div
          aria-hidden="true"
          class="QueryBuilder-StyledInputContent"
          data-target="query-builder.styledInputContent"
        ></div>
        <div class="QueryBuilder-InputWrapper">
          <div aria-hidden="true" class="QueryBuilder-Sizer" data-target="query-builder.sizer"></div>
          <input id="query-builder-test" name="query-builder-test" value="" autocomplete="off" type="text" role="com
          input:query-builder#inputChange
          blur:query-builder#inputBlur
          keydown:query-builder#inputKeydown
          focus:query-builder#inputFocus
        " data-view-component="true" class="FormControl-input QueryBuilder-Input FormControl-medium" />
        </div>
      </div>
      <span data-target="query-builder.clearButton" hidden>
        <span class="sr-only" id="query-builder-test-clear">Clear</span>
        <button role="button" id="query-builder-test-clear-button" aria-labelledby="query-builder-test-clear query
          click:query-builder#clear
          focus:query-builder#clearButtonFocus
          blur:query-builder#clearButtonBlur
          " variant="small" type="button" data-view-component="true" class="Button Button--iconOnly Button--inv

```



```
<path d="M1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25V1.75C0 .784 0 0 1 1.75 0" data-bbox="100 32 300 60" />
</svg>
</template>

<template id="pencil-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 90 300 120">
    <path d="M11.013 1.427a1.75 1.75 0 0 1 2.474 0l1.086 1.086a1.75 1.75 0 0 1 0 2.474l-8.61 8.61c-.21.21-.47.364-.75.427" data-bbox="100 120 300 150" />
  </svg>
</template>

<template id="copilot-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 180 300 210">
    <path d="M7.998 15.035c-4.562 0-7.873-2.914-7.998-3.749V9.338c.085-.628.677-1.686 1.588-2.065.013-.07.024-.143.035-.216" data-bbox="100 210 300 240" />
  </svg>
</template>

<template id="copilot-error-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 270 300 300">
    <path d="M16 11.24c0 .112-.072.274-.21.467L13 9.688V7.862l-.023-.116c-.49.21-1.075.291-1.727.291-.198 0-.388-.009-.578-.035" data-bbox="100 300 300 330" />
  </svg>
</template>

<template id="workflow-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 360 300 390">
    <path d="M0 1.75C0 .784.784 0 1.75 0h3.5C6.216 0 7 .784 7 1.75v3.5A1.75 1.75 0 0 1 5.25 7h4v4a1 1 0 0 0 1 1h4v-1.25" data-bbox="100 390 300 420" />
  </svg>
</template>

<template id="book-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 450 300 480">
    <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75" data-bbox="100 480 300 510" />
  </svg>
</template>

<template id="code-review-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 540 300 570">
    <path d="M1.75 1h12.5c.966 0 1.75.784 1.75 1.75v8.5A1.75 1.75 0 0 1 14.25 13H8.061l-2.574 2.573A1.458 1.458 0 0 1 6.5 13" data-bbox="100 570 300 600" />
  </svg>
</template>

<template id="codespaces-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 630 300 660">
    <path d="M0 11.25c0-.966.784-1.75 1.75-1.75h12.5c.966 0 1.75.784 1.75 1.75v3A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25" data-bbox="100 660 300 690" />
  </svg>
</template>

<template id="comment-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 720 300 750">
    <path d="M1 2.75C1 1.784 1.784 1 2.75 1h10.5c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 13.25 12H9.061l-2.573 2.573" data-bbox="100 750 300 780" />
  </svg>
</template>

<template id="comment-discussion-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 810 300 840">
    <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.5 10" data-bbox="100 840 300 870" />
  </svg>
</template>

<template id="organization-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 900 300 930">
    <path d="M1.75 16A1.75 1.75 0 0 1 0 14.25V1.75C0 .784.784 0 1.75 0h8.5C11.216 0 12 .784 12 1.75v12.5c0 .085-.006.17-.013.253" data-bbox="100 930 300 960" />
  </svg>
</template>

<template id="rocket-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 990 300 1000">
    <path d="M14.064 0h.186C15.216 0 16 .784 16 1.75v.186a8.752 8.752 0 0 1-2.564 6.186l-.458.459c-.314.314-.641.616-.968.816" data-bbox="100 1000 300 1000" />
  </svg>
</template>
```



```
<template id="device-desktop-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M14.25 1c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 14.25 12h-3.727c.099 1.041.52 1.872 1.292 2.757A.7
  </svg>
</template>

  <div class="position-relative">
    <ul
      role="listbox"
      class="ActionListWrap QueryBuilder-ListWrap"
      aria-label="Suggestions"
      data-action="
        combobox-commit:query-builder#comboboxCommit
        mousedown:query-builder#resultsMouseDown
      "
      data-target="query-builder.resultsList"
      data-persist-list=false
      id="query-builder-test-results"
      tabindex="-1"
    ></ul>

  </div>
  <div class="FormControl-inlineValidation" id="validation-66c471f1-b0dd-48f2-8f3b-37f98b160ca2" hidden="hidden">
    <span class="FormControl-inlineValidation--visual">
      <svg aria-hidden="true" data-component="Octicon" height="12" viewBox="0 0 12 12" version="1.1" width="12" da
    <path d="M4.855.708c.5-.896 1.79-.896 2.29 0l4.675 8.351a1.312 1.312 0 0 1-1.146 1.954H1.33A1.313 1.313 0 0 1 .183
  </svg>
    </span>
    <span></span>
  </div>
  </div>
  <div data-target="query-builder.screenReaderFeedback" aria-live="polite" aria-atomic="true" class="sr-only"></div>
</query-builder></form>
  <div class="d-flex flex-row color-fg-muted tmp-px-3 text-small color-bg-default search-feedback-prompt">
    <a target="_blank" href="https://docs.github.com/search-github/github-code-search/understanding-github-code-search">
    </div>
  </div>
</div>

  </div>
</modal-dialog></div>
  </div>
  <div data-action="click:qbsearch-input#retract" class="dark-backdrop position-fixed" hidden data-target="qbsearch-in
  <div class="color-fg-default">

<dialog-helper>
  <dialog data-target="qbsearch-input.feedbackDialog" data-action="close:qbsearch-input#handleDialogClose cancel:qbsea
    <div data-view-component="true" class="Overlay-header">
  <div class="Overlay-headerContentWrap">
    <div class="Overlay-titleWrap">
      <h1 class="Overlay-title " id="feedback-dialog-title">
        Provide feedback
      </h1>
    </div>
    <div class="Overlay-actionWrap">
      <button data-close-dialog-id="feedback-dialog" aria-label="Close" aria-label="Close" type="button" data-view-com
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
    </svg></button>
    </div>
  </div>

  <div>
    <scrollable-region data-labelled-by="feedback-dialog-title">
      <div data-view-component="true" class="Overlay-body">
        <!-- "" --><!-- </textarea></xmp> --></option></div>
        <p>We read every piece of feedback, and take your input very seriously.</p>
        <textarea name="feedback" class="form-control width-full mb-2" style="height: 120px" id="feedback"></textarea>
        <input name="include_email" id="include_email" aria-label="Include my email address so I can be contacted" c
        <label for="include_email" style="font-weight: normal">Include my email address so I can be contacted</label>
      </div>
    </scrollable-region>
  </div>
</div>
```

```
</form></div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd">
    <button data-close-dialog="close:qbsearch-input#handleDialogClose" type="button">Close</button>
    <button form="code-search-feedback-form" data-action="click:qbsearch-input#submitFeedback" type="submit">Submit</button>
  </div>
</dialog></dialog-helper>

  <custom-scopes data-target="qbsearch-input.customScopesManager">

<dialog-helper>
  <dialog data-target="custom-scopes.customScopesModalDialog" data-action="close:qbsearch-input#handleDialogClose" data-view-component="true" class="Overlay-modal Overlay-modal--divided">
    <div data-view-component="true" class="Overlay-header Overlay-header--divided">
      <div class="Overlay-headerContentWrap">
        <div class="Overlay-titleWrap">
          <h1 class="Overlay-title" id="custom-scopes-dialog-title">Saved searches</h1>
          <h2 id="custom-scopes-dialog-description" class="Overlay-description">Use saved searches to filter your results</h2>
        </div>
        <div class="Overlay-actionWrap">
          <button data-close-dialog-id="custom-scopes-dialog" aria-label="Close" type="button">Close</button>
          <path d="M3.72 3.72a.75.75 0 0 1 1.06 1.06L8 6.94l3.22-3.22a.75.75 0 0 1 1.27 1.27L9.75 8.72a.75.75 0 0 1-.21.73L9 9.75a.75.75 0 0 1-1.06 1.06L7.94 9.75a.75.75 0 0 1-.75.75" data-view-component="true" class="Icon icon-close" type="button"></svg></button>
        </div>
      </div>
</div>
  <scrollable-region data-labelled-by="custom-scopes-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <div data-target="custom-scopes.customScopesModalDialogFlash">
        <div hidden class="create-custom-scope-form" data-target="custom-scopes.createCustomScopeForm">
          <!-- '"` --><!-- /textarea></xmp> --></option></form><form id="custom-scopes-dialog-form" data-turbo="false">
            <div data-target="custom-scopes.customScopesModalDialogFlash"></div>

            <input type="hidden" id="custom_scope_id" name="custom_scope_id" data-target="custom-scopes.customScopesIdField">

            <div class="form-group">
              <label for="custom_scope_name">Name</label>
              <auto-check src="/search/custom_scopes/check_name" required>
                <input
                  type="text"
                  name="custom_scope_name"
                  id="custom_scope_name"
                  data-target="custom-scopes.customScopesNameField"
                  class="form-control"
                  autocomplete="off"
                  placeholder="github-ruby"
                  required
                  maxlength="50">
                <input type="hidden" data-csrf="true" value="6RuUgVKkQ1TcL0aeF/UEZi5Kp+eXn6tFFw4/INKIk17DEfJpvS7hUe+K982" data-target="custom-scopes.csrfTokenField">
              </auto-check>
            </div>

            <div class="form-group">
              <label for="custom_scope_query">Query</label>
              <input
                type="text"
                name="custom_scope_query"
                id="custom_scope_query"
                data-target="custom-scopes.customScopesQueryField"
                class="form-control"
                autocomplete="off"
                placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
                required
                maxlength="500">
            </div>
```

```

    <p class="text-small color-fg-muted">
      To see all available qualifiers, see our <a class="Link--inTextBlock" href="https://docs.github.com/search
    </p>
  </form>
    </div>

    <div data-target="custom-scopes.manageCustomScopesForm">
      <div data-target="custom-scopes.list"></div>
    </div>

  </div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd Overlay-footer--divided">
</button>
    <button form="custom-scopes-dialog-form" data-action="click:custom-scopes#customScopesSubmit" data-target="c
</button>
  </div>
</dialog></dialog-helper>
  </custom-scopes>
</div>
</qbsearch-input>

    <div class="position-relative HeaderMenu-link-wrap d-lg-inline-block">
      <a
        href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples
        class="HeaderMenu-link HeaderMenu-link--sign-in HeaderMenu-button flex-shrink-0 no-underline d-none d-
        style="margin-left: 12px;"
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
        data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click t
      >
        Sign in
      </a>
    </div>

    <a href="/signup?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2F%3Cuser-name%3E%2F%3Crepo
    class="HeaderMenu-link HeaderMenu-link--sign-up HeaderMenu-button flex-shrink-0 d-flex d-lg-inline-fle
    data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
    data-analytics-event="{&quot;category&quot;:&quot;Sign up&quot;;&quot;action&quot;:&quot;click to sign
  >
    Sign up
  </a>

    <div class="AppHeader-appearanceSettings">
  <react-partial-anchor>
    <button data-target="react-partial-anchor.anchor" id="icon-button-cb483bfe-e8bd-41e1-b0c0-fdd4d3c9c9a4" aria-lab
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zm-8.5.75v1.25a.75.75 0 0 0 1.5 0
  </svg>
</button><tool-tip id="tooltip-1178d406-a929-4735-9bbd-7ab2177ccda5" for="icon-button-cb483bfe-e8bd-41e1-b0c0-fdd4d3c9

    <template data-target="react-partial-anchor.template">
      <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-set

  <react-partial
    partial-name="appearance-settings"
    data-ssr="false"
    data-attempted-ssr="false"
    data-react-profiling="false"
  >

    <script type="application/json" data-target="react-partial.embeddedData">{"props":{}}</script>
    <div data-target="react-partial.reactRoot"></div>
  </react-partial>

  </template>
</react-partial-anchor>

```

```

</div>

        <button type="button" class="sr-only js-header-menu-focus-trap d-block d-lg-none">Resetting focus</button>
    </div>
</div>
</div>
</div>
</header>


<div hidden="hidden" data-view-component="true" class="js-stale-session-flash stale-session-flash flash flash-wa

    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-
    <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1-
</svg>
    <span class="js-stale-session-flash-signed-in" hidden>You signed in with another tab or window. <a class="Link
    <span class="js-stale-session-flash-signed-out" hidden>You signed out in another tab or window. <a class="Link
    <span class="js-stale-session-flash-switched" hidden>You switched accounts on another tab or window. <a class=

    <button id="icon-button-8ddef18a-2f43-40fa-b0c5-47deac54b6f4" aria-labelledby="tooltip-12f72d02-4842-4a21-871d-f40bd8caea20"
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
</svg>
</button><tool-tip id="tooltip-12f72d02-4842-4a21-871d-f40bd8caea20" for="icon-button-8ddef18a-2f43-40fa-b0c5-47deac54

</div>
    </div>

<div id="start-of-content" class="show-on-focus"></div>


<div id="js-flash-container" class="flash-container" data-turbo-replace>


<template class="js-flash-template">

<div class="flash flash-full {{ className }}">
    <div >
        <button autofocus class="flash-close js-flash-close" type="button" aria-label="Dismiss this message">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
            <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
        </svg>
        </button>
        <div aria-atomic="true" role="alert" class="js-flash-alert">

            <div>{{ message }}</div>

        </div>
    </div>
</div>
</div>
</div>
</div>

```

```
<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  data-project-hovercards-enabled
>
  <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
    <main id="js-repo-pjax-container" >

<div id="repository-container-header" class="tmp-pt-3 hide-full-screen" style="background-color: var(--page-header-

  <div class="d-flex flex-nowrap flex-justify-end tmp-mb-3 tmp-px-3 tmp-px-lg-5" style="gap: 1rem;">

    <div class="flex-auto min-width-0 width-fit">

<div class=" d-flex flex-wrap flex-items-center wb-break-word f3 text-normal">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
  <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>

  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="organization" data-hovercard-url="/orgs/open5gs/hovercard" o
      open5gs
</a>    </span>
    <span class="mx-1 flex-self-stretch color-fg-muted"></span>
    <strong itemprop="name" class="mr-2 flex-self-stretch">
      <a data-pjax="#repo-content-pjax-container" data-turbo-frame="repo-content-turbo-frame" href="/open5gs/open5gs">
</strong>

    <span></span><span class="Label Label--secondary v-align-middle mr-1">Public</span>
</div>

</div>

<div id="repository-details-container" class="flex-shrink-0" data-turbo-replace style="max-width: 70%;">
  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" style="padding: 2px 0;">

    <li>
      <include-fragment src="/open5gs/open5gs/sponsor_button" data-nonce="v2:5ba06980-4f75-7a8b-6c52-b7ffbff1be99"

<div data-show-on-forbidden-error hidden>
  <div class="Box">
<div class="blankslate-container">
  <div data-view-component="true" class="blankslate blankslate-spacious color-bg-default rounded-2">

    <h3 data-view-component="true" class="blankslate-heading">      Uh oh!
</h3>
    <p data-view-component="true" class="blankslate-description">      <p class="color-fg-muted my-2 mb-2 ws-norma
</p>

</div> </div>
</div> </div>
```

```
</include-fragment>
    </li>

    <li>
        <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" id="repository-details-watch-button" data-h
        <path d="M8 16a2 2 0 0 0 1.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.138 0-.252.113-.235.25A2 2 0 0 0 8 16ZM3 5a
    </svg>Notifications
</a>    <tool-tip id="tooltip-0f5f5032-1c68-43a1-b267-b2c788eef52b" for="repository-details-watch-button" popover="mar

    </li>

    <li>
        <a icon="repo-forked" id="fork-button" href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydr
        <path d="M5 5.372v.878c0 .414.336.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1 1 1.5 0v.878a2.25 2.25 0 0
    </svg>Fork
        <span id="repo-network-counter" data-pjax-replace="true" data-turbo-replace="true" title="1,031" data-view-component=
    </a>
    </li>

    <li>
        <div data-view-component="true" class="BtnGroup d-flex">
            <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydro-click="{&quot;event_type&quot;:&quot;
            <path d="M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.216.612a.75.75 0 0 1 .416 1.279l-3.046 2.97.719 4.192a.751.751
    </svg><span data-view-component="true" class="d-inline">
        Star
    </span>    <span id="repo-stars-counter-star" aria-label="2560 users starred this repository" data-singular-suff
    </a></div>
    </li>

</ul>

    </div>
</div>

    <div id="responsive-meta-container" data-turbo-replace>

        <nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-component="true" class="js-repo-r

        <ul data-view-component="true" class="UnderlineNav-body list-style-none">
            <li data-view-component="true" class="d-inline-flex">
                <a id="code-tab" href="/open5gs/open5gs" data-tab-item="i0code-tab" data-selected-links="repo_source repo_downloads
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
    </svg>
                <span data-content="Code">Code</span>
                <span id="code-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
                <a id="issues-tab" href="/open5gs/open5gs/issues" data-tab-item="i1issues-tab" data-selected-links="repo_issues repo
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5
    </svg>
                <span data-content="Issues">Issues</span>
                <span id="issues-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="246" data-view-component=

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
```



```
<a id="pull-requests-tab" href="/open5gs/open5gs/pulls" data-tab-item="i2pull-requests-tab" data-selected-links="repo_pull_requests" data-view-component="true" class="d-inline-flex">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
    <path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-1.175a2.25 2.25 0 0 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Z" data-bbox="16 16 32 32"/>
  </svg>
  <span data-content="Pull requests">Pull requests</span>
  <span id="pull-requests-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="100" data-view-component="true"></span>
</a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="discussions-tab" href="/open5gs/open5gs/discussions" data-tab-item="i3discussions-tab" data-selected-links="repo_discussions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.677 10.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Discussions">Discussions</span>
    <span id="discussions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="actions-tab" href="/open5gs/open5gs/actions" data-tab-item="i4actions-tab" data-selected-links="repo_actions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559A1.75 1.75 0 0 1 8 10.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Actions">Actions</span>
    <span id="actions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="projects-tab" href="/open5gs/open5gs/projects" data-tab-item="i5projects-tab" data-selected-links="repo_projects" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Projects">Projects</span>
    <span id="projects-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="wiki-tab" href="/open5gs/open5gs/wiki" data-tab-item="i6wiki-tab" data-selected-links="repo_wiki /open5gs/open5gs/wiki" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Wiki">Wiki</span>
    <span id="wiki-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="security-and-quality-tab" href="/open5gs/open5gs/security" data-tab-item="i7security-and-quality-tab" data-selected-links="repo_security_and_quality" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M7.467 1.33a1.748 1.748 0 0 1 1.066 0l5.25 1.68A1.75 1.75 0 0 1 15 3.48V7c0 1.566-.32 3.182-1.303 4.682-.966 1.5-2.467 2.5-4.0 3.0Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Security and quality">Security and quality</span>
    <span id="security-and-quality-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="0" hidden="" data-view-component="true"></span>
  </a></li>
```

```
</a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="insights-tab" href="/open5gs/open5gs/pulse" data-tab-item="i8insights-tab" data-selected-links="repo_graphs m
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
        <path d="M1.5 1.75V13.5h13.75a.75.75 0 0 1 0 1.5H.75a.75.75 0 0 1-.75-.75V1.75a.75.75 0 0 1 1.5 0Zm14.28 2.53-5.25
      </svg>
      <span data-content="Insights">Insights</span>
      <span id="insights-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co
    </a></li>
  </ul>
  <div style="visibility:hidden;" data-view-component="true" class="UnderlineNav-actions js-responsive-underlinenav-
  <focus-group direction="vertical" mnemonics retain>
    <button id="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f-button" popovertarget="action-menu-18bc24aa-06f0-445c-8
      <path d="M8 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm1.5 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm13 0a1.5 1.5 0 1 0 0
    </svg>
  </button><tool-tip id="tooltip-f6726994-77f8-479d-93d9-d6118e9aedbb" for="action-menu-18bc24aa-06f0-445c-838d-d66985b4
  <anchored-position data-target="action-menu.overlay" id="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f-overlay" and
    <div data-view-component="true" class="Overlay Overlay--size-auto">
      <div data-view-component="true" class="Overlay-body Overlay-body--paddingNone">
        <action-list>
        <div data-view-component="true">
          <ul aria-labelledby="action-menu-18bc24aa-06f0-445c-838d-d66985b40c7f-button" id="action-menu-18bc24aa-06f0-445c-8
            <li hidden="hidden" data-menu-item="i0code-tab" data-targets="action-list.items" role="none" data-view-compone
              <a tabindex="-1" id="item-a1914bb8-119b-4239-b576-c7186f17011d" href="/open5gs/open5gs" role="menuitem" data-view-
                <span class="ActionListItem-visual ActionListItem-visual--leading">
                  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
                  </svg>
                </span>
                <span data-view-component="true" class="ActionListItem-label">
                  Code
                </span>
              </a>
            </li>
            <li hidden="hidden" data-menu-item="i1issues-tab" data-targets="action-list.items" role="none" data-view-comp
              <a tabindex="-1" id="item-a9630246-8d5e-40c7-a87b-62c2706a074c" href="/open5gs/open5gs/issues" role="menuitem" data
                <span class="ActionListItem-visual ActionListItem-visual--leading">
                  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 8 0Zm1.5 8a6.5
                  </svg>
                </span>
                <span data-view-component="true" class="ActionListItem-label">
                  Issues
                </span>
              </a>
            </li>
            <li hidden="hidden" data-menu-item="i2pull-requests-tab" data-targets="action-list.items" role="none" data-vie
              <a tabindex="-1" id="item-7e04fe6b-de3f-465d-b3d1-ccfd62102c62" href="/open5gs/open5gs/pulls" role="menuitem" data
                <span class="ActionListItem-visual ActionListItem-visual--leading">
                  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
```

```
<path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-.177" data-bbox="115 32 1000 45"/>  
</svg>  
</span>  
  
<span data-view-component="true" class="ActionListItem-label">  
  Pull requests  
</span>  
</a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i3discussions-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-0bd89bcf-c04b-429e-a960-e0ca6a15675a" href="/open5gs/open5gs/discussions" role="menuitem" data-bbox="85 208 1000 220">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 220 1000 232"/>  
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 2.574 10.25Z" data-bbox="85 232 1000 244"/>  
    </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Discussions  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i4actions-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-9c4ac86c-7057-4693-a6a6-3566b0ef7fb7" href="/open5gs/open5gs/actions" role="menuitem" data-bbox="85 424 1000 436">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 436 1000 448"/>  
      <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a1.75 1.75 0 0 1 0 3.518 1.75 1.75 0 0 1-3.518 0Z" data-bbox="85 448 1000 460"/>  
    </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Actions  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i5projects-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-e8311b38-f1e8-433d-b8ba-27ea57b93412" href="/open5gs/open5gs/projects" role="menuitem" data-bbox="85 640 1000 652">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 652 1000 664"/>  
      <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="85 664 1000 676"/>  
    </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Projects  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i6wiki-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-bced5f01-8eab-4ed3-8954-a09bbb76dafb" href="/open5gs/open5gs/wiki" role="menuitem" data-bbox="85 856 1000 868">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 868 1000 880"/>  
      <path d="M0 1.75A1.75 1.75 0 0 1 .75 1.75h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75v4.253c0 1.227 .59 2.317 1.501 3A3.743 3.743 0 0 1 14.25 11.006h4.245a1.75 1.75 0 0 1 1.75 1.75v4.253c0 1.227 .59 2.317 1.501 3A3.743 3.743 0 0 1 14.25 14.25Z" data-bbox="85 880 1000 892"/>  
    </svg>  
    </span>
```



```

<react-app
  app-name="code-view"
  initial-path="/open5gs/open5gs/blob/main/configs/examples/5gc-no-scp-sepp3-315-010.yaml.in"
  style="display: block; min-height: calc(100vh - 64px);"
  data-attempted-ssr="true"
  data-ssr="true"
  data-lazy="false"
  data-alternate="false"
  data-data-router-enabled="true"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-app.embeddedData">{"payload":{"codeViewBlobRoute":{"csv":null,"cs
  <div data-target="react-app.reactRoot"><meta name="github-code-view-meta-stats" id="github-code-view-meta-stats" dat
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC3" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC5" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC25" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC44" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC79" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC90" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC144" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC197" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC205" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC224" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC261" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC272" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC306" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC316" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC333" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC503" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC525" c
</react-app>

</div>

</turbo-frame>

  </main>
</div>

</div>

  <footer class="footer tmp-pt-7 tmp-pb-6 f6 color-fg-muted color-border-subtle p-responsive" role="contentinfo">
<h2 class='sr-only'>Footer</h2>

  <div class="d-flex flex-justify-center flex-items-center flex-column-reverse flex-lg-row flex-wrap flex-lg-nowrap">
    <div class="d-flex flex-items-center flex-shrink-0 mx-2">
      <a aria-label="GitHub Homepage" class="footer-octicon mr-2" href="https://github.com">
        <svg aria-hidden="true" data-component="Octicon" height="24" viewBox="0 0 24 24" version="1.1" width="24" data-
        <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
      </a>
      <span>
        &copy; 2026 GitHub,&nbsp;Inc.
      </span>
    </div>

    <nav aria-label="Footer">
      <h3 class="sr-only" id="sr-footer-heading">Footer navigation</h3>

```

```

<ul class="list-style-none d-flex flex-justify-center flex-wrap mb-2 mb-lg-0" aria-labelledby="sr-footer-heading">

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to Terms&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to privacy&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to security&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to status&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to community&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to docs&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to contact&quot;}">
  </li>

  <li class="mx-2" >
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;cookies&quot;,&quot;cont
      >
        Manage cookies
      </button>
    </cookie-consent-link>
  </li>

  <li class="mx-2">
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent text-left"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;dont_share_info&quot;,&quot;
      >
        Do not share my personal information
      </button>
    </cookie-consent-link>
  </li>

</ul>
</nav>
</div>
</footer>

```

```

<ghcc-consent id="ghcc" class="position-fixed bottom-0 left-0" style="z-index: 999999"
  data-locale="en"
  data-initial-cookie-consent-allowed=""
  data-cookie-consent-required="true"

```

```
></ghcc-consent>

<div id="ajax-error-message" class="ajax-error-message flash flash-error" hidden>
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-vie
  <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0l8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
  </button>
  You can?t perform that action at this time.
</div>

  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-default color-fg-default hx_rsm" open>
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in fast hx_rsm-dialog hx_rsm-modal">
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right-0 top-0" type="button" aria-label="Close
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0l8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
    </button>
    <div class="octocat-spinner tmp-my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;">
  <div class="Popover-message Popover-message--bottom-left Popover-message--large Box color-shadow-large" style="width:
  </div>
</div>

  <template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">
  <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn js-clipboard-copy m-2 p-0" data-cop
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>
<template id="snippet-clipboard-copy-button-unpositioned">
  <div class="zeroclipboard-container">
    <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn btn-invisible js-clipboard-copy m-2
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
    </clipboard-copy>
  </div>
</template>

  </div>
  <div id="js-global-screen-reader-notice" class="sr-only mt-n1" aria-live="polite" aria-atomic="true" ></div>
  <div id="js-global-screen-reader-notice-assertive" class="sr-only mt-n1" aria-live="assertive" aria-atomic="true">
</body>
```


Ejemplo de configuración real: 5gc-sepp2-001-01.yaml.in

```
<!DOCTYPE html>
<html
  lang="en"

  data-color-mode="auto" data-light-theme="light" data-dark-theme="dark"
  data-a11y-animated-images="system" data-a11y-link-underlines="true"

>

<head>
  <meta charset="utf-8">
  <link rel="dns-prefetch" href="https://github.githubassets.com">
  <link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
  <link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
  <link rel="dns-prefetch" href="https://user-images.githubusercontent.com/">
  <link rel="preconnect" href="https://github.githubassets.com" crossorigin>
  <link rel="preconnect" href="https://avatars.githubusercontent.com">

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/light-2ff56e...>

  <style type="text/css">
    :root {
      --tab-size-preference: 4;
    }

    pre, code {
      tab-size: var(--tab-size-preference);
    }
  </style>

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-primitives-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-bootstrap-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/global-105...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/github-f8...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/repository-...>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-c4c2752e...>

  <script type="application/json" id="client-env">{"locale":"en","featureFlags":["actions_custom_images_storage_billing...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/high-contrast-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/wp-runtime-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/fetch-utility-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/28839-28bb58...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/85924-1f0f5f...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/34646-3b3c3c...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/environment-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/runtime-help-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2966-db5d6e...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/96232-2f91b5...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/41013-ce9f0d...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/51210-07f011...>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81058-4b90d5-4b90d5.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81683-6e7915-6e7915.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46740-4421ca-4421ca.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26859-860fab-860fab.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/67466-c0fee2-c0fee2.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/github-element-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/element-reg-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-core-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-lib-4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79039-f2b817-f2b817.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/61110-f40600-f40600.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2887-d67f71-d67f71.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26533-318ac4-318ac4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/86483-00384c-00384c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49521-900eb9-900eb9.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/60481-2e0076-2e0076.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46287-1fd98f-1fd98f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/33805-370111-370111.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/89627-12a64f-12a64f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79087-909cf1-909cf1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49029-3a132c-3a132c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/99328-82a965-82a965.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/behaviors-56.js"></script>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/react-core-ca.js">
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/4244-23afe63-23afe63.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/39373-492474-492474.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-menu-e8.js"></script>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/64443-bc8da
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-view-0
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-view.753b

    <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/84534-73dc
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/88041-185496
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/notifications-

<title>open5gs/configs/examples/5gc-sepp2-001-01.yaml.in at main · open5gs/open5gs · GitHub</title>

<meta name="route-pattern" content="/:user_id/:repository/blob/*name/*path)" data-turbo-transient>
<meta name="route-controller" content="blob" data-turbo-transient>
<meta name="route-action" content="show" data-turbo-transient>
<meta name="fetch-nonce" content="v2:148453fa-cd11-ff0d-7bbe-c213c5f6347c">

<meta name="current-catalog-service-hash" content="f3abb0cc802f3d7b95fc8762b94bdc13bf39634c40c357301c4aa1d67a256fb1

<meta name="request-id" content="8642:9CD9C:7E04C2:5C4319:6A04B923" data-pjax-transient="true"/><meta name="html-saf

    <meta name="hovercard-subject-tag" content="repository:80611216" data-turbo-transient>

<meta name="github-keyboard-shortcuts" content="repository,source-code,file-tree,copilot" data-turbo-transient="true

<meta name="selected-link" value="repo_source" data-turbo-transient>
<link rel="assets" href="https://github.githubassets.com/">

    <meta name="google-site-verification" content="Apib7-x98H0j5cPqHwwSMm6dNU4GmODRoqxLiDzdx9I">

<meta name="octolytics-url" content="https://collector.github.com/github/collect" />

<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name&gt;/blob/show" data-turbo-transient="true"

<meta name="user-login" content="">

<meta name="viewport" content="width=device-width">

<meta name="description" content="Open5GS is a C-language Open Source implementation for 5G Core and EPC, i.e. t

<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub">

<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub">
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905, app-argument=https://github.com/open5gs/open5gs/blob/main
```



```
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-r
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/keyboard-short

<react-partial
  partial-name="keyboard-shortcuts-dialog"
  data-ssr="false"
  data-attempted-ssr="false"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"docsUrl":"https://docs.github.co
  <div data-target="react-partial.reactRoot"></div>
</react-partial>

<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46752-54fb31
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/90350-46ab3e
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/sessions-427

<style>
  /* Override primer focus outline color for marketing header dropdown links for better contrast */
  [data-color-mode="light"] .HeaderMenu-dropdown-link:focus-visible,
  [data-color-mode="light"] .HeaderMenu-trailing-link a:focus-visible {
    outline-color: var(--color-accent-fg);
  }
</style>

<header class="HeaderMktg header-logged-out js-details-container js-header Details f4 tmp-py-3" role="banner" data-is-
  <h2 class="sr-only">Navigation Menu</h2>

  <button type="button" class="HeaderMktg-backdrop d-lg-none border-0 position-fixed top-0 left-0 width-full height-fu
    <span class="d-none">Toggle navigation</span>
  </button>

  <div class="d-flex flex-column flex-lg-row flex-items-center tmp-px-3 tmp-px-md-4 tmp-px-lg-5 height-full position-r
    <div class="d-flex flex-justify-between flex-items-center width-full width-lg-auto">
      <div class="flex-1">
        <button aria-label="Toggle navigation" aria-expanded="false" type="button" data-view-component="true" class="j
      <span class="Button-label"><div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div></span>
      </span>
    </button>
  </div>

  <a class="tmp-mr-lg-3 color-fg-inherit flex-order-2 js-prevent-focus-on-mobile-nav"
    href="/"
    aria-label="Homepage"
    data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to go to
    <svg height="32" aria-hidden="true" data-component="Octicon" viewBox="0 0 24 24" version="1.1" width="32" data
  <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
</a>

  <div class="d-flex flex-1 flex-order-2 text-right d-lg-none gap-2 flex-justify-end">
    <a
      href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples%2F5
      class="HeaderMenu-link HeaderMenu-button d-inline-flex f5 no-underline border color-border-default rounded
      data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;locat
```

[illegible]

```

placeholder="Search or jump to..."
data-hotkey=s,/
autocapitalize="off"
data-analytics-event="{&quot;location&quot;:&quot;navbar&quot;;,&quot;action&quot;:&quot;searchbar&quot;;,&quot;
data-action="click:qbsearch-input#handleExpand"
>
<div class="mr-2 color-fg-muted">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
<path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</div>
<span class="flex-1" data-target="qbsearch-input.inputButtonText">Search or jump to...</span>
<div class="d-flex" data-target="qbsearch-input.hotkeyIndicator">
  <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20" aria-hidden="true" class="mr-1"><path fill=
  </div>
</button>

<input type="hidden" name="type" class="js-site-search-type-field">

<div class="Overlay--hidden " data-modal-dialog-overlay>
  <modal-dialog data-action="close:qbsearch-input#handleClose cancel:qbsearch-input#handleClose" data-target="qbsearch
  <h1 id="search-suggestions-dialog-header" class="sr-only">Search code, repositories, users, issues, pull request
  <div class="Overlay-body Overlay-body--paddingNone">

    <div data-view-component="true">
      style="border-radius: 12px;"
      data-target="qbsearch-input.queryBuilderContainer"
      hidden
    >
    <!-- `` --><!-- </textarea></xmp> --></option></form><form id="query-builder-test-form" action="" accept-ch
  <query-builder data-target="qbsearch-input.queryBuilder" id="query-builder-query-builder-test" data-filter-key=":" c
  <div class="FormControl FormControl--fullWidth">
    <label id="query-builder-test-label" for="query-builder-test" class="FormControl-label sr-only">
      Search
    </label>
    <div
      class="QueryBuilder-StyledInput width-fit "
      data-target="query-builder.styledInput"
    >
      <span id="query-builder-test-leadingvisual-wrap" class="FormControl-input-leadingVisualWrap QueryBuilder-lea
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
        </svg>
      </span>
    <div data-target="query-builder.styledInputContainer" class="QueryBuilder-StyledInputContainer">
      <div
        aria-hidden="true"
        class="QueryBuilder-StyledInputContent"
        data-target="query-builder.styledInputContent"
      ></div>
      <div class="QueryBuilder-InputWrapper">
        <div aria-hidden="true" class="QueryBuilder-Sizer" data-target="query-builder.sizer"></div>
        <input id="query-builder-test" name="query-builder-test" value="" autocomplete="off" type="text" role="com
        input:query-builder#inputChange
        blur:query-builder#inputBlur
        keydown:query-builder#inputKeydown
        focus:query-builder#inputFocus
      " data-view-component="true" class="FormControl-input QueryBuilder-Input FormControl-medium" />
      </div>
    </div>
    <span data-target="query-builder.clearButton" hidden>
      <span class="sr-only" id="query-builder-test-clear">Clear</span>
      <button role="button" id="query-builder-test-clear-button" aria-labelledby="query-builder-test-clear query
        click:query-builder#clear
        focus:query-builder#clearButtonFocus
        blur:query-builder#clearButtonBlur
      " variant="small" type="button" data-view-component="true" class="Button Button--iconOnly Button--inv

```



```
<path d="M1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25V1.75C0 .784 0 0 1 1.75 0" data-bbox="100 32 300 60" />
</svg>
</template>

<template id="pencil-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 90 300 120">
    <path d="M11.013 1.427a1.75 1.75 0 0 1 2.474 0l1.086 1.086a1.75 1.75 0 0 1 0 2.474l-8.61 8.61c-.21.21-.47.364-.75.427" data-bbox="100 120 300 150" />
  </svg>
</template>

<template id="copilot-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 180 300 210">
    <path d="M7.998 15.035c-4.562 0-7.873-2.914-7.998-3.749V9.338c.085-.628.677-1.686 1.588-2.065.013-.07.024-.143.035-.216" data-bbox="100 210 300 240" />
  </svg>
</template>

<template id="copilot-error-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 270 300 300">
    <path d="M16 11.24c0 .112-.072.274-.21.467L13 9.688V7.862l-.023-.116c-.49.21-1.075.291-1.727.291-.198 0-.388-.009-.578-.035" data-bbox="100 300 300 330" />
  </svg>
</template>

<template id="workflow-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 360 300 390">
    <path d="M0 1.75C0 .784.784 0 1.75 0h3.5C6.216 0 7 .784 7 1.75v3.5A1.75 1.75 0 0 1 5.25 7h4v4a1 1 0 0 0 1 1h4v-1.25" data-bbox="100 390 300 420" />
  </svg>
</template>

<template id="book-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 450 300 480">
    <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.25c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75" data-bbox="100 480 300 510" />
  </svg>
</template>

<template id="code-review-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 540 300 570">
    <path d="M1.75 1h12.5c.966 0 1.75.784 1.75 1.75v8.5A1.75 1.75 0 0 1 14.25 13H8.061l-2.574 2.573A1.458 1.458 0 0 1 6.562 13" data-bbox="100 570 300 600" />
  </svg>
</template>

<template id="codespaces-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 630 300 660">
    <path d="M0 11.25c0-.966.784-1.75 1.75-1.75h12.5c.966 0 1.75.784 1.75 1.75v3A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25" data-bbox="100 660 300 690" />
  </svg>
</template>

<template id="comment-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 720 300 750">
    <path d="M1 2.75C1 1.784 1.784 1 2.75 1h10.5c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 13.25 12H9.061l-2.573 2.573" data-bbox="100 750 300 780" />
  </svg>
</template>

<template id="comment-discussion-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 810 300 840">
    <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.562 10" data-bbox="100 840 300 870" />
  </svg>
</template>

<template id="organization-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 900 300 930">
    <path d="M1.75 16A1.75 1.75 0 0 1 0 14.25V1.75C0 .784.784 0 1.75 0h8.5C11.216 0 12 .784 12 1.75v12.5c0 .085-.006.171-.013.258" data-bbox="100 930 300 960" />
  </svg>
</template>

<template id="rocket-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="1" data-bbox="100 990 300 1000">
    <path d="M14.064 0h.186C15.216 0 16 .784 16 1.75v.186a8.752 8.752 0 0 1-2.564 6.186l-.458.459c-.314.314-.641.616-.968.816" data-bbox="100 990 300 1000" />
  </svg>
</template>
```



```
<template id="device-desktop-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M14.25 1c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 14.25 12h-3.727c.099 1.041.52 1.872 1.292 2.757A.7
  </svg>
</template>

  <div class="position-relative">
    <ul
      role="listbox"
      class="ActionListWrap QueryBuilder-ListWrap"
      aria-label="Suggestions"
      data-action="
        combobox-commit:query-builder#comboboxCommit
        mousedown:query-builder#resultsMouseDown
      "
      data-target="query-builder.resultsList"
      data-persist-list=false
      id="query-builder-test-results"
      tabindex="-1"
    ></ul>

  </div>
  <div class="FormControl-inlineValidation" id="validation-4ad35c3d-fe55-4f9c-9d49-8c97daadf6ed" hidden="hidden">
    <span class="FormControl-inlineValidation--visual">
      <svg aria-hidden="true" data-component="Octicon" height="12" viewBox="0 0 12 12" version="1.1" width="12" da
    <path d="M4.855.708c.5-.896 1.79-.896 2.29 0l4.675 8.351a1.312 1.312 0 0 1-1.146 1.954H1.33A1.313 1.313 0 0 1 .183
  </svg>
    </span>
    <span></span>
  </div>
  </div>
  <div data-target="query-builder.screenReaderFeedback" aria-live="polite" aria-atomic="true" class="sr-only"></div>
</query-builder></form>
  <div class="d-flex flex-row color-fg-muted tmp-px-3 text-small color-bg-default search-feedback-prompt">
    <a target="_blank" href="https://docs.github.com/search-github/github-code-search/understanding-github-co
  </div>
</div>

  </div>
</modal-dialog></div>
  </div>
  <div data-action="click:qbsearch-input#retract" class="dark-backdrop position-fixed" hidden data-target="qbsearch-in
  <div class="color-fg-default">

<dialog-helper>
  <dialog data-target="qbsearch-input.feedbackDialog" data-action="close:qbsearch-input#handleDialogClose cancel:qbsea
    <div data-view-component="true" class="Overlay-header">
  <div class="Overlay-headerContentWrap">
    <div class="Overlay-titleWrap">
      <h1 class="Overlay-title " id="feedback-dialog-title">
        Provide feedback
      </h1>
    </div>
    <div class="Overlay-actionWrap">
      <button data-close-dialog-id="feedback-dialog" aria-label="Close" aria-label="Close" type="button" data-view-com
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
    </svg></button>
    </div>
  </div>

  <scrollable-region data-labelled-by="feedback-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <p>We read every piece of feedback, and take your input very seriously.</p>
      <textarea name="feedback" class="form-control width-full mb-2" style="height: 120px" id="feedback"></textarea>
      <input name="include_email" id="include_email" aria-label="Include my email address so I can be contacted" c
      <label for="include_email" style="font-weight: normal">Include my email address so I can be contacted</label>
```

```
</form></div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd">      <button data-close-dia
</button>
    <button form="code-search-feedback-form" data-action="click:qbsearch-input#submitFeedback" type="submit" dat
</button>
</div>
</dialog></dialog-helper>

  <custom-scopes data-target="qbsearch-input.customScopesManager">

<dialog-helper>
  <dialog data-target="custom-scopes.customScopesModalDialog" data-action="close:qbsearch-input#handleDialogClose can
  <div data-view-component="true" class="Overlay-header Overlay-header--divided">
<div class="Overlay-headerContentWrap">
  <div class="Overlay-titleWrap">
    <h1 class="Overlay-title " id="custom-scopes-dialog-title">
      Saved searches
    </h1>
    <h2 id="custom-scopes-dialog-description" class="Overlay-description">Use saved searches to filter your result
  </div>
  <div class="Overlay-actionWrap">
    <button data-close-dialog-id="custom-scopes-dialog" aria-label="Close" aria-label="Close" type="button" data-vie
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
</svg></button>
  </div>
</div>

</div>
  <scrollable-region data-labelled-by="custom-scopes-dialog-title">
    <div data-view-component="true" class="Overlay-body">      <div data-target="custom-scopes.customScopesModal

    <div hidden class="create-custom-scope-form" data-target="custom-scopes.createCustomScopeForm">
    <!-- '"` --><!-- </textarea></xmp> --></option></form><form id="custom-scopes-dialog-form" data-turbo="false"
    <div data-target="custom-scopes.customScopesModalDialogFlash"></div>

    <input type="hidden" id="custom_scope_id" name="custom_scope_id" data-target="custom-scopes.customScopesIdFi

    <div class="form-group">
      <label for="custom_scope_name">Name</label>
      <auto-check src="/search/custom_scopes/check_name" required>
        <input
          type="text"
          name="custom_scope_name"
          id="custom_scope_name"
          data-target="custom-scopes.customScopesNameField"
          class="form-control"
          autocomplete="off"
          placeholder="github-ruby"
          required
          maxlength="50">
        <input type="hidden" data-csrf="true" value="iCZfyichD01RQ+8iDowLQMVppcyjIGDIaPqa0+67shiiLDkiyKuu6GLmXnD
      </auto-check>
    </div>

    <div class="form-group">
      <label for="custom_scope_query">Query</label>
      <input
        type="text"
        name="custom_scope_query"
        id="custom_scope_query"
        data-target="custom-scopes.customScopesQueryField"
        class="form-control"
        autocomplete="off"
        placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
        required
        maxlength="500">
    </div>
```

```

    <p class="text-small color-fg-muted">
      To see all available qualifiers, see our <a class="Link--inTextBlock" href="https://docs.github.com/search
    </p>
  </form>
    </div>

    <div data-target="custom-scopes.manageCustomScopesForm">
      <div data-target="custom-scopes.list"></div>
    </div>

  </div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd Overlay-footer--divided">
</button>
    <button form="custom-scopes-dialog-form" data-action="click:custom-scopes#customScopesSubmit" data-target="c
</button>
  </div>
</dialog></dialog-helper>
  </custom-scopes>
</div>
</qbsearch-input>

    <div class="position-relative HeaderMenu-link-wrap d-lg-inline-block">
      <a
        href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples
        class="HeaderMenu-link HeaderMenu-link--sign-in HeaderMenu-button flex-shrink-0 no-underline d-none d-
        style="margin-left: 12px;"
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
        data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click t
      >
        Sign in
      </a>
    </div>

    <a href="/signup?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2F%3Cuser-name%3E%2F%3Crepo
    class="HeaderMenu-link HeaderMenu-link--sign-up HeaderMenu-button flex-shrink-0 d-flex d-lg-inline-fle
    data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
    data-analytics-event="{&quot;category&quot;:&quot;Sign up&quot;;&quot;action&quot;:&quot;click to sign
  >
    Sign up
  </a>

    <div class="AppHeader-appearanceSettings">
  <react-partial-anchor>
    <button data-target="react-partial-anchor.anchor" id="icon-button-abb93285-cafd-4310-9dbc-2713b7bb3597" aria-lab
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75zm-8.5.75v1.25a.75.75 0 0 0 1.5 0
  </svg>
</button><tool-tip id="tooltip-1e5134a6-afca-4e53-aab7-7eaac6e686ba" for="icon-button-abb93285-cafd-4310-9dbc-2713b7bb3597">
  </tool-tip>

    <template data-target="react-partial-anchor.template">
      <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer
    </link>
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-set

  <react-partial
    partial-name="appearance-settings"
    data-ssr="false"
    data-attempted-ssr="false"
    data-react-profiling="false"
  >

    <script type="application/json" data-target="react-partial.embeddedData">{"props":{}}</script>
    <div data-target="react-partial.reactRoot"></div>
  </react-partial>

  </template>
</react-partial-anchor>

```

```
</div>

      <button type="button" class="sr-only js-header-menu-focus-trap d-block d-lg-none">Resetting focus</button>
    </div>
  </div>
</div>
</header>


  <div hidden="hidden" data-view-component="true" class="js-stale-session-flash stale-session-flash flash flash-wa

    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-
    <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1-
</svg>
    <span class="js-stale-session-flash-signed-in" hidden>You signed in with another tab or window. <a class="Link
    <span class="js-stale-session-flash-signed-out" hidden>You signed out in another tab or window. <a class="Link
    <span class="js-stale-session-flash-switched" hidden>You switched accounts on another tab or window. <a class=

    <button id="icon-button-087053e0-6284-44c3-8352-1e9dc37f0f06" aria-labelledby="tooltip-fe52d1c5-37ea-40c0-bb13-8b2
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
</svg>
</button><tool-tip id="tooltip-fe52d1c5-37ea-40c0-bb13-8b246e1a0e36" for="icon-button-087053e0-6284-44c3-8352-1e9dc37f

</div>
  </div>

  <div id="start-of-content" class="show-on-focus"></div>


  <div id="js-flash-container" class="flash-container" data-turbo-replace>


  <template class="js-flash-template">

<div class="flash flash-full {{ className }}">
  <div >
    <button autofocus class="flash-close js-flash-close" type="button" aria-label="Dismiss this message">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
</svg>
    </button>
    <div aria-atomic="true" role="alert" class="js-flash-alert">

      <div>{{ message }}</div>

    </div>
  </div>
</div>
  </template>
</div>
```

```
<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  data-project-hovercards-enabled
>
  <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
    <main id="js-repo-pjax-container" >

<div id="repository-container-header" class="tmp-pt-3 hide-full-screen" style="background-color: var(--page-header-

  <div class="d-flex flex-nowrap flex-justify-end tmp-mb-3 tmp-px-3 tmp-px-lg-5" style="gap: 1rem;">

    <div class="flex-auto min-width-0 width-fit">

<div class=" d-flex flex-wrap flex-items-center wb-break-word f3 text-normal">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
  <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>

  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="organization" data-hovercard-url="/orgs/open5gs/hovercard" o
      open5gs
</a>    </span>
    <span class="mx-1 flex-self-stretch color-fg-muted"></span>
    <strong itemprop="name" class="mr-2 flex-self-stretch">
      <a data-pjax="#repo-content-pjax-container" data-turbo-frame="repo-content-turbo-frame" href="/open5gs/open5gs">
</strong>

    <span></span><span class="Label Label--secondary v-align-middle mr-1">Public</span>
</div>

</div>

<div id="repository-details-container" class="flex-shrink-0" data-turbo-replace style="max-width: 70%;">
  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" style="padding: 2px 0;">

    <li>
      <include-fragment src="/open5gs/open5gs/sponsor_button" data-nonce="v2:148453fa-cd11-ff0d-7bbe-c213c5f6347c"

<div data-show-on-forbidden-error hidden>
  <div class="Box">
<div class="blankslate-container">
  <div data-view-component="true" class="blankslate blankslate-spacious color-bg-default rounded-2">

    <h3 data-view-component="true" class="blankslate-heading">      Uh oh!
</h3>
    <p data-view-component="true" class="blankslate-description">      <p class="color-fg-muted my-2 mb-2 ws-norma
</p>

</div> </div>
</div> </div>
```

```
</include-fragment>
    </li>

    <li>
        <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" id="repository-details-watch-button" data-h
        <path d="M8 16a2 2 0 0 0 1.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.138 0-.252.113-.235.25A2 2 0 0 0 8 16ZM3 5a
    </svg>Notifications
</a>    <tool-tip id="tooltip-b3db0ae7-bf94-41a6-8034-87562349ae31" for="repository-details-watch-button" popover="mar

    </li>

    <li>
        <a icon="repo-forked" id="fork-button" href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydr
        <path d="M5 5.372v.878c0 .414.336.75.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1 1 1.5 0v.878a2.25 2.25 0 0
    </svg>Fork
        <span id="repo-network-counter" data-pjax-replace="true" data-turbo-replace="true" title="1,031" data-view-component=
    </a>
    </li>

    <li>
        <div data-view-component="true" class="BtnGroup d-flex">
            <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydro-click="{&quot;event_type&quot;:&quot;
            <path d="M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.216.612a.75.75 0 0 1 .416 1.279l-3.046 2.97.719 4.192a.751.751
    </svg><span data-view-component="true" class="d-inline">
        Star
    </span>    <span id="repo-stars-counter-star" aria-label="2560 users starred this repository" data-singular-suff
    </a></div>
    </li>

</ul>

    </div>
</div>

    <div id="responsive-meta-container" data-turbo-replace>

        <nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-component="true" class="js-repo-r

        <ul data-view-component="true" class="UnderlineNav-body list-style-none">
            <li data-view-component="true" class="d-inline-flex">
                <a id="code-tab" href="/open5gs/open5gs" data-tab-item="i0code-tab" data-selected-links="repo_source repo_downloads
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
    </svg>
                <span data-content="Code">Code</span>
                <span id="code-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
                <a id="issues-tab" href="/open5gs/open5gs/issues" data-tab-item="i1issues-tab" data-selected-links="repo_issues repo
                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5
    </svg>
                <span data-content="Issues">Issues</span>
                <span id="issues-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="246" data-view-component=

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
```



```
<a id="pull-requests-tab" href="/open5gs/open5gs/pulls" data-tab-item="i2pull-requests-tab" data-selected-links="repo_pull_requests" data-view-component="true" class="d-inline-flex">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
    <path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-1.175a2.25 2.25 0 0 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Z" data-view-component="true">
  </svg>
  <span data-content="Pull requests">Pull requests</span>
  <span id="pull-requests-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="100" data-view-component="true">100</span>
</a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="discussions-tab" href="/open5gs/open5gs/discussions" data-tab-item="i3discussions-tab" data-selected-links="repo_discussions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.677 10.25Z" data-view-component="true">
    </svg>
    <span data-content="Discussions">Discussions</span>
    <span id="discussions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true">Not available</span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="actions-tab" href="/open5gs/open5gs/actions" data-tab-item="i4actions-tab" data-selected-links="repo_actions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559A1.75 1.75 0 0 1 10.25 10.25Z" data-view-component="true">
    </svg>
    <span data-content="Actions">Actions</span>
    <span id="actions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true">Not available</span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="projects-tab" href="/open5gs/open5gs/projects" data-tab-item="i5projects-tab" data-selected-links="repo_projects" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-view-component="true">
    </svg>
    <span data-content="Projects">Projects</span>
    <span id="projects-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true">Not available</span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="wiki-tab" href="/open5gs/open5gs/wiki" data-tab-item="i6wiki-tab" data-selected-links="repo_wiki /open5gs/open5gs/wiki" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75v12.5Z" data-view-component="true">
    </svg>
    <span data-content="Wiki">Wiki</span>
    <span id="wiki-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true">Not available</span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="security-and-quality-tab" href="/open5gs/open5gs/security" data-tab-item="i7security-and-quality-tab" data-selected-links="repo_security_and_quality" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M7.467.133a1.748 1.748 0 0 1 1.066 0l5.25 1.68A1.75 1.75 0 0 1 15 3.48V7c0 1.566-.32 3.182-1.303 4.682-.966 1.5-2.467 2.5-4.0 3.0Z" data-view-component="true">
    </svg>
    <span data-content="Security and quality">Security and quality</span>
    <span id="security-and-quality-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="0" hidden="" data-view-component="true">0</span>
  </a></li>
```

```
</a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="insights-tab" href="/open5gs/open5gs/pulse" data-tab-item="i8insights-tab" data-selected-links="repo_graphs m
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-b
        <path d="M1.5 1.75V13.5h13.75a.75.75 0 0 1 0 1.5H.75a.75.75 0 0 1-.75-.75V1.75a.75.75 0 0 1 1.5 0Zm14.28 2.53-5.25
      </svg>
      <span data-content="Insights">Insights</span>
      <span id="insights-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co
    </a></li>
  </ul>
  <div style="visibility:hidden;" data-view-component="true" class="UnderlineNav-actions js-responsive-underlinenav-
    <focus-group direction="vertical" mnemonics retain>
      <button id="action-menu-d71ae2e8-c986-42fc-ab6c-610f6ccef56b-button" popovertarget="action-menu-d71ae2e8-c986-42fc-
        <path d="M8 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm1.5 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Zm13 0a1.5 1.5 0 1 0 0
      </svg>
    </button><tool-tip id="tooltip-2043852e-c913-4d75-af81-531a1ddd9bf3" for="action-menu-d71ae2e8-c986-42fc-ab6c-610f6cce
  <anchored-position data-target="action-menu.overlay" id="action-menu-d71ae2e8-c986-42fc-ab6c-610f6ccef56b-overlay" and
    <div data-view-component="true" class="Overlay Overlay--size-auto">
      <div data-view-component="true" class="Overlay-body Overlay-body--paddingNone">
        <action-list>
      <div data-view-component="true">
        <ul aria-labelledby="action-menu-d71ae2e8-c986-42fc-ab6c-610f6ccef56b-button" id="action-menu-d71ae2e8-c986-42fc-a
          <li hidden="hidden" data-menu-item="i0code-tab" data-targets="action-list.items" role="none" data-view-compone
        </ul>
        <a tabindex="-1" id="item-ffe47ee8-7fb1-45ea-8bd7-dc4ee1b68707" href="/open5gs/open5gs" role="menuitem" data-view-
          <span class="ActionListItem-visual ActionListItem-visual--leading">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
            <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
          </svg>
          </span>
          <span data-view-component="true" class="ActionListItem-label">
            Code
          </span>
        </a>
      </li>
      <li hidden="hidden" data-menu-item="i1issues-tab" data-targets="action-list.items" role="none" data-view-compo
      <a tabindex="-1" id="item-f3a595fc-f6f5-46f5-862a-b933cab00a76" href="/open5gs/open5gs/issues" role="menuitem" dat
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
          <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 8 0Zm1.5 8a6.5
        </svg>
        </span>
        <span data-view-component="true" class="ActionListItem-label">
          Issues
        </span>
      </a>
    </li>
    <li hidden="hidden" data-menu-item="i2pull-requests-tab" data-targets="action-list.items" role="none" data-vie
    <a tabindex="-1" id="item-0f425b3a-6d5e-42a9-a71c-f0fd15cdf868" href="/open5gs/open5gs/pulls" role="menuitem" data
      <span class="ActionListItem-visual ActionListItem-visual--leading">
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
```

```
<path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-.177" data-bbox="115 32 1000 45"/>  
</svg>  
</span>  
  
<span data-view-component="true" class="ActionListItem-label">  
  Pull requests  
</span>  
</a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i3discussions-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-ff195af4-a54b-4c27-ada1-2860df80a234" href="/open5gs/open5gs/discussions" role="menuitem" data-bbox="115 208 1000 220">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 220 1000 232">  
        <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 2.574 10.25Z" data-bbox="115 232 1000 244"/>  
      </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Discussions  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i4actions-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-059d4f0b-2acf-4f64-b31e-ce342bcad386" href="/open5gs/open5gs/actions" role="menuitem" data-bbox="115 424 1000 436">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 436 1000 448">  
        <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a1.458 1.458 0 0 1 0 2.122l-4.264 2.559a1.458 1.458 0 0 1 0 2.122Z" data-bbox="115 448 1000 460"/>  
      </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Actions  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i5projects-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-8ad83308-d69e-4896-9540-8c347fea0b54" href="/open5gs/open5gs/projects" role="menuitem" data-bbox="115 640 1000 652">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 652 1000 664">  
        <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="115 664 1000 676"/>  
      </svg>  
    </span>  
  
    <span data-view-component="true" class="ActionListItem-label">  
      Projects  
    </span>  
  </a>  
  
</li>  
  
<li hidden="hidden" data-menu-item="i6wiki-tab" data-targets="action-list.items" role="none" data-view-component="true">  
  
  <a tabindex="-1" id="item-7e9767bd-60a1-4598-9eda-78f9d75ced03" href="/open5gs/open5gs/wiki" role="menuitem" data-bbox="115 856 1000 868">  
    <span class="ActionListItem-visual ActionListItem-visual--leading">  
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 868 1000 880">  
        <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="115 880 1000 892"/>  
      </svg>  
    </span>
```



```

<react-app
  app-name="code-view"
  initial-path="/open5gs/open5gs/blob/main/configs/examples/5gc-sepp2-001-01.yaml.in"
  style="display: block; min-height: calc(100vh - 64px);"
  data-attempted-ssr="true"
  data-ssr="true"
  data-lazy="false"
  data-alternate="false"
  data-data-router-enabled="true"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-app.embeddedData">{"payload":{"codeViewBlobRoute":{"csv":null,"cs
  <div data-target="react-app.reactRoot"><meta name="github-code-view-meta-stats" id="github-code-view-meta-stats" dat
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC3" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC5" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC25" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC44" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC79" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC90" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC144" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC197" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC205" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC224" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC261" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC272" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC281" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC315" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC325" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC342" c
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC455" c
</react-app>

</div>

</turbo-frame>

  </main>
</div>

</div>

  <footer class="footer tmp-pt-7 tmp-pb-6 f6 color-fg-muted color-border-subtle p-responsive" role="contentinfo">
<h2 class='sr-only'>Footer</h2>

  <div class="d-flex flex-justify-center flex-items-center flex-column-reverse flex-lg-row flex-wrap flex-lg-nowrap">
    <div class="d-flex flex-items-center flex-shrink-0 mx-2">
      <a aria-label="GitHub Homepage" class="footer-octicon mr-2" href="https://github.com">
        <svg aria-hidden="true" data-component="Octicon" height="24" viewBox="0 0 24 24" version="1.1" width="24" data-
        <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
      </a>
      <span>
        &copy; 2026 GitHub,&nbsp;Inc.
      </span>
    </div>

    <nav aria-label="Footer">
      <h3 class="sr-only" id="sr-footer-heading">Footer navigation</h3>

```

```
<ul class="list-style-none d-flex flex-justify-center flex-wrap mb-2 mb-lg-0" aria-labelledby="sr-footer-heading">

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to Terms&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to privacy&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to security&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to status&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to community&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to docs&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to contact&quot;}">
  </li>

  <li class="mx-2" >
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;cookies&quot;,&quot;content&quot;:&quot;Manage cookies&quot;}">
        Manage cookies
      </button>
    </cookie-consent-link>
  </li>

  <li class="mx-2">
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent text-left"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;dont_share_info&quot;,&quot;content&quot;:&quot;Do not share my personal information&quot;}">
        Do not share my personal information
      </button>
    </cookie-consent-link>
  </li>

</ul>
</nav>
</div>
</footer>
```

```
<ghcc-consent id="ghcc" class="position-fixed bottom-0 left-0" style="z-index: 999999"
  data-locale="en"
  data-initial-cookie-consent-allowed=""
  data-cookie-consent-required="true"
```

```
></ghcc-consent>

<div id="ajax-error-message" class="ajax-error-message flash flash-error" hidden>
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-vie
  <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
  </button>
  You can?t perform that action at this time.
</div>

  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-default color-fg-default hx_rsm" open>
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in fast hx_rsm-dialog hx_rsm-modal">
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right-0 top-0" type="button" aria-label="Close
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
    </button>
    <div class="octocat-spinner tmp-my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;">
  <div class="Popover-message Popover-message--bottom-left Popover-message--large Box color-shadow-large" style="width:
  </div>
</div>

  <template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">
  <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn js-clipboard-copy m-2 p-0" data-cop
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>
<template id="snippet-clipboard-copy-button-unpositioned">
  <div class="zeroclipboard-container">
    <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn btn-invisible js-clipboard-copy m-2
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>

  </div>
  <div id="js-global-screen-reader-notice" class="sr-only mt-n1" aria-live="polite" aria-atomic="true" ></div>
  <div id="js-global-screen-reader-notice-assertive" class="sr-only mt-n1" aria-live="assertive" aria-atomic="true">
</body>
```


Ejemplo de configuración real: 5gc-sepp3-315-010.yaml.in

```
<!DOCTYPE html>
<html
  lang="en"

  data-color-mode="auto" data-light-theme="light" data-dark-theme="dark"
  data-a11y-animated-images="system" data-a11y-link-underlines="true"

>

<head>
  <meta charset="utf-8">
  <link rel="dns-prefetch" href="https://github.githubassets.com">
  <link rel="dns-prefetch" href="https://avatars.githubusercontent.com">
  <link rel="dns-prefetch" href="https://github-cloud.s3.amazonaws.com">
  <link rel="dns-prefetch" href="https://user-images.githubusercontent.com/">
  <link rel="preconnect" href="https://github.githubassets.com" crossorigin>
  <link rel="preconnect" href="https://avatars.githubusercontent.com">

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/light-2ff56e...>

  <style type="text/css">
    :root {
      --tab-size-preference: 4;
    }

    pre, code {
      tab-size: var(--tab-size-preference);
    }
  </style>

  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-primitives-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-bootstrap-...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/global-105...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/github-f8...>
  <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/repository-...>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-c4c2752e...>

  <script type="application/json" id="client-env">{"locale":"en","featureFlags":["actions_custom_images_storage_billing...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/high-contrast-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/wp-runtime-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/fetch-utility-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/28839-28bb58...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/85924-1f0f5f...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/34646-3b3c3c...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/environment-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/runtime-help-...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2966-db5d6e...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/96232-2f91b5...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/41013-ce9f0d...>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/51210-07f011...>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81058-4b90d5-4b90d5.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/81683-6e7915-6e7915.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46740-4421ca-4421ca.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26859-860fab-860fab.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/67466-c0fee2-c0fee2.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/github-element-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/element-reg-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-core-1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/react-lib-4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79039-f2b817-f2b817.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/61110-f40600-f40600.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/2887-d67f71-d67f71.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/26533-318ac4-318ac4.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/86483-00384c-00384c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49521-900eb9-900eb9.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/60481-2e0076-2e0076.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46287-1fd98f-1fd98f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/33805-370111-370111.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/89627-12a64f-12a64f.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/79087-909cf1-909cf1.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/49029-3a132c-3a132c.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/99328-82a965-82a965.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/behaviors-56.js"></script>
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/react-core-ca.js">
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/4244-23afe6-23afe6.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/39373-492474-492474.js"></script>
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-menu-e8.js"></script>
```

```
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/64443-bc8da
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/code-view-0
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/code-view.753b

    <script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/84534-73dc
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/88041-185496
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/notification
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-react-c
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/notifications-

<title>open5gs/configs/examples/5gc-sepp3-315-010.yaml.in at main · open5gs/open5gs · GitHub</title>

<meta name="route-pattern" content="/:user_id/:repository/blob/*name(*path)" data-turbo-transient>
<meta name="route-controller" content="blob" data-turbo-transient>
<meta name="route-action" content="show" data-turbo-transient>
<meta name="fetch-nonce" content="v2:fc39e96d-0d4b-d492-8235-35007f7867d5">

<meta name="current-catalog-service-hash" content="f3abb0cc802f3d7b95fc8762b94bdc13bf39634c40c357301c4aa1d67a256fb1

<meta name="request-id" content="8642:9CD9C:7E5C64:5C8390:6A04B92F" data-pjax-transient="true"/><meta name="html-saf

    <meta name="hovercard-subject-tag" content="repository:80611216" data-turbo-transient>

<meta name="github-keyboard-shortcuts" content="repository,source-code,file-tree,copilot" data-turbo-transient="true

<meta name="selected-link" value="repo_source" data-turbo-transient>
<link rel="assets" href="https://github.githubassets.com/">

    <meta name="google-site-verification" content="Apib7-x98H0j5cPqHwwSMm6dNU4GmODRoqxLiDzdx9I">

<meta name="octolytics-url" content="https://collector.github.com/github/collect" />

<meta name="analytics-location" content="/&lt;user-name&gt;/&lt;repo-name&gt;/blob/show" data-turbo-transient="true"

<meta name="user-login" content="">

<meta name="viewport" content="width=device-width">

<meta name="description" content="Open5GS is a C-language Open Source implementation for 5G Core and EPC, i.e. t

<link rel="search" type="application/opensearchdescription+xml" href="/opensearch.xml" title="GitHub">

<link rel="fluid-icon" href="https://github.com/fluidicon.png" title="GitHub">
<meta property="fb:app_id" content="1401488693436528">
<meta name="apple-itunes-app" content="app-id=1477376905, app-argument=https://github.com/open5gs/open5gs/blob/main
```

[illegible]

```
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer-r
<link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/keyboard-short

<react-partial
  partial-name="keyboard-shortcuts-dialog"
  data-ssr="false"
  data-attempted-ssr="false"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-partial.embeddedData">{"props":{"docsUrl":"https://docs.github.co
  <div data-target="react-partial.reactRoot"></div>
</react-partial>

<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/46752-54fb31
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/90350-46ab3e
<script crossorigin="anonymous" type="application/javascript" src="https://github.githubassets.com/assets/sessions-427

<style>
  /* Override primer focus outline color for marketing header dropdown links for better contrast */
  [data-color-mode="light"] .HeaderMenu-dropdown-link:focus-visible,
  [data-color-mode="light"] .HeaderMenu-trailing-link a:focus-visible {
    outline-color: var(--color-accent-fg);
  }
</style>

<header class="HeaderMktg header-logged-out js-details-container js-header Details f4 tmp-py-3" role="banner" data-is-
  <h2 class="sr-only">Navigation Menu</h2>

  <button type="button" class="HeaderMktg-backdrop d-lg-none border-0 position-fixed top-0 left-0 width-full height-fu
    <span class="d-none">Toggle navigation</span>
  </button>

  <div class="d-flex flex-column flex-lg-row flex-items-center tmp-px-3 tmp-px-md-4 tmp-px-lg-5 height-full position-r
    <div class="d-flex flex-justify-between flex-items-center width-full width-lg-auto">
      <div class="flex-1">
        <button aria-label="Toggle navigation" aria-expanded="false" type="button" data-view-component="true" class="j
      <span class="Button-label"><div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div>
        <div class="HeaderMenu-toggle-bar rounded my-1"></div></span>
      </span>
    </button>
  </div>

  <a class="tmp-mr-lg-3 color-fg-inherit flex-order-2 js-prevent-focus-on-mobile-nav"
    href="/"
    aria-label="Homepage"
    data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click to go to
    <svg height="32" aria-hidden="true" data-component="Octicon" viewBox="0 0 24 24" version="1.1" width="32" data
  <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
</a>

  <div class="d-flex flex-1 flex-order-2 text-right d-lg-none gap-2 flex-justify-end">
    <a
      href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples%2F5
      class="HeaderMenu-link HeaderMenu-button d-inline-flex f5 no-underline border color-border-default rounded
      data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;loca
```

[illegible]

```

placeholder="Search or jump to..."
data-hotkey=s,/
autocapitalize="off"
data-analytics-event="{&quot;location&quot;:&quot;navbar&quot;;,&quot;action&quot;:&quot;searchbar&quot;;,&quot;
data-action="click:qbsearch-input#handleExpand"
>
<div class="mr-2 color-fg-muted">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
<path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
</svg>
</div>
<span class="flex-1" data-target="qbsearch-input.inputButtonText">Search or jump to...</span>
<div class="d-flex" data-target="qbsearch-input.hotkeyIndicator">
  <svg xmlns="http://www.w3.org/2000/svg" width="22" height="20" aria-hidden="true" class="mr-1"><path fill=
  </div>
</button>

<input type="hidden" name="type" class="js-site-search-type-field">

<div class="Overlay--hidden " data-modal-dialog-overlay>
  <modal-dialog data-action="close:qbsearch-input#handleClose cancel:qbsearch-input#handleClose" data-target="qbsearch
  <h1 id="search-suggestions-dialog-header" class="sr-only">Search code, repositories, users, issues, pull request
  <div class="Overlay-body Overlay-body--paddingNone">

    <div data-view-component="true">      <div class="search-suggestions position-fixed width-full color-shad
    style="border-radius: 12px;"
    data-target="qbsearch-input.queryBuilderContainer"
    hidden
  >
    <!-- `` --><!-- </textarea></xmp> --></option></form><form id="query-builder-test-form" action="" accept-ch
<query-builder data-target="qbsearch-input.queryBuilder" id="query-builder-query-builder-test" data-filter-key=":" c
  <div class="FormControl FormControl--fullWidth">
    <label id="query-builder-test-label" for="query-builder-test" class="FormControl-label sr-only">
      Search
    </label>
    <div
      class="QueryBuilder-StyledInput width-fit "
      data-target="query-builder.styledInput"
    >
      <span id="query-builder-test-leadingvisual-wrap" class="FormControl-input-leadingVisualWrap QueryBuilder-lea
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
        <path d="M10.68 11.74a6 6 0 0 1-7.922-8.982 6 6 0 0 1 8.982 7.922l3.04 3.04a.749.749 0 0 1-.326 1.275.749.749 0 0
        </svg>
      </span>
    <div data-target="query-builder.styledInputContainer" class="QueryBuilder-StyledInputContainer">
      <div
        aria-hidden="true"
        class="QueryBuilder-StyledInputContent"
        data-target="query-builder.styledInputContent"
      ></div>
      <div class="QueryBuilder-InputWrapper">
        <div aria-hidden="true" class="QueryBuilder-Sizer" data-target="query-builder.sizer"></div>
        <input id="query-builder-test" name="query-builder-test" value="" autocomplete="off" type="text" role="com
        input:query-builder#inputChange
        blur:query-builder#inputBlur
        keydown:query-builder#inputKeydown
        focus:query-builder#inputFocus
      " data-view-component="true" class="FormControl-input QueryBuilder-Input FormControl-medium" />
      </div>
    </div>
    <span data-target="query-builder.clearButton" hidden>
      <span class="sr-only" id="query-builder-test-clear">Clear</span>
      <button role="button" id="query-builder-test-clear-button" aria-labelledby="query-builder-test-clear query
        click:query-builder#clear
        focus:query-builder#clearButtonFocus
        blur:query-builder#clearButtonBlur
        " variant="small" type="button" data-view-component="true" class="Button Button--iconOnly Button--inv

```

[illegible]


```
<path d="M1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25V1.75C0 .784 0 0 1 1.75 0" data-bbox="100 32 300 60" />
</svg>
</template>

<template id="pencil-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 90 300 120">
    <path d="M11.013 1.427a1.75 1.75 0 0 1 2.474 0l1.086 1.086a1.75 1.75 0 0 1 0 2.474l-8.61 8.61c-.21.21-.47.364-.75.427" data-bbox="100 120 300 150" />
  </svg>
</template>

<template id="copilot-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 180 300 210">
    <path d="M7.998 15.035c-4.562 0-7.873-2.914-7.998-3.749V9.338c.085-.628.677-1.686 1.588-2.065.013-.07.024-.143.035-.216" data-bbox="100 210 300 240" />
  </svg>
</template>

<template id="copilot-error-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 270 300 300">
    <path d="M16 11.24c0 .112-.072.274-.21.467L13 9.688V7.862l-.023-.116c-.49.21-1.075.291-1.727.291-.198 0-.388-.009-.578-.035" data-bbox="100 300 300 330" />
  </svg>
</template>

<template id="workflow-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 360 300 390">
    <path d="M0 1.75C0 .784.784 0 1.75 0h3.5C6.216 0 7 .784 7 1.75v3.5A1.75 1.75 0 0 1 5.25 7h4v4a1 1 0 0 0 1 1h4v-1.25" data-bbox="100 390 300 420" />
  </svg>
</template>

<template id="book-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 450 300 480">
    <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.25c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75" data-bbox="100 480 300 510" />
  </svg>
</template>

<template id="code-review-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 540 300 570">
    <path d="M1.75 1h12.5c.966 0 1.75.784 1.75 1.75v8.5A1.75 1.75 0 0 1 14.25 13H8.061l-2.574 2.573A1.458 1.458 0 0 1 6.5 13" data-bbox="100 570 300 600" />
  </svg>
</template>

<template id="codespaces-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 630 300 660">
    <path d="M0 11.25c0-.966.784-1.75 1.75-1.75h12.5c.966 0 1.75.784 1.75 1.75v3A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25" data-bbox="100 660 300 690" />
  </svg>
</template>

<template id="comment-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 720 300 750">
    <path d="M1 2.75C1 1.784 1.784 1 2.75 1h10.5c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 13.25 12H9.061l-2.573 2.573" data-bbox="100 750 300 780" />
  </svg>
</template>

<template id="comment-discussion-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 810 300 840">
    <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.5 10" data-bbox="100 840 300 870" />
  </svg>
</template>

<template id="organization-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 900 300 930">
    <path d="M1.75 16A1.75 1.75 0 0 1 0 14.25V1.75C0 .784.784 0 1.75 0h8.5C11.216 0 12 .784 12 1.75v12.5c0 .085-.006.169-.013.25" data-bbox="100 930 300 960" />
  </svg>
</template>

<template id="rocket-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view="0" data-bbox="100 990 300 1000">
    <path d="M14.064 0h.186C15.216 0 16 .784 16 1.75v.186a8.752 8.752 0 0 1-2.564 6.186l-.458.459c-.314.314-.641.616-.968.872" data-bbox="100 1000 300 1000" />
  </svg>
</template>
```



```
<template id="device-desktop-icon">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-
    <path d="M14.25 1c.966 0 1.75.784 1.75 1.75v7.5A1.75 1.75 0 0 1 14.25 12h-3.727c.099 1.041.52 1.872 1.292 2.757A.7
  </svg>
</template>

  <div class="position-relative">
    <ul
      role="listbox"
      class="ActionListWrap QueryBuilder-ListWrap"
      aria-label="Suggestions"
      data-action="
        combobox-commit:query-builder#comboboxCommit
        mousedown:query-builder#resultsMouseDown
      "
      data-target="query-builder.resultsList"
      data-persist-list=false
      id="query-builder-test-results"
      tabindex="-1"
    ></ul>

  </div>
  <div class="FormControl-inlineValidation" id="validation-77144d95-5563-43aa-888b-9e6b7b48e3b5" hidden="hidden">
    <span class="FormControl-inlineValidation--visual">
      <svg aria-hidden="true" data-component="Octicon" height="12" viewBox="0 0 12 12" version="1.1" width="12" da
      <path d="M4.855.708c.5-.896 1.79-.896 2.29 0l4.675 8.351a1.312 1.312 0 0 1-1.146 1.954H1.33A1.313 1.313 0 0 1 .183
    </svg>
  </span>
  <span></span>
</div> </div>
  <div data-target="query-builder.screenReaderFeedback" aria-live="polite" aria-atomic="true" class="sr-only"></div>
</query-builder></form>
  <div class="d-flex flex-row color-fg-muted tmp-px-3 text-small color-bg-default search-feedback-prompt">
    <a target="_blank" href="https://docs.github.com/search-github/github-code-search/understanding-github-co
  </div>
</div>

  </div>
</modal-dialog></div>
  </div>
  <div data-action="click:qbsearch-input#retract" class="dark-backdrop position-fixed" hidden data-target="qbsearch-in
  <div class="color-fg-default">

<dialog-helper>
  <dialog data-target="qbsearch-input.feedbackDialog" data-action="close:qbsearch-input#handleDialogClose cancel:qbsea
    <div data-view-component="true" class="Overlay-header">
  <div class="Overlay-headerContentWrap">
    <div class="Overlay-titleWrap">
      <h1 class="Overlay-title " id="feedback-dialog-title">
        Provide feedback
      </h1>
    </div>
    <div class="Overlay-actionWrap">
      <button data-close-dialog-id="feedback-dialog" aria-label="Close" aria-label="Close" type="button" data-view-com
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
    </svg></button>
  </div>
</div>

  <scrollable-region data-labelled-by="feedback-dialog-title">
    <div data-view-component="true" class="Overlay-body">
      <p>We read every piece of feedback, and take your input very seriously.</p>
      <textarea name="feedback" class="form-control width-full mb-2" style="height: 120px" id="feedback"></textarea>
      <input name="include_email" id="include_email" aria-label="Include my email address so I can be contacted" c
      <label for="include_email" style="font-weight: normal">Include my email address so I can be contacted</label>
```

```
</form></div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd">
    <button data-close-dialog="close:qbsearch-input#handleDialogClose" type="button">Close</button>
    <button form="code-search-feedback-form" data-action="click:qbsearch-input#submitFeedback" type="submit" data-view-component="true">Feedback</button>
  </div>
</dialog></dialog-helper>

  <custom-scopes data-target="qbsearch-input.customScopesManager">

<dialog-helper>
  <dialog data-target="custom-scopes.customScopesModalDialog" data-action="close:qbsearch-input#handleDialogClose" data-view-component="true">
    <div data-view-component="true" class="Overlay-header Overlay-header--divided">
      <div class="Overlay-headerContentWrap">
        <div class="Overlay-titleWrap">
          <h1 class="Overlay-title" id="custom-scopes-dialog-title">
            Saved searches
          </h1>
          <h2 id="custom-scopes-dialog-description" class="Overlay-description">Use saved searches to filter your results
        </div>
        <div class="Overlay-actionWrap">
          <button data-close-dialog-id="custom-scopes-dialog" aria-label="Close" type="button" data-view-component="true">Close</button>
          <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.72 3.72a.75.75 0 0 1-1.06 0L8 6.94l-3.22 3.22a.75.75 0 0 1-1.06 0Z" data-view-component="true">
        </div>
      </div>
    </div>
    <div data-view-component="true" class="Overlay-body">
      <div data-target="custom-scopes.createCustomScopeForm">
        <!-- ` ` --><!-- /textarea></xmp> --></option></form><form id="custom-scopes-dialog-form" data-turbo="false">
          <div data-target="custom-scopes.customScopesModalDialogFlash"></div>

          <input type="hidden" id="custom_scope_id" name="custom_scope_id" data-target="custom-scopes.customScopesIdField">

          <div class="form-group">
            <label for="custom_scope_name">Name</label>
            <auto-check src="/search/custom_scopes/check_name" required>
              <input
                type="text"
                name="custom_scope_name"
                id="custom_scope_name"
                data-target="custom-scopes.customScopesNameField"
                class="form-control"
                autocomplete="off"
                placeholder="github-ruby"
                required
                maxlength="50">
              <input type="hidden" data-csrf="true" value="ixTgY9TRNmN2Nk0UYcuaWgyuisQF1kAjGILMBFkj4CChHoal01uUZkWT/Ea" data-view-component="true">
            </auto-check>
          </div>

          <div class="form-group">
            <label for="custom_scope_query">Query</label>
            <input
              type="text"
              name="custom_scope_query"
              id="custom_scope_query"
              data-target="custom-scopes.customScopesQueryField"
              class="form-control"
              autocomplete="off"
              placeholder="(repo:mona/a OR repo:mona/b) AND lang:python"
              required
              maxlength="500">
            </div>
```

```

    <p class="text-small color-fg-muted">
      To see all available qualifiers, see our <a class="Link--inTextBlock" href="https://docs.github.com/search
    </p>
  </form>
    </div>

    <div data-target="custom-scopes.manageCustomScopesForm">
      <div data-target="custom-scopes.list"></div>
    </div>

  </div>
  </scrollable-region>
  <div data-view-component="true" class="Overlay-footer Overlay-footer--alignEnd Overlay-footer--divided">
</button>
    <button form="custom-scopes-dialog-form" data-action="click:custom-scopes#customScopesSubmit" data-target="c
</button>
  </div>
</dialog></dialog-helper>
  </custom-scopes>
</div>
</qbsearch-input>

    <div class="position-relative HeaderMenu-link-wrap d-lg-inline-block">
      <a
        href="/login?return_to=https%3A%2F%2Fgithub.com%2Fopen5gs%2Fopen5gs%2Fblob%2Fmain%2Fconfigs%2Fexamples
        class="HeaderMenu-link HeaderMenu-link--sign-in HeaderMenu-button flex-shrink-0 no-underline d-none d-
        style="margin-left: 12px;"
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
        data-analytics-event="{&quot;category&quot;:&quot;Marketing nav&quot;;&quot;action&quot;:&quot;click t
      >
        Sign in
      </a>
    </div>

    <a href="/signup?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2F%3Cuser-name%3E%2F%3Crepo
    class="HeaderMenu-link HeaderMenu-link--sign-up HeaderMenu-button flex-shrink-0 d-flex d-lg-inline-fle
    data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;;&quot;payload&quot;:{&quot;
    data-analytics-event="{&quot;category&quot;:&quot;Sign up&quot;;&quot;action&quot;:&quot;click to sign
  >
    Sign up
  </a>

    <div class="AppHeader-appearanceSettings">
  <react-partial-anchor>
    <button data-target="react-partial-anchor.anchor" id="icon-button-63a430bd-f363-46e2-99a0-b1fe67c4c366" aria-lab
    <path d="M15 2.75a.75.75 0 0 1-.75.75h-4a.75.75 0 0 1 0-1.5h4a.75.75 0 0 1 .75.75z" data-bbox="15 2.75 15.75 1.25a.75.75 0 0 0 1.5 0
  </svg>
</button><tool-tip id="tooltip-aee66161-7e2b-4ce4-af25-f3adc33b0795" for="icon-button-63a430bd-f363-46e2-99a0-b1fe67c4c366">
  </tool-tip>

    <template data-target="react-partial-anchor.template">
      <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/primer
    </link>
    <link crossorigin="anonymous" media="all" rel="stylesheet" href="https://github.githubassets.com/assets/appearance-set

  <react-partial
    partial-name="appearance-settings"
    data-ssr="false"
    data-attempted-ssr="false"
    data-react-profiling="false"
  >

    <script type="application/json" data-target="react-partial.embeddedData">{"props":{}}</script>
    <div data-target="react-partial.reactRoot"></div>
  </react-partial>

  </template>
</react-partial-anchor>

```

```

</div>

        <button type="button" class="sr-only js-header-menu-focus-trap d-block d-lg-none">Resetting focus</button>
    </div>
</div>
</div>
</div>
</header>


<div hidden="hidden" data-view-component="true" class="js-stale-session-flash stale-session-flash flash flash-wa

    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-
<path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
    <span class="js-stale-session-flash-signed-in" hidden>You signed in with another tab or window. <a class="Link
    <span class="js-stale-session-flash-signed-out" hidden>You signed out in another tab or window. <a class="Link
    <span class="js-stale-session-flash-switched" hidden>You switched accounts on another tab or window. <a class=

    <button id="icon-button-1413f775-e7e3-47c7-9a80-adade7b75872" aria-labelledby="tooltip-3c5062f4-f157-4ee8-953f-65d46df05777"
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
</svg>
</button><tool-tip id="tooltip-3c5062f4-f157-4ee8-953f-65d46df05777" for="icon-button-1413f775-e7e3-47c7-9a80-adade7b7

</div>
    </div>

<div id="start-of-content" class="show-on-focus"></div>


<div id="js-flash-container" class="flash-container" data-turbo-replace>


<template class="js-flash-template">

<div class="flash flash-full {{ className }}">
    <div >
        <button autofocus class="flash-close js-flash-close" type="button" aria-label="Dismiss this message">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
            <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3.
</svg>
        </button>
        <div aria-atomic="true" role="alert" class="js-flash-alert">

            <div>{{ message }}</div>

        </div>
    </div>
</div>
</div>
</div>
</div>

```

```
<div
  class="application-main "
  data-commit-hovercards-enabled
  data-discussion-hovercards-enabled
  data-issue-and-pr-hovercards-enabled
  data-project-hovercards-enabled
>
  <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
    <main id="js-repo-pjax-container" >

<div id="repository-container-header" class="tmp-pt-3 hide-full-screen" style="background-color: var(--page-header-

  <div class="d-flex flex-nowrap flex-justify-end tmp-mb-3 tmp-px-3 tmp-px-lg-5" style="gap: 1rem;">

    <div class="flex-auto min-width-0 width-fit">

<div class=" d-flex flex-wrap flex-items-center wb-break-word f3 text-normal">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
  <path d="M2 2.5A2.5 2.5 0 0 1 4.5 0h8.75a.75.75 0 0 1 .75.75v12.5a.75.75 0 0 1-.75.75h-2.5a.75.75 0 0 1 0-1.5h1.75
</svg>

  <span class="author flex-self-stretch" itemprop="author">
    <a class="url fn" rel="author" data-hovercard-type="organization" data-hovercard-url="/orgs/open5gs/hovercard" o
      open5gs
</a>    </span>
    <span class="mx-1 flex-self-stretch color-fg-muted"></span>
    <strong itemprop="name" class="mr-2 flex-self-stretch">
      <a data-pjax="#repo-content-pjax-container" data-turbo-frame="repo-content-turbo-frame" href="/open5gs/open5gs">
</strong>

    <span></span><span class="Label Label--secondary v-align-middle mr-1">Public</span>
</div>

</div>

<div id="repository-details-container" class="flex-shrink-0" data-turbo-replace style="max-width: 70%;">
  <ul class="pagehead-actions flex-shrink-0 d-none d-md-inline" style="padding: 2px 0;">

    <li>
      <include-fragment src="/open5gs/open5gs/sponsor_button" data-nonce="v2:fc39e96d-0d4b-d492-8235-35007f7867d5"

<div data-show-on-forbidden-error hidden>
  <div class="Box">
<div class="blankslate-container">
  <div data-view-component="true" class="blankslate blankslate-spacious color-bg-default rounded-2">

    <h3 data-view-component="true" class="blankslate-heading">      Uh oh!
</h3>
    <p data-view-component="true" class="blankslate-description">      <p class="color-fg-muted my-2 mb-2 ws-norma
</p>

</div> </div>
</div> </div>
```

```
</include-fragment>
    </li>

    <li>
        <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" id="repository-details-watch-button" data-h
        <path d="M8 16a2 2 0 0 0 1.985-1.75c.017-.137-.097-.25-.235-.25h-3.5c-.138 0-.252.113-.235.25A2 2 0 0 0 8 16ZM3 5a
    </svg>Notifications
</a>    <tool-tip id="tooltip-2412a3da-ed40-4364-b856-f16acb6a4b62" for="repository-details-watch-button" popover="mar

    </li>

    <li>
        <a icon="repo-forked" id="fork-button" href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydr
        <path d="M5 5.372v.878c0 .414.336.75.75.75h4.5a.75.75 0 0 0 .75-.75v-.878a2.25 2.25 0 1 1 1.5 0v.878a2.25 2.25 0 0
    </svg>Fork
        <span id="repo-network-counter" data-pjax-replace="true" data-turbo-replace="true" title="1,031" data-view-compone
    </a>
    </li>

    <li>
        <div data-view-component="true" class="BtnGroup d-flex">
            <a href="/login?return_to=%2Fopen5gs%2Fopen5gs" rel="nofollow" data-hydro-click="{&quot;event_type&quot;:&quot;
            <path d="M8 .25a.75.75 0 0 1 .673.418l1.882 3.815 4.216.612a.75.75 0 0 1 .416 1.279l-3.046 2.97.719 4.192a.751.751
    </svg><span data-view-component="true" class="d-inline">
        Star
    </span>    <span id="repo-stars-counter-star" aria-label="2560 users starred this repository" data-singular-suff
    </a></div>
    </li>

</ul>

    </div>
</div>

    <div id="responsive-meta-container" data-turbo-replace>

        <nav data-pjax="#js-repo-pjax-container" aria-label="Repository" data-view-component="true" class="js-repo-r

        <ul data-view-component="true" class="UnderlineNav-body list-style-none">
            <li data-view-component="true" class="d-inline-flex">
                <a id="code-tab" href="/open5gs/open5gs" data-tab-item="i0code-tab" data-selected-links="repo_source repo_downloads

                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
    </svg>
                <span data-content="Code">Code</span>
                <span id="code-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
                <a id="issues-tab" href="/open5gs/open5gs/issues" data-tab-item="i1issues-tab" data-selected-links="repo_issues repo

                    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16"
                    <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5
    </svg>
                <span data-content="Issues">Issues</span>
                <span id="issues-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="246" data-view-component=

            </a></li>
            <li data-view-component="true" class="d-inline-flex">
```



```
<a id="pull-requests-tab" href="/open5gs/open5gs/pulls" data-tab-item="i2pull-requests-tab" data-selected-links="repo_pull_requests" data-view-component="true" class="d-inline-flex">
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
    <path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-1.175a2.25 2.25 0 0 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Z" data-bbox="16 16 32 32"/>
  </svg>
  <span data-content="Pull requests">Pull requests</span>
  <span id="pull-requests-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="100" data-view-component="true"></span>
</a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="discussions-tab" href="/open5gs/open5gs/discussions" data-tab-item="i3discussions-tab" data-selected-links="repo_discussions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 5.677 10.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Discussions">Discussions</span>
    <span id="discussions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="actions-tab" href="/open5gs/open5gs/actions" data-tab-item="i4actions-tab" data-selected-links="repo_actions" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559A1.75 1.75 0 0 1 8 10.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Actions">Actions</span>
    <span id="actions-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="projects-tab" href="/open5gs/open5gs/projects" data-tab-item="i5projects-tab" data-selected-links="repo_projects" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Projects">Projects</span>
    <span id="projects-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="wiki-tab" href="/open5gs/open5gs/wiki" data-tab-item="i6wiki-tab" data-selected-links="repo_wiki /open5gs/open5gs/wiki" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M0 1.75A1.75 1.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a1.75 1.75 0 0 1 1.75 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Wiki">Wiki</span>
    <span id="wiki-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-component="true"></span>
  </a></li>

<li data-view-component="true" class="d-inline-flex">
  <a id="security-and-quality-tab" href="/open5gs/open5gs/security" data-tab-item="i7security-and-quality-tab" data-selected-links="repo_security_and_quality" data-view-component="true" class="d-inline-flex">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-view-component="true">
      <path d="M7.467 1.33a1.748 1.748 0 0 1 1.066 0l5.25 1.68A1.75 1.75 0 0 1 15 3.48V7c0 1.566-.32 3.182-1.303 4.682-.966 1.5-2.467 2.5-4.0 3.0Z" data-bbox="16 16 32 32"/>
    </svg>
    <span data-content="Security and quality">Security and quality</span>
    <span id="security-and-quality-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="0" hidden="" data-view-component="true"></span>
  </a></li>
```

```
</a></li>
  <li data-view-component="true" class="d-inline-flex">
    <a id="insights-tab" href="/open5gs/open5gs/pulse" data-tab-item="i8insights-tab" data-selected-links="repo_graphs m
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-b
        <path d="M1.5 1.75V13.5h13.75a.75.75 0 0 1 0 1.5H.75a.75.75 0 0 1-.75-.75V1.75a.75.75 0 0 1 1.5 0Zm14.28 2.53-5.25
      </svg>
      <span data-content="Insights">Insights</span>
      <span id="insights-repo-tab-count" data-pjax-replace="" data-turbo-replace="" title="Not available" data-view-co
    </a></li>
  </ul>
  <div style="visibility:hidden;" data-view-component="true" class="UnderlineNav-actions js-responsive-underlinenav-
    <focus-group direction="vertical" mnemonics retain>
      <button id="action-menu-cb0209fb-8865-4505-8ed0-dfb1d4b05e9c-button" popovertarget="action-menu-cb0209fb-8865-4505-8
        <path d="M8 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 3Zm1.5 9a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 3Zm13 0a1.5 1.5 0 1 0 0-3
      </svg>
    </button><tool-tip id="tooltip-6c27bc8d-c993-4b74-9776-019a71c94b19" for="action-menu-cb0209fb-8865-4505-8ed0-dfb1d4b0
  <anchored-position data-target="action-menu.overlay" id="action-menu-cb0209fb-8865-4505-8ed0-dfb1d4b05e9c-overlay" and
    <div data-view-component="true" class="Overlay Overlay--size-auto">
      <div data-view-component="true" class="Overlay-body Overlay-body--paddingNone">
        <action-list>
        <div data-view-component="true">
          <ul aria-labelledby="action-menu-cb0209fb-8865-4505-8ed0-dfb1d4b05e9c-button" id="action-menu-cb0209fb-8865-4505-8
            <li hidden="hidden" data-menu-item="i0code-tab" data-targets="action-list.items" role="none" data-view-compone
          <a tabindex="-1" id="item-461957e9-6cda-4f7b-aeaf-48e0e50514a0" href="/open5gs/open5gs" role="menuitem" data-view-
            <span class="ActionListItem-visual ActionListItem-visual--leading">
              <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
              <path d="m11.28 3.22 4.25 4.25a.75.75 0 0 1 0 1.06l-4.25 4.25a.749.749 0 0 1-1.275-.326.749.749 0 0 1 .215-.734L13
            </svg>
            </span>
            <span data-view-component="true" class="ActionListItem-label">
              Code
            </span>
          </a>
        </li>
        <li hidden="hidden" data-menu-item="i1issues-tab" data-targets="action-list.items" role="none" data-view-compo
        <a tabindex="-1" id="item-c8f9f44f-11a1-40b3-b45d-1af777d14249" href="/open5gs/open5gs/issues" role="menuitem" data
          <span class="ActionListItem-visual ActionListItem-visual--leading">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
            <path d="M8 9.5a1.5 1.5 0 1 0 0-3 1.5 1.5 0 0 0 3Z"></path><path d="M8 0a8 8 0 1 1 8 0Zm1.5 8a6.5
          </svg>
          </span>
          <span data-view-component="true" class="ActionListItem-label">
            Issues
          </span>
        </a>
      </li>
      <li hidden="hidden" data-menu-item="i2pull-requests-tab" data-targets="action-list.items" role="none" data-view-co
      <a tabindex="-1" id="item-4be813cf-088e-4814-86b1-80211bcb5e28" href="/open5gs/open5gs/pulls" role="menuitem" data
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" da
```

```
<path d="M1.5 3.25a2.25 2.25 0 1 1 3 2.122v5.256a2.251 2.251 0 1 1-1.5 0V5.372A2.25 2.25 0 0 1 1.5 3.25Zm5.677-.177" data-bbox="115 32 1000 58" />
</svg>
</span>

<span data-view-component="true" class="ActionListItem-label">
  Pull requests
</span>
</a>

</li>
<li hidden="hidden" data-menu-item="i3discussions-tab" data-targets="action-list.items" role="none" data-view-component="true">

  <a tabindex="-1" id="item-14993974-bdcd-4f70-82b6-429a157b166c" href="/open5gs/open5gs/discussions" role="menuitem" data-bbox="84 209 1000 222">
    <span class="ActionListItem-visual ActionListItem-visual--leading">
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 222 1000 235" />
      <path d="M1.75 1h8.5c.966 0 1.75.784 1.75 1.75v5.5A1.75 1.75 0 0 1 10.25 10H7.061l-2.574 2.573A1.458 1.458 0 0 1 2.574 10.25Z" data-bbox="84 235 1000 258" />
    </span>

    <span data-view-component="true" class="ActionListItem-label">
      Discussions
    </span>
  </a>

  </li>
  <li hidden="hidden" data-menu-item="i4actions-tab" data-targets="action-list.items" role="none" data-view-component="true">

    <a tabindex="-1" id="item-bcfe0f76-5995-4dcf-ae2b-e69dc48a2282" href="/open5gs/open5gs/actions" role="menuitem" data-bbox="84 425 1000 438">
      <span class="ActionListItem-visual ActionListItem-visual--leading">
        <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 438 1000 451" />
        <path d="M8 0a8 8 0 1 1 0 16A8 8 0 0 1 8 0ZM1.5 8a6.5 6.5 0 1 0 13 0 6.5 6.5 0 0 0-13 0Zm4.879-2.773 4.264 2.559a1.458 1.458 0 0 1 0 2.122" data-bbox="84 451 1000 474" />
      </span>

      <span data-view-component="true" class="ActionListItem-label">
        Actions
      </span>
    </a>

    </li>
    <li hidden="hidden" data-menu-item="i5projects-tab" data-targets="action-list.items" role="none" data-view-component="true">

      <a tabindex="-1" id="item-b117f65e-a79f-4ad4-abb2-381120d4ff4e" href="/open5gs/open5gs/projects" role="menuitem" data-bbox="84 641 1000 654">
        <span class="ActionListItem-visual ActionListItem-visual--leading">
          <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 654 1000 667" />
          <path d="M0 1.75C0 .784.784 0 1.75 0h12.5C15.216 0 16 .784 16 1.75v12.5A1.75 1.75 0 0 1 14.25 16H1.75A1.75 1.75 0 0 1 0 14.25Z" data-bbox="84 667 1000 690" />
        </span>

        <span data-view-component="true" class="ActionListItem-label">
          Projects
        </span>
      </a>

      </li>
      <li hidden="hidden" data-menu-item="i6wiki-tab" data-targets="action-list.items" role="none" data-view-component="true">

        <a tabindex="-1" id="item-65b136fb-3c4e-4323-8954-91dc54c47f20" href="/open5gs/open5gs/wiki" role="menuitem" data-bbox="84 857 1000 870">
          <span class="ActionListItem-visual ActionListItem-visual--leading">
            <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-bbox="115 870 1000 883" />
            <path d="M0 1.75A1.75.75 0 0 1 .75 1h4.253c1.227 0 2.317.59 3 1.501A3.743 3.743 0 0 1 11.006 1h4.245a.75.75 0 0 1 .75 0" data-bbox="84 883 1000 906" />
          </span>

          </a>

        </li>
```



```

<react-app
  app-name="code-view"
  initial-path="/open5gs/open5gs/blob/main/configs/examples/5gc-sepp3-315-010.yaml.in"
  style="display: block; min-height: calc(100vh - 64px);"
  data-attempted-ssr="true"
  data-ssr="true"
  data-lazy="false"
  data-alternate="false"
  data-data-router-enabled="true"
  data-react-profiling="false"
>

  <script type="application/json" data-target="react-app.embeddedData">{"payload":{"codeViewBlobRoute":{"csv":null,"cs
  <div data-target="react-app.reactRoot"><meta name="github-code-view-meta-stats" id="github-code-view-meta-stats" dat
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC3" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC5" cla
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC25" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC44" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC79" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC90" cl
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC144" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC197" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC205" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC224" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC261" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC272" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC281" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC315" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC325" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC342" d
</div></div></div><div class="react-code-text react-code-line-contents" style="min-height:auto"><div><div id="LC455" d
</react-app>

</div>

</turbo-frame>

  </main>
</div>

</div>

  <footer class="footer tmp-pt-7 tmp-pb-6 f6 color-fg-muted color-border-subtle p-responsive" role="contentinfo">
<h2 class='sr-only'>Footer</h2>

  <div class="d-flex flex-justify-center flex-items-center flex-column-reverse flex-lg-row flex-wrap flex-lg-nowrap">
    <div class="d-flex flex-items-center flex-shrink-0 mx-2">
      <a aria-label="GitHub Homepage" class="footer-octicon mr-2" href="https://github.com">
        <svg aria-hidden="true" data-component="Octicon" height="24" viewBox="0 0 24 24" version="1.1" width="24" data-
        <path d="M10.226 17.284c-2.965-.36-5.054-2.493-5.054-5.256 0-1.123.404-2.336 1.078-3.144-.292-.741-.247-2.314.09-2
</svg>
      </a>
      <span>
        &copy; 2026 GitHub,&nbsp;Inc.
      </span>
    </div>

    <nav aria-label="Footer">
      <h3 class="sr-only" id="sr-footer-heading">Footer navigation</h3>

```

```

<ul class="list-style-none d-flex flex-justify-center flex-wrap mb-2 mb-lg-0" aria-labelledby="sr-footer-heading">

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to Terms&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to privacy&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to security&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to status&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to community&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to docs&quot;}">
  </li>

  <li class="mx-2">
    <a data-analytics-event="{&quot;category&quot;:&quot;Footer&quot;,&quot;action&quot;:&quot;go to contact&quot;}">
  </li>

  <li class="mx-2" >
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;cookies&quot;,&quot;cont
      >
        Manage cookies
      </button>
    </cookie-consent-link>
  </li>

  <li class="mx-2">
    <cookie-consent-link>
      <button
        type="button"
        class="Link--secondary underline-on-hover border-0 p-0 color-bg-transparent text-left"
        data-action="click:cookie-consent-link#showConsentManagement"
        data-analytics-event="{&quot;location&quot;:&quot;footer&quot;,&quot;action&quot;:&quot;dont_share_info&quot;,&quot;
      >
        Do not share my personal information
      </button>
    </cookie-consent-link>
  </li>

</ul>
</nav>
</div>
</footer>

```

```

<ghcc-consent id="ghcc" class="position-fixed bottom-0 left-0" style="z-index: 999999"
  data-locale="en"
  data-initial-cookie-consent-allowed=""
  data-cookie-consent-required="true"

```

```
></ghcc-consent>

<div id="ajax-error-message" class="ajax-error-message flash flash-error" hidden>
  <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-vie
  <path d="M6.457 1.047c.659-1.234 2.427-1.234 3.086 0l6.082 11.378A1.75 1.75 0 0 1 14.082 15H1.918a1.75 1.75 0 0 1
</svg>
  <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error">
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
  </button>
  You can?t perform that action at this time.
</div>

  <template id="site-details-dialog">
<details class="details-reset details-overlay details-overlay-dark lh-default color-fg-default hx_rsm" open>
  <summary role="button" aria-label="Close dialog"></summary>
  <details-dialog class="Box Box--overlay d-flex flex-column anim-fade-in fast hx_rsm-dialog hx_rsm-modal">
    <button class="Box-btn-octicon m-0 btn-octicon position-absolute right-0 top-0" type="button" aria-label="Close
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data
      <path d="M3.72 3.72a.75.75 0 0 1 1.06 0L8 6.94l3.22-3.22a.749.749 0 0 1 1.275.326.749.749 0 0 1-.215.734L9.06 8l3
</svg>
    </button>
    <div class="octocat-spinner tmp-my-6 js-details-dialog-spinner"></div>
  </details-dialog>
</details>
</template>

  <div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;">
<div class="Popover-message Popover-message--bottom-left Popover-message--large Box color-shadow-large" style="width:
</div>
</div>

  <template id="snippet-clipboard-copy-button">
<div class="zeroclipboard-container position-absolute right-0 top-0">
  <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn js-clipboard-copy m-2 p-0" data-cop
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
  </clipboard-copy>
</div>
</template>
<template id="snippet-clipboard-copy-button-unpositioned">
  <div class="zeroclipboard-container">
    <clipboard-copy aria-label="Copy code to clipboard" class="ClipboardButton btn btn-invisible js-clipboard-copy m-2
      <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
      <path d="M0 6.75C0 5.784.784 5 1.75 5h1.5a.75.75 0 0 1 0 1.5h-1.5a.25.25 0 0 0-.25.25v7.5c0 .138.112.25.25h7.5a
</svg>
    <svg aria-hidden="true" data-component="Octicon" height="16" viewBox="0 0 16 16" version="1.1" width="16" data-v
    <path d="M13.78 4.22a.75.75 0 0 1 0 1.06l-7.25 7.25a.75.75 0 0 1-1.06 0L2.22 9.28a.751.751 0 0 1 .018-1.042.751.75
</svg>
    </clipboard-copy>
  </div>
</template>

  </div>
  <div id="js-global-screen-reader-notice" class="sr-only mt-n1" aria-live="polite" aria-atomic="true" ></div>
  <div id="js-global-screen-reader-notice-assertive" class="sr-only mt-n1" aria-live="assertive" aria-atomic="true">
</body>
```


Ejemplo de configuración real: 5gc-tls-sepp3-315-010.yaml.in

db_uri: mongodb://localhost/open5gs

logger:

global:

```
  parameter:
    # no_nrf: true
    # no_scp: true
    # no_sepp: true
    # no_amf: true
    # no_smf: true
    # no_upf: true
    # no_ausf: true
    # no_udm: true
    # no_pcf: true
    # no_nssf: true
    # no_bsf: true
    # no_uds: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true
    # use_mongodb_change_stream: true
```

mme:

```
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.3.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.3.8
```

slap:

```
  server:
    - address: 127.0.3.2
```

gtpc:

```
  server:
    - address: 127.0.3.2
  client:
    sgwc:
      - address: 127.0.3.3
    smf:
      - address: 127.0.3.4
```

metrics:

```
  server:
    - address: 127.0.3.2
      port: 9090
```

gummei:

```
  plmn_id:
    mcc: 315
    mnc: 010
  mme_gid: 2
```

```
mme_code: 1
tai:
  plmn_id:
    mcc: 315
    mnc: 010
  tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.3.3
  pfcp:
    server:
      - address: 127.0.3.3
    client:
      sgwu:
        - address: 127.0.3.6

smf:
  sbi:
    server:
      # - address: 127.0.3.4
      # port: 7777
      - address: smf.5gc.mnc010.mcc315.3gppnetwork.org
    client:
      scp:
        - uri: http://127.0.3.200:7777
  pfcp:
    server:
      - address: 127.0.3.4
    client:
      upf:
        - address: 127.0.3.7
  gtpc:
    server:
      - address: 127.0.3.4
  gtpu:
    server:
      - address: 127.0.3.4
metrics:
  server:
    - address: 127.0.3.4
    port: 9090
session:
  - subnet: 10.47.0.0/16
    gateway: 10.47.0.1
  - subnet: 2001:db8:face::/48
    gateway: 2001:db8:face::1
dns:
  - 8.8.8.8
  - 8.8.4.4
  - 2001:4860:4860::8888
  - 2001:4860:4860::8844
mtu: 1400
freeDiameter:
  identity: smf.localdomain
  realm: localdomain
  listen_on: 127.0.3.4
  no_fwd: true
  load_extension:
```

```

- module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
  conf: 0x8888
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
- identity: pcrf.localdomain
  address: 127.0.3.9

amf:
sbi:
  server:
    - address: 127.0.3.5
      port: 7777
  client:
    scp:
      - uri: http://127.0.3.200:7777
ngap:
  server:
    - address: 127.0.3.5
metrics:
  server:
    - address: 127.0.3.5
      port: 9090
access_control:
- plmn_id:
    mcc: 999
    mnc: 70
- plmn_id:
    mcc: 001
    mnc: 01
- plmn_id:
    mcc: 315
    mnc: 010
guami:
- plmn_id:
    mcc: 315
    mnc: 010
  amf_id:
    region: 2
    set: 1
tai:
- plmn_id:
    mcc: 315
    mnc: 010
  tac: 1
plmn_support:
- plmn_id:
    mcc: 315
    mnc: 010
  s_nssai:
    - sst: 1
security:
  integrity_order : [ NIA2, NIA1, NIA0 ]
  ciphering_order : [ NEA0, NEA1, NEA2 ]
network_name:
  full: Open5GS
amf_name: open5gs-amf0
time:
  t3512:
    value: 540      # 9 minutes * 60 = 540 seconds

sgwu:
pfcf:
  server:

```

```

    - address: 127.0.3.6
gtpu:
  server:
    - address: 127.0.3.6

upf:
  pfcp:
    server:
      - address: 127.0.3.7
  gtpu:
    server:
      - address: 127.0.3.7
  session:
    - subnet: 10.47.0.0/16
      gateway: 10.47.0.1
      dev: ogstun3
    - subnet: 2001:db8:face::/48
      gateway: 2001:db8:face::1
      dev: ogstun3
  metrics:
    server:
      - address: 127.0.3.7
        port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.3.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.3.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.3.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.3.4

nrf:
  serving:
    - plmn_id:
        mcc: 315
        mnc: 010
  sbi:
    server:

```

```

# - address: 127.0.3.10
#   port: 7777
# - address: nrf.5gc.mnc010.mcc315.3gppnetwork.org

scp:
  sbi:
    server:
      - address: 127.0.3.200
        port: 7777
    client:
      nrf:
        - uri: http://nrf.5gc.mnc010.mcc315.3gppnetwork.org

sepp:
  default:
    tls:
      server:
        private_key: @build_configs_dir@/open5gs/tls/sepp3.key
        cert: @build_configs_dir@/open5gs/tls/sepp3.crt
      client:
        cacert: @build_configs_dir@/open5gs/tls/ca.crt
    sbi:
      server:
        - address: 127.0.3.250
          port: 7777
      client:
        scp:
          - uri: http://127.0.3.200:7777
n32:
  server:
    - sender: sepp3.localdomain
      scheme: https
      address: 127.0.3.251
      n32f:
        scheme: https
        address: 127.0.3.252
  client:
    sepp:
      - receiver: sepp1.localdomain
        uri: https://sepp1.localdomain
        resolve: 127.0.1.251
        n32f:
          uri: https://sepp1.localdomain
          resolve: 127.0.1.252
      - receiver: sepp2.localdomain
        uri: https://sepp2.localdomain
        resolve: 127.0.2.251
        n32f:
          uri: https://sepp2.localdomain
          resolve: 127.0.2.252

ausf:
  sbi:
    server:
# - address: 127.0.3.11
#   port: 7777
# - address: ausf.5gc.mnc010.mcc315.3gppnetwork.org
  client:
    scp:
      - uri: http://127.0.3.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2

```

```

    key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
sbi:
  server:
#    - address: 127.0.3.12
#    port: 7777
    - address: udm.5gc.mnc010.mcc315.3gppnetwork.org
  client:
    scp:
      - uri: http://127.0.3.200:7777

pcf:
sbi:
  server:
    - address: 127.0.3.13
      port: 7777
  client:
    scp:
      - uri: http://127.0.3.200:7777
metrics:
  server:
    - address: 127.0.3.13
      port: 9090
policy:
  - supi_range:
      - 999700000000001-999709999999999
      - 001010000000001-001010999999999
  slice:
    - sst: 1 # 1,2,3,4
      default_indicator: true
      session:
        - name: internet
          type: 3 # 1:IPv4, 2:IPv6, 3:IPv4v6
          ambr:
            downlink:
              value: 1
              unit: 3 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
            uplink:
              value: 1
              unit: 3
          qos:
            index: 9 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83, 84,
            arp:
              priority_level: 8 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
              pre_emption_vulnerability: 1 # 1: Disabled, 2:Enabled
              pre_emption_capability: 1 # 1: Disabled, 2:Enabled
        - name: ims
          type: 3 # 1:IPv4, 2:IPv6, 3:IPv4v6
          ambr:
            downlink:
              value: 1
              unit: 3 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
            uplink:
              value: 1
              unit: 3 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
          qos:
            index: 5 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83, 84,
            arp:
              priority_level: 1 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
              pre_emption_vulnerability: 1 # 1: Disabled, 2:Enabled
              pre_emption_capability: 1 # 1: Disabled, 2:Enabled
      pcc_rule:
        - qos:
            index: 1 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83,
            arp:
              priority_level: 1 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
              pre_emption_vulnerability: 1 # 1: Disabled, 2:Enabled
              pre_emption_capability: 1 # 1: Disabled, 2:Enabled
            mbr:

```

```

        downlink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
    gbr:
        downlink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
- qos:
    index: 2 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83,
    arp:
        priority_level: 4 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
        pre_emption_vulnerability: 2 # 1: Disabled, 2:Enabled
        pre_emption_capability: 2 # 1: Disabled, 2:Enabled
    mbr:
        downlink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
    gbr:
        downlink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
nssf:
    sbi:
        server:
#         - address: 127.0.3.14
#         port: 7777
        - address: nssf.5gc.mnc010.mcc315.3gppnetwork.org
    client:
        scp:
            - uri: http://127.0.3.200:7777
        nsi:
            - uri: http://127.0.3.10:7777
            s_nssai:
                sst: 1
bsf:
    sbi:
        server:
            - address: 127.0.3.15
            port: 7777
        client:
            scp:
                - uri: http://127.0.3.200:7777
udr:
    sbi:
        server:
            - address: 127.0.3.20
            port: 7777
        client:
            scp:
                - uri: http://127.0.3.200:7777

```

Ejemplo de configuración real: amf.yml

```
# Example configuration file for AMF.
```

```
cu_cp:
```

```
  amf:
```

```
    addr: 127.0.1.100
```

```
    bind_addr: 127.0.10.2
```

```
    supported_tracking_areas: # List of tracking areas supported by this AMF. Note that the first PLMN is used for the
```

```
      - tac: 7
```

```
        plmn_list:
```

```
          - plmn: "00101"
```

```
            tai_slice_support_list:
```

```
              - sst: 1
```


Ejemplo de configuración real: cell_cfg_max_32_ues.yml

```
# This file contains the PUCCH configuration for the gNB to support:
# - SR period 20ms or 40ms.
# - CSI period 20ms or 40ms.
# - Max 32 UEs.

# NOTE: This configuration is optimized for TDD 7D-2U configuration, but it still works for TDD configurations
#       with more than 2 UL slots.

cell_cfg:
  pucch:
    sr_period_ms: 20 # This can be set either 20 or 40 ms.
    nof_cell_sr_res: 15
    nof_cell_csi_res: 15
  csi:
    csi_rs_period: 40 # This can be set either 20 or 40 ms.
  ul_common:
    max_ul_grants_per_slot: 16
    max_pucch_per_slot: 15
  pusch:
    max_pusch_per_slot: 1
  tdd_ul_dl_cfg:
    nof_dl_symbols: 7
    nof_dl_slots: 7
    nof_ul_slots: 2
```

Ejemplo de configuración real: cell_cfg_max_64_ues.yml

```
# This file contains the PUCCH configuration for the gNB to support:
# - SR period 20ms or 40ms.
# - CSI period 20ms or 40ms.
# - Max 64 UEs.

# NOTE: This configuration is optimized for TDD 7D-2U configuration, but it still works for TDD configurations
#       with more than 2 UL slots.

cell_cfg:
  pucch:
    sr_period_ms: 20 # This can be set either 20 or 40 ms.
    nof_cell_sr_res: 31
    nof_cell_csi_res: 31
  csi:
    csi_rs_period: 40 # This can be set either 20 or 40 ms.
  ul_common:
    max_ul_grants_per_slot: 32
    max_pucch_per_slot: 31
  pusch:
    max_pusch_per_slot: 1
  tdd_ul_dl_cfg:
    nof_dl_symbols: 7
    nof_dl_slots: 7
    nof_ul_slots: 2
```

Ejemplo de configuración real: cell_cfg_max_128_ues.yml

```
# This file contains the PUCCH configuration for the gNB to support:
# - SR period 20ms or 40ms.
# - CSI period 20ms or 40ms.
# - Max 128 UEs.

# NOTES:
# - This configuration is optimized for TDD 7D-2U configuration, but it still works for TDD configurations
#   with more than 2 UL slots.
# - This configuration might work for more than 128 UEs, although it hasn't been tested for those scenarios.

cell_cfg:
  pucch:
    sr_period_ms: 20 # This can be set either 20 or 40 ms.
    nof_cell_sr_res: 50
    nof_cell_csi_res: 50
  csi:
    csi_rs_period: 40 # This can be set either 20 or 40 ms.
  ul_common:
    max_ul_grants_per_slot: 64
    max_pucch_per_slot: 63
  pusch:
    max_pusch_per_slot: 1
  tdd_ul_dl_cfg:
    nof_dl_symbols: 7
    nof_dl_slots: 7
    nof_ul_slots: 2
```

Ejemplo de configuración real: cell_cfg_max_256_ues.yml

```
# This file contains the PUCCH configuration for the gNB to support:
# - SR period 20ms or 40ms.
# - CSI period 20ms or 40ms.
# - Max 256 UEs.

# NOTES:
# - This configuration is optimized for TDD 7D-2U configuration, but it still works for TDD configurations
#   with more than 2 UL slots.
# - This configuration might work for more than 256 UEs, although it hasn't been tested for those scenarios.

cell_cfg:
  pucch:
    sr_period_ms: 20 # This can be set either 20 or 40 ms.
    resource_set_size: 8
    nof_cell_res_set_configs: 2 # Increase this if UEs are not scheduled PDSCH due to PUCCH resources starvation.
    nof_cell_sr_res: 50
    nof_cell_csi_res: 50
  csi:
    csi_rs_period: 40 # This can be set either 20 or 40 ms.
  ul_common:
    max_ul_grants_per_slot: 128
    max_pucchs_per_slot: 120
  pusch:
    max_puschs_per_slot: 8
  tdd_ul_dl_cfg:
    nof_dl_symbols: 7
    nof_dl_slots: 7
    nof_ul_slots: 2
```

Ejemplo de configuración real: cell_cfg_max_512_ues.yml

```
# This file contains the PUCCH configuration for the gNB to support:
# - SR period 20ms or 40ms.
# - CSI period 20ms (only with TDD 6D-3U configuration), 40ms (with both TDD 6D-3U and 7D-2U configurations).
# - SR period <= CSI period.
# - Max 512 UEs.

# NOTES:
# - This configuration is optimized for TDD 7D-2U configuration, but it still works for TDD configurations
#   with more than 2 UL slots.
# - This configuration might work for more than 512 UEs, although it hasn't been tested for those scenarios.

cell_cfg:
  pucch:
    sr_period_ms: 20 # This can be set either 20 or 40 ms.
    resource_set_size: 8
    nof_cell_res_set_configs: 2 # Increase this if UEs are not scheduled PDSCH due to PUCCH resources starvation.
    nof_cell_sr_res: 80
    nof_cell_csi_res: 80
  csi:
    csi_rs_period: 40 # This can be set to 20 only with TDD 6D-3U.
  ul_common:
    max_ul_grants_per_slot: 128
    max_pucch_per_slot: 120
  pusch:
    max_pusch_per_slot: 8
  tdd_ul_dl_cfg:
    nof_dl_symbols: 7
    nof_dl_slots: 7
    nof_ul_slots: 2
```

Ejemplo de configuración real: cell_cfg_pucch_narrow_bw.yml

```
# This file contains the PUCCH configuration for the gNB to support 5MHz BW or 10MHz BS in TDD mode.
```

```
cell_cfg:
  pucch:
    resource_set_size: 7
    nof_cell_res_set_configs: 1
    f1_nof_cyclic_shifts: 1
    f1_enable_occ: true
    nof_cell_sr_res: 7
    nof_cell_csi_res: 7
```

Ejemplo de configuración real: cu.yml

Example config for a locally deployed CU listening on the localhost interface for a DU connection

```
cu_cp:
  amf:
    addr: 127.0.1.100
    bind_addr: 127.0.0.1
    supported_tracking_areas:
      - tac: 7
        plmn_list:
          - plmn: "00101"
            tai_slice_support_list:
              - sst: 1
    f1ap:
      bind_addr: 127.0.10.1

cu_up:
  f1u:
    socket:
      -
        bind_addr: 127.0.10.1

log:
  filename: /tmp/cu.log
  all_level: warning

pcap:
  ngap_enable: false
  ngap_filename: /tmp/cu_ngap.pcap
```

Ejemplo de configuración real: cu_cp.yml

Example config for a locally deployed CU-CP listening on the localhost interface for a CU-UP and DU connection

```
cu_cp:
  amf:
    addr: 127.0.1.100
    bind_addr: 127.0.0.1
    supported_tracking_areas:
      - tac: 7
        plmn_list:
          - plmn: "00101"
            tai_slice_support_list:
              - sst: 1
    e1ap:
      bind_addr: 127.0.20.1
    f1ap:
      bind_addr: 127.0.10.1

log:
  filename: /tmp/cu_cp.log
  all_level: warning

pcap:
  ngap_enable: true
  ngap_filename: /tmp/cu_cp_ngap.pcap
  f1ap_enable: true
  f1ap_filename: /tmp/cu_cp_f1ap.pcap
  e1ap_enable: true
  e1ap_filename: /tmp/cu_cp_e1ap.pcap
```


Ejemplo de configuración real: cu_up.yml

```
# Example config for a locally deployed CU-UP
```

```
cu_up:
  e1ap:
    cu_cp_addr: 127.0.20.1
    bind_addr: 127.0.20.2
  ngu:
    socket:
      -
        bind_addr: 127.0.0.1
  f1u:
    socket:
      -
        bind_addr: 127.0.10.1

log:
  filename: /tmp/cu_up.log
  all_level: warning

pcap:
  e1ap_enable: true
  e1ap_filename: /tmp/cu_up_e1ap.pcap
  f1u_enable: true
  f1u_filename: /tmp/cu_up_f1u.pcap
  n3_enable: true
  n3_filename: /tmp/cu_up_n3.pcap
```

Ejemplo de configuración real: cu_up_f1u_multiple_sockets.yml

```
cu_up:
  f1u:
    socket:
      -
        # Default socket. If the DRB's 5QI does not have a socket assigned,
        # this socket will be used. At least one default socket is required.
        bind_addr: 127.0.3.1 # Address that the F1-U socket will bind to.
        #ext_addr: 8.8.8.8   # Address that is reported as the F1-U bind address.
                                # If empty, the real bind address is used.

        udp:
          max_rx_msgs: 256    # maximum packets read from the socket in a single syscall.
          pool_threshold: 0.9 # Pool occupancy threshold, after which packets are dropped.
          reuse_addr: false   # Allows multiple sockets to bind to the same source port address.

      -
        # Socket used for a specific slice/5QI. This socket will be used if both the S-NSSAI
        # and the 5QI match. Slice differentiator is optional.
        sst: 1                # Slice/Service type.
        # sd: 1                # Slice differentiator is optional.
        five_qi: 9            # 5G QoS Identifier.
        bind_addr: 127.1.3.1  # Address that the F1-U socket will bind to.
        #ext_addr: 8.8.8.8    # Address that is reported as the F1-U bind address.
                                # If empty, the real bind address is used.

        udp:
          max_rx_msgs: 256    # maximum packets read from the socket in a single syscall.
          pool_threshold: 0.9 # Pool occupancy threshold, after which packets are dropped.
          reuse_addr: false   # Allows multiple sockets to bind to the same source port address.

      -
        # Socket used for a specific slice/5QI. This socket will be used if both the S-NSSAI
        # and the 5QI match. Slice differentiator is optional.
        sst: 1                # Slice/Service type.
        sd: 2                  # Slice differentiator.
        five_qi: 9            # 5G QoS Identifier.
        bind_addr: 127.1.3.2  # Address that the F1-U socket will bind to.
        #ext_addr: 8.8.8.8    # Address that is reported as the F1-U bind address.
                                # If empty, the real bind address is used.

        udp:
          max_rx_msgs: 256    # maximum packets read from the socket in a single syscall.
          pool_threshold: 0.9 # Pool occupancy threshold, after which packets are dropped.
          reuse_addr: false   # Allows multiple sockets to bind to the same source port address.
```

Ejemplo de configuración real: du_f1u_multiple_sockets.yml

```
f1u:
  socket:
    -
      # Default socket. If the DRB's 5QI does not have a socket assigned,
      # this socket will be used. At least one default socket is required.
      bind_addr: 127.0.2.1 # Address that the F1-U socket will bind to.
      #ext_addr: 8.8.8.8   # Address that is reported as the F1-U bind address.
                          # If empty, the real bind address is used.

      udp:
        max_rx_msgs: 256 # maximum packets read from the socket in a single syscall.
        pool_threshold: 0.9 # Pool occupancy threshold, after which packets are dropped.
        reuse_addr: false # Allows multiple sockets to bind to the same source port address.

    -
      sst: 1 # Slice/Service type.
      # sd: 1 # Slice differentiator is optional.
      five_qi: 9 # Socket used for a specific 5QI.
      bind_addr: 127.1.2.1 # Address that the F1-U socket will bind to.
      #ext_addr: 8.8.8.8   # Address that is reported as the F1-U bind address.
                          # If empty, the real bind address is used.

      udp:
        max_rx_msgs: 256 # maximum packets read from the socket in a single syscall.
        pool_threshold: 0.9 # Pool occupancy threshold, after which packets are dropped.
        reuse_addr: false # Allows multiple sockets to bind to the same source port address.

    -
      sst: 1 # Slice/Service type.
      sd: 2 # Slice differentiator.
      five_qi: 9 # Socket used for a specific 5QI.
      bind_addr: 127.1.2.2 # Address that the F1-U socket will bind to.
      #ext_addr: 8.8.8.8   # Address that is reported as the F1-U bind address.
                          # If empty, the real bind address is used.

      udp:
        max_rx_msgs: 256 # maximum packets read from the socket in a single syscall.
        pool_threshold: 0.9 # Pool occupancy threshold, after which packets are dropped.
        reuse_addr: false # Allows multiple sockets to bind to the same source port address.
```

Ejemplo de configuración real: ue_rf.conf

```
[rf]
freq_offset = 0
tx_gain = 50
rx_gain = 40
srate = 23.04e6
nof_antennas = 1

device_name = uhd
device_args = clock=external
time_adv_nsamples = 300

[rat.eutra]
dl_earfcn = 2850
nof_carriers = 0

[rat.nr]
bands = 3
nof_carriers = 1
max_nof_prb = 106
nof_prb = 106

[pcap]
enable = none
mac_filename = /tmp/ue_mac.pcap
mac_nr_filename = /tmp/ue_mac_nr.pcap
nas_filename = /tmp/ue_nas.pcap

[log]
all_level = info
phy_lib_level = none
all_hex_limit = 32
filename = /tmp/ue.log
file_max_size = -1

[usim]
mode = soft
algo = milenage
opc = 63BFA50EE6523365FF14C1F45F88737D
k = 00112233445566778899aabbccddeeff
imsi = 001010123456780
imei = 353490069873319

[rrc]
release = 15
ue_category = 4

[nas]
apn = srsapn
apn_protocol = ipv4

[gw]
#netns = ue1
#ip_devname = tun_srsue
#ip_netmask = 255.255.255.0

[gui]
enable = false
```

Ejemplo de configuración real: 5gc-tls-sepp3-315-010.yaml.in

db_uri: mongodb://localhost/open5gs

logger:

global:

```
  parameter:
    # no_nrf: true
    # no_scp: true
    # no_sepp: true
    # no_amf: true
    # no_smf: true
    # no_upf: true
    # no_ausf: true
    # no_udm: true
    # no_pcf: true
    # no_nssf: true
    # no_bsf: true
    # no_uds: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true
    # use_mongodb_change_stream: true
```

mme:

```
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.3.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.3.8
```

slap:

```
  server:
    - address: 127.0.3.2
```

gtpc:

```
  server:
    - address: 127.0.3.2
  client:
    sgwc:
      - address: 127.0.3.3
    smf:
      - address: 127.0.3.4
```

metrics:

```
  server:
    - address: 127.0.3.2
      port: 9090
```

gummei:

```
  plmn_id:
    mcc: 315
    mnc: 010
  mme_gid: 2
```

```
mme_code: 1
tai:
  plmn_id:
    mcc: 315
    mnc: 010
  tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.3.3
  pfcp:
    server:
      - address: 127.0.3.3
    client:
      sgwu:
        - address: 127.0.3.6

smf:
  sbi:
    server:
      # - address: 127.0.3.4
      # port: 7777
      - address: smf.5gc.mnc010.mcc315.3gppnetwork.org
    client:
      scp:
        - uri: http://127.0.3.200:7777
  pfcp:
    server:
      - address: 127.0.3.4
    client:
      upf:
        - address: 127.0.3.7
  gtpc:
    server:
      - address: 127.0.3.4
  gtpu:
    server:
      - address: 127.0.3.4
metrics:
  server:
    - address: 127.0.3.4
    port: 9090
session:
  - subnet: 10.47.0.0/16
    gateway: 10.47.0.1
  - subnet: 2001:db8:face::/48
    gateway: 2001:db8:face::1
dns:
  - 8.8.8.8
  - 8.8.4.4
  - 2001:4860:4860::8888
  - 2001:4860:4860::8844
mtu: 1400
freeDiameter:
  identity: smf.localdomain
  realm: localdomain
  listen_on: 127.0.3.4
  no_fwd: true
  load_extension:
```

```

- module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
  conf: 0x8888
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
- identity: pcrf.localdomain
  address: 127.0.3.9

amf:
sbi:
  server:
    - address: 127.0.3.5
      port: 7777
  client:
    scp:
      - uri: http://127.0.3.200:7777
ngap:
  server:
    - address: 127.0.3.5
metrics:
  server:
    - address: 127.0.3.5
      port: 9090
access_control:
- plmn_id:
    mcc: 999
    mnc: 70
- plmn_id:
    mcc: 001
    mnc: 01
- plmn_id:
    mcc: 315
    mnc: 010
guami:
- plmn_id:
    mcc: 315
    mnc: 010
  amf_id:
    region: 2
    set: 1
tai:
- plmn_id:
    mcc: 315
    mnc: 010
  tac: 1
plmn_support:
- plmn_id:
    mcc: 315
    mnc: 010
  s_nssai:
    - sst: 1
security:
  integrity_order : [ NIA2, NIA1, NIA0 ]
  ciphering_order : [ NEA0, NEA1, NEA2 ]
network_name:
  full: Open5GS
amf_name: open5gs-amf0
time:
  t3512:
    value: 540      # 9 minutes * 60 = 540 seconds

sgwu:
pfcp:
  server:

```

```

    - address: 127.0.3.6
gtpu:
  server:
    - address: 127.0.3.6

upf:
  pfcp:
    server:
      - address: 127.0.3.7
  gtpu:
    server:
      - address: 127.0.3.7
  session:
    - subnet: 10.47.0.0/16
      gateway: 10.47.0.1
      dev: ogstun3
    - subnet: 2001:db8:face::/48
      gateway: 2001:db8:face::1
      dev: ogstun3
  metrics:
    server:
      - address: 127.0.3.7
        port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.3.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.3.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.3.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.3.4

nrf:
  serving:
    - plmn_id:
        mcc: 315
        mnc: 010
  sbi:
    server:

```



```

# - address: 127.0.3.10
#   port: 7777
# - address: nrf.5gc.mnc010.mcc315.3gppnetwork.org

scp:
  sbi:
    server:
      - address: 127.0.3.200
        port: 7777
    client:
      nrf:
        - uri: http://nrf.5gc.mnc010.mcc315.3gppnetwork.org

sepp:
  default:
    tls:
      server:
        private_key: @build_configs_dir@/open5gs/tls/sepp3.key
        cert: @build_configs_dir@/open5gs/tls/sepp3.crt
      client:
        cacert: @build_configs_dir@/open5gs/tls/ca.crt
    sbi:
      server:
        - address: 127.0.3.250
          port: 7777
      client:
        scp:
          - uri: http://127.0.3.200:7777
n32:
  server:
    - sender: sepp3.localdomain
      scheme: https
      address: 127.0.3.251
      n32f:
        scheme: https
        address: 127.0.3.252
  client:
    sepp:
      - receiver: sepp1.localdomain
        uri: https://sepp1.localdomain
        resolve: 127.0.1.251
        n32f:
          uri: https://sepp1.localdomain
          resolve: 127.0.1.252
      - receiver: sepp2.localdomain
        uri: https://sepp2.localdomain
        resolve: 127.0.2.251
        n32f:
          uri: https://sepp2.localdomain
          resolve: 127.0.2.252

ausf:
  sbi:
    server:
# - address: 127.0.3.11
#   port: 7777
# - address: ausf.5gc.mnc010.mcc315.3gppnetwork.org
  client:
    scp:
      - uri: http://127.0.3.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2

```

```

    key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
sbi:
  server:
#    - address: 127.0.3.12
#    port: 7777
    - address: udm.5gc.mnc010.mcc315.3gppnetwork.org
  client:
    scp:
      - uri: http://127.0.3.200:7777

pcf:
sbi:
  server:
    - address: 127.0.3.13
      port: 7777
  client:
    scp:
      - uri: http://127.0.3.200:7777
metrics:
  server:
    - address: 127.0.3.13
      port: 9090
policy:
  - supi_range:
      - 9997000000000001-9997099999999999
      - 0010100000000001-0010109999999999
  slice:
    - sst: 1 # 1,2,3,4
      default_indicator: true
      session:
        - name: internet
          type: 3 # 1:IPv4, 2:IPv6, 3:IPv4v6
          ambr:
            downlink:
              value: 1
              unit: 3 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
            uplink:
              value: 1
              unit: 3
          qos:
            index: 9 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83, 84,
            arp:
              priority_level: 8 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
              pre_emption_vulnerability: 1 # 1: Disabled, 2:Enabled
              pre_emption_capability: 1 # 1: Disabled, 2:Enabled
        - name: ims
          type: 3 # 1:IPv4, 2:IPv6, 3:IPv4v6
          ambr:
            downlink:
              value: 1
              unit: 3 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
            uplink:
              value: 1
              unit: 3 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
          qos:
            index: 5 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83, 84,
            arp:
              priority_level: 1 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
              pre_emption_vulnerability: 1 # 1: Disabled, 2:Enabled
              pre_emption_capability: 1 # 1: Disabled, 2:Enabled
      pcc_rule:
        - qos:
            index: 1 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83,
            arp:
              priority_level: 1 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
              pre_emption_vulnerability: 1 # 1: Disabled, 2:Enabled
              pre_emption_capability: 1 # 1: Disabled, 2:Enabled
            mbr:

```

```

        downlink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
    gbr:
        downlink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 82
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
- qos:
    index: 2 # 1, 2, 3, 4, 65, 66, 67, 75, 71, 72, 73, 74, 76, 5, 6, 7, 8, 9, 69, 70, 79, 80, 82, 83,
    arp:
        priority_level: 4 # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
        pre_emption_vulnerability: 2 # 1: Disabled, 2:Enabled
        pre_emption_capability: 2 # 1: Disabled, 2:Enabled
    mbr:
        downlink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
    gbr:
        downlink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
        uplink:
            value: 802
            unit: 1 # 0:bps, 1:Kbps, 2:Mbps, 3:Gbps, 4:Tbps
nssf:
    sbi:
        server:
#         - address: 127.0.3.14
#         port: 7777
        - address: nssf.5gc.mnc010.mcc315.3gppnetwork.org
    client:
        scp:
            - uri: http://127.0.3.200:7777
        nsi:
            - uri: http://127.0.3.10:7777
            s_nssai:
                sst: 1
bsf:
    sbi:
        server:
            - address: 127.0.3.15
              port: 7777
        client:
            scp:
                - uri: http://127.0.3.200:7777
udr:
    sbi:
        server:
            - address: 127.0.3.20
              port: 7777
        client:
            scp:
                - uri: http://127.0.3.200:7777

```

Ejemplo de configuración real: gnb-001-01-ue-001-01.yaml.in

db_uri: mongodb://localhost/open5gs

logger:

test:

serving:
- plmn_id:
 mcc: 001
 mnc: 01

global:

parameter:
no_nrf: true
no_scp: true
no_sepp: true
no_amf: true
no_smf: true
no_upf: true
no_ausf: true
no_udm: true
no_pcf: true
no_nssf: true
no_bsf: true
no_udr: true
no_mme: true
no_sgwc: true
no_sgwu: true
no_pcrf: true
no_hss: true

mme:

freeDiameter:
identity: mme.localdomain
realm: localdomain
listen_on: 127.0.0.2
no_fwd: true
load_extension:
- module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
 conf: 0x8888
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
- identity: hss.localdomain
 address: 127.0.0.8

slap:

server:
- address: 127.0.0.2

gtpc:

server:
- address: 127.0.0.2

client:

sgwc:
- address: 127.0.0.3
smf:
- address: 127.0.0.4

metrics:

server:
- address: 127.0.0.2
 port: 9090

```
gummei:
  - plmn_id:
      mcc: 001
      mnc: 01
      mme_gid: 2
      mme_code: 1
tai:
  - plmn_id:
      mcc: 001
      mnc: 01
      tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
      port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
```

```

realm: localdomain
listen_on: 127.0.0.4
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.2.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 001
        mnc: 01
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 001
        mnc: 01
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 001
        mnc: 01
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0
  time:
    t3512:
      value: 540      # 9 mintues * 60 = 540 seconds

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:

```

```

pfcf:
  server:
    - address: 127.0.0.7
gtpu:
  server:
    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
  client:
    nrf:
      - uri: http://127.0.0.10:7777

```

```
ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.2.200:7777
```



```
udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
```

Ejemplo de configuración real: gnb-001-01-ue-315-010.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 315
        mnc: 010

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_ausf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_udr: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2

gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4

metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```

```
gummei:
  - plmn_id:
      mcc: 001
      mnc: 01
      mme_gid: 2
      mme_code: 1
tai:
  - plmn_id:
      mcc: 001
      mnc: 01
      tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
metrics:
  server:
    - address: 127.0.0.4
    port: 9090
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
dns:
  - 8.8.8.8
  - 8.8.4.4
  - 2001:4860:4860::8888
  - 2001:4860:4860::8844
mtu: 1400
freeDiameter:
  identity: smf.localdomain
```

```

realm: localdomain
listen_on: 127.0.0.4
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.2.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 001
        mnc: 01
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 001
        mnc: 01
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 001
        mnc: 01
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0
  time:
    t3512:
      value: 540      # 9 mintues * 60 = 540 seconds

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:

```

```
pfcf:
  server:
    - address: 127.0.0.7
gtpu:
  server:
    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
  client:
    nrf:
      - uri: http://127.0.0.10:7777
```

```
ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.3.200:7777
```

```
udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
```

Ejemplo de configuración real: gnb-001-01-ue-999-70.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 999
        mnc: 70

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_auaf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_uds: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2
gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4
metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```



```
gummei:
  plmn_id:
    mcc: 001
    mnc: 01
  mme_gid: 2
  mme_code: 1
tai:
  plmn_id:
    mcc: 001
    mnc: 01
  tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]

network_name:
  full: Open5GS

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
      port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
    realm: localdomain
    listen_on: 127.0.0.4
```

```

no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.2.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 001
        mnc: 01
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 001
        mnc: 01
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 001
        mnc: 01
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0

sgwu:
  pfcf:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:
  pfcf:
    server:
      - address: 127.0.0.7
  gtpu:
    server:

```

```

    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
    client:
      nrf:
        - uri: http://127.0.0.10:7777

ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777

```

```
client:
  scp:
    - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.1.200:7777

udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
```

client:

scp:

- uri: <http://127.0.0.200:7777>

Ejemplo de configuración real: gnb-315-010-ue-001-01.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 001
        mnc: 01

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_ausf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_udr: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2

gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4

metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```

```
gummei:
  - plmn_id:
      mcc: 315
      mnc: 010
      mme_gid: 2
      mme_code: 1
tai:
  - plmn_id:
      mcc: 315
      mnc: 010
      tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
      port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
```

```

realm: localdomain
listen_on: 127.0.0.4
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.3.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 315
        mnc: 010
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 315
        mnc: 010
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 315
        mnc: 010
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0
  time:
    t3512:
      value: 540      # 9 minutes * 60 = 540 seconds

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:

```



```

pfcf:
  server:
    - address: 127.0.0.7
gtpu:
  server:
    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
  client:
    nrf:
      - uri: http://127.0.0.10:7777

```

```
ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.2.200:7777
```

```
udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
```

Ejemplo de configuración real: gnb-315-010-ue-315-010.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 315
        mnc: 010

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_ausf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_udr: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2
gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4
metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```

```
gummei:
  plmn_id:
    mcc: 315
    mnc: 010
  mme_gid: 2
  mme_code: 1
tai:
  plmn_id:
    mcc: 315
    mnc: 010
  tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]

network_name:
  full: Open5GS

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
      port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
    realm: localdomain
    listen_on: 127.0.0.4
```

```

no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.3.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 315
        mnc: 010
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 315
        mnc: 010
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 315
        mnc: 010
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0

sgwu:
  pfcf:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:
  pfcf:
    server:
      - address: 127.0.0.7
  gtpu:
    server:

```

```

    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
    client:
      nrf:
        - uri: http://127.0.0.10:7777

ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777

```

```
client:
  scp:
    - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.3.200:7777

udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
```


client:

scp:

- uri: <http://127.0.0.200:7777>

Ejemplo de configuración real: gnb-315-010-ue-999-70.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 999
        mnc: 70

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_ausf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_udr: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2
gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4
metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```

```
gummei:
  - plmn_id:
      mcc: 315
      mnc: 010
      mme_gid: 2
      mme_code: 1
tai:
  - plmn_id:
      mcc: 315
      mnc: 010
      tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
      port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
```

```

realm: localdomain
listen_on: 127.0.0.4
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.3.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 315
        mnc: 010
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 315
        mnc: 010
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 315
        mnc: 010
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0
  time:
    t3512:
      value: 540      # 9 mintues * 60 = 540 seconds

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:

```

```

pfcf:
  server:
    - address: 127.0.0.7
gtpu:
  server:
    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
  client:
    nrf:
      - uri: http://127.0.0.10:7777

```

```
ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
      s_nssai:
        sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.1.200:7777
```

```
udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
```

Ejemplo de configuración real: gnb-999-70-ue-001-01.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 001
        mnc: 01

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_ausf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_udr: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2
gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4
metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```



```
gummei:
  - plmn_id:
      mcc: 999
      mnc: 70
      mme_gid: 2
      mme_code: 1
tai:
  - plmn_id:
      mcc: 999
      mnc: 70
      tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
        port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
```

```

realm: localdomain
listen_on: 127.0.0.4
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.1.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 999
        mnc: 70
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 999
        mnc: 70
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 999
        mnc: 70
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0
  time:
    t3512:
      value: 540      # 9 mintues * 60 = 540 seconds

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:

```

```

pfcf:
  server:
    - address: 127.0.0.7
gtpu:
  server:
    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
  client:
    nrf:
      - uri: http://127.0.0.10:7777

```

```
ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.2.200:7777
```

```
udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
```

Ejemplo de configuración real: gnb-999-70-ue-315-010.yaml.in

```
db_uri: mongodb://localhost/open5gs

logger:

test:
  serving:
    - plmn_id:
        mcc: 315
        mnc: 010

global:
  parameter:
    no_nrf: true
    no_scp: true
    no_sepp: true
    no_amf: true
    no_smf: true
    no_upf: true
    no_auaf: true
    no_udm: true
    no_pcf: true
    no_nssf: true
    no_bsf: true
    no_uds: true
    no_mme: true
    no_sgwc: true
    no_sgwu: true
    no_pcrf: true
    no_hss: true

mme:
  freeDiameter:
    identity: mme.localdomain
    realm: localdomain
    listen_on: 127.0.0.2
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: hss.localdomain
        address: 127.0.0.8

slap:
  server:
    - address: 127.0.0.2
gtpc:
  server:
    - address: 127.0.0.2
  client:
    sgwc:
      - address: 127.0.0.3
    smf:
      - address: 127.0.0.4
metrics:
  server:
    - address: 127.0.0.2
      port: 9090
```

```
gummei:
  - plmn_id:
      mcc: 999
      mnc: 70
      mme_gid: 2
      mme_code: 1
tai:
  - plmn_id:
      mcc: 999
      mnc: 70
      tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]
network_name:
  full: Open5GS
time:
  t3412:
    value: 3240

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
        port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
```

```

realm: localdomain
listen_on: 127.0.0.4
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.1.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 999
        mnc: 70
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 999
        mnc: 70
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 999
        mnc: 70
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0
  time:
    t3512:
      value: 540      # 9 mintues * 60 = 540 seconds

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:

```



```

pfcf:
  server:
    - address: 127.0.0.7
gtpu:
  server:
    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
  client:
    nrf:
      - uri: http://127.0.0.10:7777

```

```
ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
    nsi:
      - uri: http://127.0.0.10:7777
        s_nssai:
          sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.3.200:7777
```

```
udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
```

Ejemplo de configuración real: gnb-999-70-ue-999-70.yaml.in

db_uri: mongodb://localhost/open5gs

logger:

test:

serving:
- plmn_id:
 mcc: 999
 mnc: 70

global:

parameter:
no_nrf: true
no_scp: true
no_sepp: true
no_amf: true
no_smf: true
no_upf: true
no_ausf: true
no_udm: true
no_pcf: true
no_nssf: true
no_bsf: true
no_udr: true
no_mme: true
no_sgwc: true
no_sgwu: true
no_pcrf: true
no_hss: true

mme:

freeDiameter:
identity: mme.localdomain
realm: localdomain
listen_on: 127.0.0.2
no_fwd: true
load_extension:
- module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
 conf: 0x8888
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mip6.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
- module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
- identity: hss.localdomain
 address: 127.0.0.8

slap:

server:
- address: 127.0.0.2

gtpc:

server:
- address: 127.0.0.2

client:

sgwc:
- address: 127.0.0.3
smf:
- address: 127.0.0.4

metrics:

server:
- address: 127.0.0.2
 port: 9090

```
gummei:
  plmn_id:
    mcc: 999
    mnc: 70
  mme_gid: 2
  mme_code: 1
tai:
  plmn_id:
    mcc: 999
    mnc: 70
  tac: 1
security:
  integrity_order : [ EIA2, EIA1, EIA0 ]
  ciphering_order : [ EEA0, EEA1, EEA2 ]

network_name:
  full: Open5GS

sgwc:
  gtpc:
    server:
      - address: 127.0.0.3
  pfcp:
    server:
      - address: 127.0.0.3
    client:
      sgwu:
        - address: 127.0.0.6

smf:
  sbi:
    server:
      - address: 127.0.0.4
      port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  pfcp:
    server:
      - address: 127.0.0.4
    client:
      upf:
        - address: 127.0.0.7
  gtpc:
    server:
      - address: 127.0.0.4
  gtpu:
    server:
      - address: 127.0.0.4
  metrics:
    server:
      - address: 127.0.0.4
      port: 9090
  session:
    - subnet: 10.45.0.0/16
      gateway: 10.45.0.1
    - subnet: 2001:db8:cafe::/48
      gateway: 2001:db8:cafe::1
  dns:
    - 8.8.8.8
    - 8.8.4.4
    - 2001:4860:4860::8888
    - 2001:4860:4860::8844
  mtu: 1400
  freeDiameter:
    identity: smf.localdomain
    realm: localdomain
    listen_on: 127.0.0.4
```

```
no_fwd: true
load_extension:
  - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
    conf: 0x8888
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
  - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
connect:
  - identity: pcrf.localdomain
    address: 127.0.0.9

amf:
  sbi:
    server:
      - address: 127.0.0.5
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  ngap:
    server:
      - address: 127.0.1.5
  metrics:
    server:
      - address: 127.0.0.5
        port: 9090
  guami:
    - plmn_id:
        mcc: 999
        mnc: 70
      amf_id:
        region: 2
        set: 1
  tai:
    - plmn_id:
        mcc: 999
        mnc: 70
      tac: 1
  plmn_support:
    - plmn_id:
        mcc: 999
        mnc: 70
      s_nssai:
        - sst: 1
  security:
    integrity_order : [ NIA2, NIA1, NIA0 ]
    ciphering_order : [ NEA0, NEA1, NEA2 ]
  network_name:
    full: Open5GS
  amf_name: open5gs-amf0

sgwu:
  pfcp:
    server:
      - address: 127.0.0.6
  gtpu:
    server:
      - address: 127.0.0.6

upf:
  pfcp:
    server:
      - address: 127.0.0.7
  gtpu:
    server:
```

```

    - address: 127.0.0.7
session:
  - subnet: 10.45.0.0/16
    gateway: 10.45.0.1
  - subnet: 2001:db8:cafe::/48
    gateway: 2001:db8:cafe::1
metrics:
  server:
    - address: 127.0.0.7
      port: 9090

hss:
  freeDiameter:
    identity: hss.localdomain
    realm: localdomain
    listen_on: 127.0.0.8
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: mme.localdomain
        address: 127.0.0.2

pcrf:
  freeDiameter:
    identity: pcrf.localdomain
    realm: localdomain
    listen_on: 127.0.0.9
    no_fwd: true
    load_extension:
      - module: @build_subprojects_freeDiameter_extensions_dir@/dbg_msg_dumps.fdx
        conf: 0x8888
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_rfc5777.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_mip6i.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nasreq.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_nas_mipv6.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca.fdx
      - module: @build_subprojects_freeDiameter_extensions_dir@/dict_dcca_3gpp/dict_dcca_3gpp.fdx
    connect:
      - identity: smf.localdomain
        address: 127.0.0.4

nrf:
  sbi:
    server:
      - address: 127.0.0.10
        port: 7777

scp:
  sbi:
    server:
      - address: 127.0.0.200
        port: 7777
    client:
      nrf:
        - uri: http://127.0.0.10:7777

ausf:
  sbi:
    server:
      - address: 127.0.0.11
        port: 7777

```

```
client:
  scp:
    - uri: http://127.0.0.200:7777

udm:
  hnet:
    - id: 1
      scheme: 1
      key: @build_configs_dir@/open5gs/hnet/curve25519-1.key
    - id: 2
      scheme: 2
      key: @build_configs_dir@/open5gs/hnet/secp256r1-2.key
  sbi:
    server:
      - address: 127.0.0.12
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

pcf:
  sbi:
    server:
      - address: 127.0.0.13
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  metrics:
    server:
      - address: 127.0.0.13
        port: 9090

nssf:
  sbi:
    server:
      - address: 127.0.0.14
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777
  nsi:
    - uri: http://127.0.0.10:7777
      s_nssai:
        sst: 1

bsf:
  sbi:
    server:
      - address: 127.0.0.15
        port: 7777
    client:
      scp:
        - uri: http://127.0.0.200:7777

af:
  sbi:
    server:
      - address: 127.0.0.16
        port: 7777
    client:
      scp:
        - uri: http://127.0.1.200:7777

udr:
  sbi:
    server:
      - address: 127.0.0.20
        port: 7777
```


client:

scp:

- uri: <http://127.0.0.200:7777>

Ejemplo de configuración real: gnb_rf_b210_fdd_srsUE.yml

```
# This example configuration outlines how to configure the srsRAN Project gNB to create a single FDD cell
# transmitting in band 3, with 20 MHz bandwidth and 15 kHz sub-carrier-spacing. A USRP B200 is configured
# as the RF frontend using split 8, with a Leo Bodnar GPSDO as an external reference clock.
```

```
# This particular configuration is intended to be used with srsUE. Note the `pdcch` parameters set in the
# `cell_cfg` section. These are set to match the capabilities of srsUE.
```

```
cu_cp:
  amf:
    addr: 10.53.1.2
    port: 38412
    bind_addr: 10.53.1.1
    supported_tracking_areas:
      - tac: 7
        plmn_list:
          - plmn: "00101"
            tai_slice_support_list:
              - sst: 1
```

```
ru_sdr:
  device_driver: uhd
  device_args: type=b200
  clock: external
  srate: 23.04
  tx_gain: 80
  rx_gain: 40
```

```
cell_cfg:
  dl_arfcn: 368500
  band: 3
  channel_bandwidth_MHz: 20
  common_scs: 15
  plmn: "00101"
  tac: 7
  pdcch:
    dedicated:
      ss2_type: common
      dci_format_0_1_and_1_1: false
    common:
      ss0_index: 0
      coreset0_index: 12
  prach:
    prach_config_index: 1
  pdsch:
    mcs_table: qam64
  pusch:
    mcs_table: qam64
```

```
log:
  filename: /tmp/gnb.log
  all_level: info
```

```
pcap:
  mac_enable: enable
  mac_filename: /tmp/gnb_mac.pcap
  ngap_enable: enable
  ngap_filename: /tmp/gnb_ngap.pcap
```