



CEMS Heuristic Evaluation

No	Heuristic	Description of the issue	Screenshot	Severity	Suggested improvement
1	H1-1: Simple & natural dialog	-Silent Login Failure: When entering incorrect credentials the GUI provides no visual feedback. The error is only visible in the developer console - Hidden Forgot Password Status: Clicking “Send” button for a password reset doesnot confirm is the action was successful or if the email exists in the system.		4	- Add a red error label or an alert popup stating “Invalid email or password.” - Provide a confirm dialog after clicking “Send” to acknowledge the request.

2




H1-2: Speak the users' language



- Permission errors show raw JavaFX error code for edit/delete button shown to the users.
 - Full event registrations trigger a `NullPointerException` regarding `JsonNode`. But the user usually doesn't know what a "JsonNode" or "Jackson Databind" is. To them, this looks like the application has crashed or "broken.". To them, this looks like the application has crashed or "broken."
 - The user management displays role as numbers which have no meaning to users




2

- Make the pop up more user friendly and readable .
- Map all backend exceptions to human-readable strings. Instead of `JsonNode.get(String)`, pop up display : "Registration Failed: This event has reached its maximum number of attendees."
-
- **Role should be a text the user understands and not numbers**

		opens the event detail page. Clicking Cancel there returns to the general events page instead of the event management page, breaking consistency.			
5	H1-5: Feedback	No error message is shown for invalid credentials or non-existing accounts. The user receives no feedback about what went wrong		3	Display a clear error message explaining why login failed.
6	H1-6: Clearly marked exits	Onboarding flow (sign-in and sign-up) has no clearly marked exit or way to exit or return to home		2	Add clearly visible Exit / Back to Home buttons on each onboarding step, keep the position and design consistent.
7	H1-7: Shortcuts	- There are no accelerators or shortcuts for expert users (like Faculty) who manage multiple events; every action requires multiple clicks.		1	Add keyboard accelerators for frequent tasks, such as Ctrl+S to save an event form.

8	H1-8: Precise & constructive error messages	When trying to log in without signing up, the system shows “Session expired”, which is misleading and does not explain the real issue.		0	Replace with a correct, descriptive error message (e.g., “Account does not exist”).
9	H1-9: Prevent errors	- The UI allows users to attempt registration for full events or edit events they don't own, failing to prevent "illegal" actions before server rejection - The form allows submitting important empty fields and still creates the event.		3	- Disable the "Register" button or hide edit and delete button. Only show "Edit"/ "Delete" if the User ID matches the Creator ID. Change the label to "Event Full" once capacity is reached. - Add validation and prevent submitting empty required fields.

				3	
10	H1-10: Help and documentation	- There is no searchable FAQ or "How-to" guide accessible within the interface for the user.		2	- Add a "Help" section to the sidebar containing a searchable list of common issues like "How do I reset my password?".