



SYMBIOSIS INSTITUTE OF TECHNOLOGY, PUNE
Constituent of Symbiosis International (Deemed University), Pune

Name of Student: ARPIT CHAKRABORTY	PRN: 25070122047
Subject: Programming with Java	Sem: III AY: 2026-27
Assignment No: 4	
TITLE: Develop a Java application demonstrating the use of wrapper classes for conversion between primitive data types and objects, and performing basic operations on wrapped values.	

1. Create a program to convert student marks from String format to Integer and calculate total marks.

```
StudentMarks.java > StudentMarks
1  public class StudentMarks {
    Run | Debug
2      public static void main(String[] args) {
3
4          String mark1 = "85";
5          String mark2 = "90";
6          String mark3 = "78";
7
8          // Convert String to Integer
9          int m1 = Integer.parseInt(mark1);
10         int m2 = Integer.parseInt(mark2);
11         int m3 = Integer.parseInt(mark3);
12
13         int total = m1 + m2 + m3;
14
15         System.out.println("Marks 1: " + m1);
16         System.out.println("Marks 2: " + m2);
17         System.out.println("Marks 3: " + m3);
18         System.out.println("Total Marks: " + total);
19     }
20 }
```

OUTPUT:

```
[Running] cd "c:\Users\Arpit\java_assignments\" && javac StudentMarks.java && java StudentMarks
Marks 1: 85
Marks 2: 90
Marks 3: 78
Total Marks: 253
```

2. Develop an Employee Payroll System that accepts employee IDs, basic salary, and bonus amounts from the user. Convert the entered values into wrapper objects and perform validation operations to ensure valid salary values before calculating the net salary.

```
J EmployeePayroll.java X
J EmployeePayroll.java > EmployeePayroll
1  import java.util.Scanner;
2
3  public class EmployeePayroll {
4      public static void main(String[] args) {
5
6          Scanner sc = new Scanner(System.in);
7
8          System.out.print(s: "Enter Employee ID: ");
9          String idInput = sc.nextLine();
10
11         System.out.print(s: "Enter Basic Salary: ");
12         String salaryInput = sc.nextLine();
13
14         System.out.print(s: "Enter Bonus Amount: ");
15         String bonusInput = sc.nextLine();
16
17         // Convert to Wrapper Objects
18         Integer empId = Integer.valueOf(idInput);
19         Double basicSalary = Double.valueOf(salaryInput);
20         Double bonus = Double.valueOf(bonusInput);
21
22         // Validation
23         if (basicSalary < 0 || bonus < 0) {
24             System.out.println(x: "Invalid Salary or Bonus Amount!");
25         } else {
26             double netSalary = basicSalary + bonus;
27
28             System.out.println("\nEmployee ID: " + empId);
29             System.out.println("Basic Salary: " + basicSalary);
30             System.out.println("Bonus: " + bonus);
31             System.out.println("Net Salary: " + netSalary);
32         }
33
34         sc.close();
35     }
36 }
```

OUTPUT:

```
PS C:\Users\Arpit\java_assignments> & 'C:\Program Files\Java\jdk-26.0.1\bin\java.exe' '--enable-preview' '-XX:+ShowCodeDetailsInExceptionMessages' '-cp' 'C:\Users\Arpit\AppData\Roaming\Code\User\workspaceStorage\4bc4a89ca2bf606057b81e856df867b6\redhat.java\jdt_ws\java_assignments_df3da72d\bin' 'EmployeePayroll'
Enter Employee ID: 101
Enter Basic Salary: 25000
Enter Bonus Amount: 5000

Employee ID: 101
Basic Salary: 25000.0
Bonus: 5000.0
Net Salary: 30000.0
```