

AUTHORED BY : ARPIT RAJ , LNMIIT JAIPUR

i am discussing leetcode question numbers with solutions

---

### 2377. Sort the Olympic Table

**The Goal:** Sort the countries to create a leaderboard. Sort by gold medals, then silver, then bronze (all descending). If there's a tie, sort by the country's name alphabetically (ascending).

```
SELECT country, gold, silver, bronze
FROM Olympic
ORDER BY gold DESC, silver DESC, bronze DESC, country ASC;
```

## 176. Second Highest Salary

Table: Employee

| Column Name | Type |
|-------------|------|
| id          | int  |
| salary      | int  |

Write a solution to find the second highest distinct salary from the Employee table. If there is no second highest salary, return null

```
SELECT (  
    SELECT DISTINCT salary  
    FROM Employee  
    ORDER BY salary DESC  
    LIMIT 1 OFFSET 1  
) AS SecondHighestSalary;
```

### How it works

The inner query:

```
SELECT DISTINCT salary  
FROM Employee  
ORDER BY salary DESC  
LIMIT 1 OFFSET 1;
```

returns:

200

or

(empty)

The outer query:

```
SELECT ( ... ) AS SecondHighestSalary;
```

## 183. Customers Who Never Order

Table: Customers

| Column Name | Type    |
|-------------|---------|
| id          | int     |
| name        | varchar |

Table: Orders

| Column Name | Type |
|-------------|------|
| id          | int  |
| customerId  | int  |

id is the primary key (column with unique values) for this table.

customerId is a foreign key (reference columns) of the ID from the Customers table.

Write a solution to find all customers who never order anything.

```
SELECT name AS Customers
FROM Customers
WHERE id NOT IN (
    SELECT customerId
    FROM Orders
);
```

## 1350. Students With Invalid Departments

**The Goal:** Find the ID and name of students who are enrolled in a department that no longer exists in the Departments table.

```
SELECT id, name
FROM Students
WHERE department_id NOT IN (
    SELECT id
    FROM Departments
);
```

## 2026. Low-Quality Problems

**The Goal:** Find problems where the "like percentage" (likes divided by total votes) is strictly less than 60%. Sort the result by problem ID.

```
SELECT problem_id
FROM Problems
WHERE (likes / (likes + dislikes)) < 0.60
ORDER BY problem_id ASC;
```

## 1821. Find Customers With Positive Revenue this Year

**The Goal:** Find customers who have a revenue strictly greater than zero in the year 2021.

```
SELECT customer_id
FROM Customers
WHERE year = 2021
      AND revenue > 0;
```

## 1667. Fix Names in a Table

| Column Name | Type    |
|-------------|---------|
| user_id     | int     |
| name        | varchar |

Write a solution to fix the names so that only the first character is uppercase and the rest are lowercase.

Return the result table ordered by user\_id.

```
SELECT user_id,
       CONCAT(
         UPPER(SUBSTRING(name, 1, 1)),
         LOWER(SUBSTRING(name, 2))
       ) AS name
FROM Users
ORDER BY user_id;
```