

Cucumber Report

24-Oct-2023, 12:14:51 pm

Start : Oct 24, 12:14:48.286 pm

End : Oct 24, 12:14:50.488 pm

Duration : 2.202 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 0
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get Started Page</u>	2.202 s	1	0	1	0	4	0	0	4

#	Feature Name	Scenario Name
1	<u>Get Started Page</u>	<u>The User clicks Get Started button on landing page</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Arpita	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get Started Page</u>	1	0	1	0	2.202 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get Started Page</u>	<u>The User clicks Get Started button on landing page</u>	4	0	0	4	2.199 s

Get Started Page

FAILED	DURATION - 2.202 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:14:48.286 pm // 12:14:50.488 pm /					

The User clicks Get Started button on landing page

FAILED	DURATION - 2.199 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:14:48.289 pm // 12:14:50.488 pm /				
Get Started Page				
@Arpita				

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Could not create a session: You must enable the 'Allow Remote Automation' option in Safari's Develop menu to control Safari via WebDriver. Host info: host: 'Praveens-MacBook-Pro-2.local', ip: 'fe80:0:0:0:40b:1dbc:cc76:86dd%en0' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, newSession {capabilities=[Capabilities {browserName: safari}]]] Capabilities {browserName: safari} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:83) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:79) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:56)	FAILED	2.176 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:47) at stepDefinitions.BaseClass.setDriver(BaseClass.java:58) at Utilities.Helper.<init>(Helper.java:19) at Utilities.Helper.setUpDriver(Helper.java:40) at stepDefinitions.Hooks.setUp(Hooks.java:15)		
1	Given User Launches Chrome Browser	SKIPPED	0.002 s
2	When User opens DS Algo portal link	SKIPPED	0.000 s
3	Then User clicks Get Started button	SKIPPED	0.001 s
4	And User lands on Home page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null at stepDefinitions.Hooks.tearDown(Hooks.java:22)		