

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Get Started Page	5.410 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Get Started Page	The User clicks Get Started button on landing page

TAG	Scenario Feature							
Name	T	P	F	S	T	P	F	S
@Arpita	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Get Started Page	1	0	1	0	5.410 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Get Started Page	The User clicks Get Started button on landing page	4	3	1	0	5.408 s

DETAILED SECTION -- 7 --

Get Started Page

FAILED	DURATION - 5.410 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 10:33:24.516 pm /	// 10:33:29.926 pm /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

The User clicks Get Started button on landing page



#	Step / Hook Details	Status	Duration
1	Given User Launches Chrome Browser	PASSED	0.010 s
2	When User opens DS Algo portal link	PASSED	1.908 s
3	Then User clicks Get Started button	PASSED	0.125 s
4	And User lands on Home page	FAILED	0.411 s
	org.openqa.selenium.NoSuchFrameException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [8D429763-9D0C-4865-BC16-157AE4FE5054, findElement {using=xpath, value=//a[contains(text(), 'NumpyNinja')]}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} Session ID: 8D429763-9D0C-4865-BC16-157AE4FE5054 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION -- 8 --

Step / Hook Details Status Durat	Step / Hook Details	Duration
mandExecutor.execute(DriverCommandExecutor.java:171) execute(RemoteWebDriver.java:602) ElementFinder\$2.findElement(ElementLocation.java:165) ndElement(ElementLocation.java:59) findElement(RemoteWebDriver.java:359) findElement(RemoteWebDriver.java:353) andingPage.java:37) n_Home_page(landingPageSteps.java:38)	nium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) nium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) nium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) nium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) nium.remote.ElementLocation.findElement(ElementLocation.java:59) nium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) nium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) nium.gemote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)	
	acters are replaced by '?'.	
rumber.java.Scenario) FAILED 0.732 s	tions.Hooks.tearDown(io.cucumber.java.Scenario)	0.732 s
	ted button on landing page	
ver info: org.openqa.selenium.safari.SafariDriver Command: [8D429763-9D0C-eptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, filing: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, lse, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: eMediaCapture: false}} Session ID: 8D429763-9D0C-4865-BC16-157AE4FE5054 andleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) inceWithCaller(Constructor.java:500) ince(Constructor.java:484) ince(Constructor.jav	NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os 13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [8D429763-9D0C-E5054, quit {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: ction: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, : 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: #Filtering: false, DisableInsecureMediaCapture: false}} Session ID: 8D429763-9D0C-4865-BC16-157AE4FE5054 ernal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) ing.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) ing.reflect.Constructor.newInstance(Constructor.java:484) injum.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) injum.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) injum.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) injum.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) injum.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:128) iil.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) iil.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:144) iil.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) ing.Thread.run(Thread.java:1623)	
or.runWorker(ThreadPoolExecutor.java:1144) or\$Worker.run(ThreadPoolExecutor.java:642)	il.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) il.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)	