

Cucumber Report

15-Nov-2023, 10:17:58 pm

Start : Nov 15, 10:17:50.285 pm

End : Nov 15, 10:17:57.627 pm

Duration : 7.342 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 3
FAILED - 4
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SignIn Page</u>	7.342 s	4	0	4	0	16	3	4	9

#	Feature Name	Scenario Name
1	<u>SignIn Page</u>	<u>User on login page and login with invalid inputs from Excel "Sheet1" and</u>
2		<u>User on login page and login with invalid inputs from Excel "Sheet1" and</u>
3		<u>User on login page and login with invalid inputs from Excel "Sheet1" and</u>
4		<u>User on login page and login with valid inputs from Excel "Sheet1" and</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@test	4	0	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>SignIn Page</u>	4	0	4	0	7.342 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignIn Page</u>	<u>User on login page and login with invalid inputs from Excel "Sheet1" and</u>	4	3	1	0	7.198 s
2		<u>User on login page and login with invalid inputs from Excel "Sheet1" and</u>	4	0	1	3	0.008 s
3		<u>User on login page and login with invalid inputs from Excel "Sheet1" and</u>	4	0	1	3	0.010 s
4		<u>User on login page and login with valid inputs from Excel "Sheet1" and</u>	4	0	1	3	0.006 s

SignIn Page

FAILED	DURATION - 7.342 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 16 Pass - 3 Fail - 4 Skip - 9	
/ 10:17:50.285 pm // 10:17:57.627 pm /					



User on login page and login with invalid inputs from Excel "Sheet1" and

<div><div>FAILED</div><div>DURATION - 7.198 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:17:50.291 pm // 10:17:57.489 pm /				
SignIn Page				
@test				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	1.975 s
2	When The user enter sheet "Sheet1" and 0	PASSED	0.945 s
3	And click login button	PASSED	0.048 s
4	Then User get error message java.lang.AssertionError: expected [Please fill in this field.] but found [Fill out this field] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at stepDefinitions.signInPageSteps.validateMessage(signInPageSteps.java:95) at ?.User get error message(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:9) * Not displayable characters are replaced by '?'.	FAILED	0.060 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.465 s
	User on login page and login with invalid inputs from Excel "Sheet1" and		

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [57562219-B6AA-407E-BADD-299484BCF58A, quit {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} Session ID: 57562219-B6AA-407E-BADD-299484BCF58A</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$1(DriverCommandExecutor.java:128) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1623)</p> 		



User on login page and login with invalid inputs from Excel "Sheet1" and

FAILED	DURATION - 0.008 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:17:57.575 pm // 10:17:57.583 pm /				
SignIn Page				
@test				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.signInPageSteps.the_user_is_on_signin_page(signInPageSteps.java:33) at ?.The user is on signin page(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user enter sheet "Sheet1" and 1	SKIPPED	0.000 s
3	And click login button	SKIPPED	0.001 s
4	Then User get error message	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22)</p>	FAILED	0.001 s



User on login page and login with invalid inputs from Excel "Sheet1" and

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:17:57.599 pm // 10:17:57.609 pm /				
SignIn Page				
@test				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableIACECandidateFiltering: false, DisableInsecureMediaCapture: false}} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.signinPageSteps.the_user_is_on_signin_page(signinPageSteps.java:33) at ?.The user is on signin page(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
2	When The user enter sheet "Sheet1" and 2	SKIPPED	0.000 s
3	And click login button	SKIPPED	0.001 s
4	Then User get error message	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) <pre>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableIACECandidateFiltering: false, DisableInsecureMediaCapture: false}} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22) </pre>		

User on login page and login with valid inputs from Excel "Sheet1" and

FAILED	DURATION - 0.006 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:17:57.621 pm // 10:17:57.627 pm /				
SignIn Page				
@test				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on signin page</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, get {url=https://dsportalapp.herokuapp.com/home}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.signInPageSteps.the_user_is_on_signin_page(signInPageSteps.java:33) at ?.The user is on signin page(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
2	When The user enter sheet "Sheet1" and 3	SKIPPED	0.001 s
3	And click login button	SKIPPED	0.000 s
4	Then User get logged in message	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: </pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<p>'249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22)</p>		