

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Get Started Page	6.246 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Get Started Page	The User clicks Get Started button on landing page

TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@Arpita	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Get Started Page	1	0	1	0	6.246 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Get Started Page	The User clicks Get Started button on landing page	4	3	1	0	6.241 s

DETAILED SECTION -- 7 --

## **Get Started Page**

FAILED	DURATION - 6.246 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:57:54.165 pm //	12:58:00.411 pm /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## The User clicks Get Started button on landing page



#	Step / Hook Details	Status	Duration
1	Given User Launches Chrome Browser	PASSED	0.009 s
2	When User opens DS Algo portal link	PASSED	2.246 s
3	Then User clicks Get Started button	PASSED	0.221 s
4	And User lands on Home page	FAILED	0.333 s
	org.openqa.selenium.NoSuchFrameException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [F1A3ABA6-7EBB-4805-A256-148FA66BC49D, findElement {using=xpath, value=//a[contains(text(), 'NumpyNinja')]}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} Session ID: F1A3ABA6-7EBB-4805-A256-148FA66BC49D  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at pageObjects.LandingPage.getHomePageTitle(LandingPage.java:37) at stepDefinitions.landingPageSteps.User_lands_on_Home_page(landingPageSteps.java:38) at ?.User lands on Home page(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/getStarted.feature:8)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.932 s
	The User clicks Get Started button on landing page		
	org.openqa.selenium.NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [F1A3ABA6-7EBB-4805-A256-148FA66BC49D, quit {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22690, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} Session ID: F1A3ABA6-7EBB-4805-A256-148FA66BC49D at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:380) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.lanbda\$execute\$(DriverCommandExecutor.java:128) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.FunWorker(ThreadPoolExecutor.java:642) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	Preparing for the Interviews Now are at the right place.		