Cucumber Report

07-Oct-2023, 7:44:02 am

| Start : Oct 07, 7:43:35.652 am	End : Oct 07, 7:44:02.089 am	Duration : 26.437 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 9 SKIPPED - 0	PASSED - 10 FAILED - 9 SKIPPED - 13

Features: 3

Scenarios: 9

Steps: 32

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 31 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Home Page	26.436 s	4	0	4	0	12	4	4	4
SignIn Page	26.357 s	4	0	4	0	16	4	4	8
Get Started Page	26.418 s	1	0	1	0	4	2	1	1

#	Feature Name	Scenario Name
1	*Home Page*	*User click on "Get Started" button for the data structure option without login*
2		*User select "Arrays" option from the dropbox menu without login*
3		*User click on Sign In "login"*
4		*User click on Register "Register"*
5	*SignIn Page*	*User on login page and login with invalid inputs from Excel "Sheet1" and*
6		*User on login page and login with invalid inputs from Excel "Sheet1" and*
7		*User on login page and login with invalid inputs from Excel "Sheet1" and*
8		*User on login page and login with valid inputs from Excel "Sheet1" and*
9	*Get Started Page*	*The User clicks Get Started button on landing page*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Homelink/_dropbox	1	0	1	0	1	0	1	0
@HomeLogin	1	0	1	0	1	0	1	0
@HomeRegister	1	0	1	0	1	0	1	0
@invalidtest	3	0	3	0	1	0	1	0
@validtest	1	0	1	0	1	0	1	0
@Arpita	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Home Page	4	0	4	0	26.436 s
2	SignIn Page	4	0	4	0	26.357 s
3	Get Started Page	1	0	1	0	26.418 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home Page	User click on "Get Started" button for the data structure option without login	3	1	1	1	26.361 s
2		User select "Arrays" option from the dropbox menu without login	3	1	1	1	26.349 s
3		User click on Sign In "login"	3	1	1	1	26.345 s
4		User click on Register "Register"	3	1	1	1	26.414 s
5	SignIn Page	User on login page and login with invalid inputs from Excel "Sheet1" and	4	1	1	2	26.354 s
6		User on login page and login with invalid inputs from Excel "Sheet1" and	4	1	1	2	26.352 s
7		User on login page and login with invalid inputs from Excel "Sheet1" and	4	1	1	2	26.345 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		*User on login page and login with valid inputs from Excel "Sheet1" and*	4	1	1	2	26.351 s
9	*Get Started Page*	*The User clicks Get Started button on landing page*	4	2	1	1	26.418 s

Home Page

FAILED	DURATION - 26.436 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 12 Pass - 4 Fail - 4 Skip - 4	12
/ 7:43:35.652 am // 7:44:02.088 am /					

User click on "Get Started" button for the data structure option without login

FAILED	DURATION - 26.361 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 7:43:35.657 am // 7:44:02.018 am /				
Home Page				
@Homelink/_dropbox				

#	Step / Hook Details	Status	Duration
1	Given User is on homepage of DS Algo	PASSED	1.618 s
2	When User click on "Get Started" for the data structure option without login	FAILED	8.653 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[contains(@href, 'data-structures-introduction')]"} (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, findElement {using=xpath, value=//a[contains(@href, 'data-structures-introduction')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at pageObjects.HomePage.getStartedButtonClick(HomePage.java:35) at stepDefinitions.homePageSteps.user_click_on_for_the_data_structure_option_without_login(homePageSteps.java:26) at ?.User click on "Get Started" for the data structure option without login(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/homepage.feature:6) * Not displayable characters are replaced by '?'.		
3	Then User should get error message "You are not logged in"	SKIPPED	0.023 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) User click on "Get Started" button for the data structure option without login org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at Utilities.Helper.tearDown(Helper.java:41) at stepDefinitions.Hooks.tearDown(Hooks.java:26)	FAILED	7.453 s

#	Step / Hook Details	Status	Duration

User select "Arrays" option from the dropbox menu without login

FAILED	DURATION - 26.349 s
/ 7:43:35.667 am // 7:44:02.016 am /	
Home Page	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User is on homepage of DS Algo	PASSED	1.977 s
2	When User click on "Arrays" from drop down menu without login	FAILED	10.584 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='dropdown-menu show']/a[1]"} (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, findElement {using=xpath, value=//div[@class='dropdown-menu show']/a[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at pageObjects.HomePage.selectDropdownOption(HomePage.java:42) at stepDefinitions.homePageSteps.user_click_on_from_drop_down_menu_without_login(homePageSteps.java:36) at ?.User click on "Arrays" from drop down menu without login(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/homepage.feature:15) * Not displayable characters are replaced by '?'.		
3	Then User should get error message "You are not logged in"	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	5.110 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22)		

**User click on Sign In "login"**

FAILED	DURATION - 26.345 s
/ 7:43:35.668 am // 7:44:02.013 am /	
Home Page	
@HomeLogin	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User is on homepage of DS Algo	PASSED	2.616 s
2	When User click on login "login" button	FAILED	5.337 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, clickElement {id=A22D3F6251AE35D9489ADEB8D5E57486_element_31}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (c07967000660faf16b486338bb25d4b8)] -> xpath: //div[@class ='navbar-nav']/ul/a[contains(text(),'Sign in')]] Session ID: c07967000660faf16b486338bb25d4b8
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at pageObjects.HomePage.clickSignInBtn(HomePage.java:56)
	    at stepDefinitions.homePageSteps.user_click_on_login_button(homePageSteps.java:48)
	    at ?.User click on login "login" button(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/homepage.feature:35)		

| #	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
3	Then User should redirected to login "login" page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	9.617 s
	User click on Sign In "login"		

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409)
	  at Utilities.Helper.tearDown(Helper.java:41)
	  at stepDefinitions.Hooks.tearDown(Hooks.java:26)		

User click on Register "Register"

FAILED	DURATION - 26.414 s

/ 7:43:35.674 am // 7:44:02.088 am /

Home Page

@HomeRegister

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given User is on homepage of DS Algo	PASSED	2.311 s
2	When User click on register "Register" button	FAILED	15.288 s

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, getElementText {id=99A387040F0CFFED1653D9A95A970294_element_38}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (c07967000660faf16b486338bb25d4b8)] -> xpath: //div[@class ='navbar-nav']/ul/ a[contains(text(),'Register')]] Session ID: c07967000660faf16b486338bb25d4b8
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192)
	    at pageObjects.HomePage.clickRegisterBtn(HomePage.java:51)
	    at stepDefinitions.homePageSteps.user_click_on_button(homePageSteps.java:41)
	    at ?.User click on register "Register" button(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/homepage.feature:25)
	* Not displayable characters are replaced by '?'.		

3	Then User should redirected to Register "Register" page	SKIPPED	0.064 s

#	Step / Hook Details	Status	Duration
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22)		

SignIn Page

FAILED	DURATION - 26.357 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 16 Pass - 4 Fail - 4 Skip - 8	
/ 7:43:35.663 am // 7:44:02.020 am /					

User on login page and login with invalid inputs from Excel "Sheet1" and

FAILED	DURATION - 26.354 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 7:43:35.663 am // 7:44:02.017 am /				
SignIn Page				
@invalidtest				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	8.120 s
2	When The user enter sheet "Sheet1" and 0	FAILED	0.007 s

	java.lang.NullPointerException: Cannot invoke "java.util.List.get(int)" because "testdata" is null
	   at stepDefinitions.signInPageSteps.the_user_enter_sheet_and(signInPageSteps.java:63)
	   at ?.The user enter sheet "Sheet1" and 0(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:7)
	* Not displayable characters are replaced by '?'.		

3	And click login button	SKIPPED	0.001 s
4	Then User get error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	9.602 s
	User on login page and login with invalid inputs from Excel "Sheet1" and		

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409)
	   at Utilities.Helper.tearDown(Helper.java:41)
	   at stepDefinitions.Hooks.tearDown(Hooks.java:26)		

| #	Step / Hook Details	Status	Duration

User on login page and login with invalid inputs from Excel "Sheet1" and

FAILED	DURATION - 26.352 s
/ 7:43:35.668 am // 7:44:02.020 am /	
SignIn Page	
@invalidtest	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	8.162 s
2	When The user enter sheet "Sheet1" and 1	FAILED	0.003 s

	java.lang.NullPointerException: Cannot invoke "java.util.List.get(int)" because "testdata" is null
	    at stepDefinitions.signInPageSteps.the_user_enter_sheet_and(signInPageSteps.java:63)
	    at ?.The user enter sheet "Sheet1" and 1(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:7)
	* Not displayable characters are replaced by '?'.		

3	And click login button	SKIPPED	0.000 s
4	Then User get error message	SKIPPED	0.003 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	9.565 s
	User on login page and login with invalid inputs from Excel "Sheet1" and		
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at Utilities.Helper.tearDown(Helper.java:41) at stepDefinitions.Hooks.tearDown(Hooks.java:26)		

User on login page and login with invalid inputs from Excel "Sheet1" and

FAILED	DURATION - 26.345 s		Steps
/ 7:43:35.669 am // 7:44:02.014 am /			Total - 4
SignIn Page			Pass - 1
			Fail - 1
@invalidtest			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	7.881 s
2	When The user enter sheet "Sheet1" and 2	FAILED	0.007 s

	java.lang.NullPointerException: Cannot invoke "java.util.List.get(int)" because "testdata" is null
	    at stepDefinitions.signInPageSteps.the_user_enter_sheet_and(signInPageSteps.java:63)
	    at ?.The user enter sheet "Sheet1" and 2(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.		

| #	Step / Hook Details	Status	Duration
	feature:7) * Not displayable characters are replaced by '?'.		
3	And click login button	SKIPPED	0.001 s
4	Then User get error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	9.553 s
	User on login page and login with invalid inputs from Excel "Sheet1" and		

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409)
	  at Utilities.Helper.tearDown(Helper.java:41)
	  at stepDefinitions.Hooks.tearDown(Hooks.java:26)		

User on login page and login with valid inputs from Excel "Sheet1" and

FAILED	DURATION - 26.351 s
/ 7:43:35.665 am // 7:44:02.016 am /	
SignIn Page	
@validtest	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	8.248 s
2	When The user enter sheet "Sheet1" and 3	FAILED	0.003 s

	java.lang.NullPointerException: Cannot invoke "java.util.List.get(int)" because "testdata" is null
	   at stepDefinitions.signInPageSteps.the_user_enter_sheet_and(signInPageSteps.java:63)
	   at ?.The user enter sheet "Sheet1" and 3(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/signin.feature:23)
	* Not displayable characters are replaced by '?'.		

3	And click login button	SKIPPED	0.001 s
4	Then User get logged in message	SKIPPED	0.006 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	9.559 s
	User on login page and login with valid inputs from Excel "Sheet1" and		

	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at Utilities.Helper.tearDown(Helper.java:41) at stepDefinitions.Hooks.tearDown(Hooks.java:26)		

Get Started Page

FAILED	DURATION - 26.418 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 7:43:35.671 am // 7:44:02.089 am /					

The User clicks Get Started button on landing page

FAILED	DURATION - 26.418 s		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 7:43:35.671 am // 7:44:02.089 am /				
Get Started Page				
@Arpita				

#	Step / Hook Details	Status	Duration
1	Given User Launches Chrome Browser	PASSED	0.264 s
2	When User opens DS Algo portal link	PASSED	3.397 s
3	Then User clicks Get Started button	FAILED	3.821 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[contains(text(),'Get Started')]"} (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [c07967000660faf16b486338bb25d4b8, findElement {using=xpath, value=//button[contains(text(),'Get Started')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: /var/folders/45/nx7hh1fx2qq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56187}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:56187/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c07967000660faf16b486338bb25d4b8
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at pageObjects.LandingPage.isButtonDisplayed(LandingPage.java:33)
	  at stepDefinitions.landingPageSteps.user_clicks_Get_Started_button(landingPageSteps.java:29)
	  at ?.User clicks Get Started button(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/getStarted. feature:7)
	* Not displayable characters are replaced by '?'.		

4	And User lands on Home page	SKIPPED	0.019 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) The User clicks Get Started button on landing page	PASSED	10.176 s