

Feature			Scer	nario		Step				
Name	Duration	T	P	F	S	T	P	F	S	
Get Started Page	2.786 s	1	0	1	0	4	0	0	4	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Get Started Page	The User clicks Get Started button on landing page


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@Arpita	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Get Started Page	1	0	1	0	2.786 s	

SCENARIOS SUMMARY -- 6 --




#	# Feature Name	Scenario Name	T	P	F	S	Duration
-	Get Started Page	The User clicks Get Started button on landing page	4	0	0	4	2.783 s

Get Started Page

FAILED	DURATION - 2.786 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 10:32:33.931 pm //	/ 10:32:36.717 pm /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

The User clicks Get Started button on landing page



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp()	FAILED	2.758 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium. safari.SafariDriver Command: [null, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriver.java:602) at stepDefinitions.BaseClass.setDriver(BaseClass.java:64) at Utilities.Helper. <init>(Helper.java:19) at Utilities.Helper.setUpDriver(Helper.java:15)</init>		
1	Given User Launches Chrome Browser	SKIPPED	0.002 s
2	When User opens DS Algo portal link	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	Then User clicks Get Started button	SKIPPED	0.001 s
4	And User lands on Home page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null at stepDefinitions.Hooks.tearDown(Hooks.java:22)		