

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Get Started Page	6.326 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Get Started Page	The User clicks Get Started button on landing page

TAG	Scenario Feature							
Name	T	P	F	S	T	P	F	S
@Arpita	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Get Started Page	1	0	1	0	6.326 s	




#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	Get Started Page	The User clicks Get Started button on landing page	4	3	1	0	6.323 s

DETAILED SECTION -- 7 --

Get Started Page

FAILED	DURATION - 6.326 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 11:10:44.675 p	pm // 11:10:51.001 pm /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

The User clicks Get Started button on landing page



#	Step / Hook Details	Status	Duration
1	Given User Launches Chrome Browser	PASSED	0.009 s
2	When User opens DS Algo portal link	PASSED	1.815 s
3	Then User clicks Get Started button	PASSED	0.228 s
4	And User lands on Home page	FAILED	0.333 s
	org.openqa.selenium.NoSuchFrameException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [39D67218-10DA-4AD8-8116-5D916491709F, findElement {using=xpath, value=//a[contains(text(), 'NumpyNinja')]}} Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} Session ID: 39D67218-10DA-4AD8-8116-5D916491709F at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION -- 8 --

at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at pageObjects.LandingPage.getHomePageTitle(LandingPage.java:37) at stepDefinitions.landingPageSteps.User_lands_on_Home_page(landingPageSteps.java:38) at ?.User lands on Home page(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/getStarted.feature:8) * Not displayable characters are replaced by '?'. AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) The User clicks Get Started button on landing page org.openqa.selenium.NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch' 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [39D67218-10DA-4AD8-8116-5D916491709F, quit {} Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac,	FAILED	
AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) The User clicks Get Started button on landing page org.openqa.selenium.NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [39D67218-10DA-	FAILED	
The User clicks Get Started button on landing page org.openqa.selenium.NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [39D67218-10DA-	FAILED	
org.openqa.selenium.NoSuchSessionException: Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [39D67218-10DA-		0.882 s
'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [39D67218-10DA-		
4ADS-8116-5D916491709F, duit {}] Capabilities (acceptinisectire Certs: faise, browserversion: 18.6, plationinitianis, safari:automaticInspection: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} Session ID: 39D67218-10DA-4AD8-8116-5D916491709F at java.base/java.lang.reflect.DirectConstructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.tttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$1(DriverCommandExecutor.java:128) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1768) at java.base/java.util.concurrent.ThreadPoolExecutor.YunWorker(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1623)		