

# Cucumber Report

15-Nov-2023, 10:35:30 pm

Start : Nov 15, 10:35:27.669 pm

End : Nov 15, 10:35:30.233 pm

Duration : 2.564 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get Started Page</u>	2.564 s	1	0	1	0	4	1	1	2

#	Feature Name	Scenario Name
1	<u>Get Started Page</u>	<u>The User clicks Get Started button on landing page</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Arpita	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get Started Page</u>	1	0	1	0	2.564 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get Started Page</u>	<u>The User clicks Get Started button on landing page</u>	4	1	1	2	2.562 s

## Get Started Page

<b>FAILED</b>	<b>DURATION - 2.564 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:35:27.669 pm // 10:35:30.233 pm /					

## The User clicks Get Started button on landing page

<div>FAILED</div> <div>DURATION - 2.562 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:35:27.671 pm // 10:35:30.233 pm /</div>				
<div>Get Started Page</div>				
<div>@Arpita</div>				

#	Step / Hook Details	Status	Duration
1	Given User Launches Chrome Browser	PASSED	0.025 s
2	When User opens DS Algo portal link org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.landingPageSteps.user_opens_DS_Algo_portal_link(landingPageSteps.java:24) at ?.User opens DS Algo portal link(file:///Users/praveenkumarsharma/eclipse-workspace/justdsalgo/src/test/resources/features/getStarted.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
3	Then User clicks Get Started button	SKIPPED	0.001 s
4	And User lands on Home page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.5.1', java.version: '20.0.2' Driver info: org.openqa.selenium.safari.SafariDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: Safari, browserVersion: 16.6, platformName: mac, safari:automaticInspection: false, safari:automaticProfiling: false, safari:diagnose: false, safari:platformBuildVersion: 22G90, safari:platformVersion: 13.5.1, safari:useSimulator: false, setWindowRect: true, strictFileInteractability: false, webkit:WebRTC: {DisableICECandidateFiltering: false, DisableInsecureMediaCapture: false}} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:22)		