

Introduction to Java 1

Exercise


Q1. Write a program to replace a substring inside a string with other string ?

```
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...  
Enter the String  
my name is arpit and age is 21  
Enter the substring to replace  
21  
Enter the new String  
22  
my name is arpit and age is 22
```

Code:-

```
package javaAssesment1;  
  
import java.util.Scanner;  
  
public class exercise {  
    public static void main(String[] args) {  
        Scanner scanner = new Scanner(System.in);  
        System.out.println("Enter the String");  
        String string = scanner.nextLine();  
        System.out.println("Enter the substring to replace");  
        String old= scanner.nextLine();  
        System.out.println("Enter the new String");  
        String add = scanner.nextLine();  
        System.out.println(string.replace(old,add));  
    }  
}
```

Q2. Write a program to find the number of occurrences of the duplicate words in a string and print them ?



```
Run: exercise2 x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
Enter a string
my name is arpit and arpit has a name arpit
name : 2
arpit : 3
Process finished with exit code 0
```

Code:-

```
package javaAssesment1;

import java.util.Scanner;

public class exercise2 {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter a string");
        String string = sc.nextLine();
        int wordcount=1;
        String[] arr = string.split(" ");
        for (int i = 0; i < arr.length; i++) {
            for (int j = i+1; j < arr.length; j++) {
                if(arr[i].equals(arr[j])) {
                    wordcount = wordcount + 1;
                    arr[j] = "0";
                }
            }
            if(arr[i]!="0" && wordcount!=1)
                System.out.println(arr[i]+" : "+wordcount);
            wordcount=1;
        }
    }
}
```

Q3. Write a program to find the number of occurrences of a character in a string without using loop?

```
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...  
Enter a string  
assessment  
Enter the character to check occurrences  
s  
4  
  
Process finished with exit code 0
```

Code:-

```
package javaAssesment1;  
  
import java.util.Scanner;  
  
public class exercise3 {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        System.out.println("Enter a string");  
        String string = sc.nextLine();  
        System.out.println("Enter the character to check occurrences");  
        String ch = sc.nextLine();  
        System.out.println(string.length()-(string.replace(ch,"").length()));  
    }  
}
```

Q4. Calculate the number & Percentage Of Lowercase Letters,Uppercase Letters, Digits And Other Special Characters In A String

```
Run: exercise4 x  
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...  
Enter the string:  
YjdkIWjdk2384@#$4kdd  
Upper case character number: 2 percentage: 0  
Upper case character :10 percentage: 0  
Upper case character :5 percentage: 0  
Upper case character :3 percentage: 0  
  
Process finished with exit code 0  
|
```

Code:-

```
package javaAssesment1;  
  
import java.util.Scanner;
```

```

public class exercise4 {
    public static void main(String[] args) {
        Scanner sc= new Scanner(System.in);
        System.out.println("Enter the string:");
        String string = sc.nextLine();
        int upper=0,lower=0,digit=0,special=0;
        for (int i = 0; i <string.length() ; i++) {
            char ch = string.charAt(i);
            if(Character.isUpperCase(ch)){
                upper++;
            }
            else if(Character.isLowerCase(ch)){
                lower++;
            }
            else if(Character.isDigit(ch)){
                digit++;
            }
            else{
                special++;
            }
        }
        int total=upper+lower+digit+special;
        System.out.println("Upper case character number: "+upper+" percentage: "+(upper/total)*100);
        System.out.println("Upper case character :"+lower+" percentage: "+(lower/total)*100);
        System.out.println("Upper case character :"+digit+" percentage: "+(digit/total)*100);
        System.out.println("Upper case character :"+special+" percentage: "+(special/total)*100);
    }
}

```

Q5. Find common elements between two arrays.

```

Run: exercise5 x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
These are the two arrays:
[Kanpur, Delhi, Noida, Bangalore, Pune]
[Delhi, Pune, Bhopal, Kanpur]
Common elements between the array are:
[Delhi, Kanpur, Pune]

Process finished with exit code 0

```

Code:-

```

package javaAssesment1;

import java.util.Arrays;

```

```


import java.util.HashSet;

public class exercise5 {
    public static void main(String[] args) {
        String[] str = {"Kanpur", "Delhi", "Noida", "Banglore", "Pune"};
        String[] str1 = {"Delhi", "Pune", "Bhopal", "Kanpur"};
        System.out.println("These are the two arrays:");
        System.out.println(Arrays.toString(str));
        System.out.println(Arrays.toString(str1));
        HashSet<String> set = new HashSet<String>();

        for (int i = 0; i < str.length; i++)
        {
            for (int j = 0; j < str1.length; j++)
            {
                if(str[i].equals(str1[j]))
                {
                    set.add(str[i]);
                }
            }
        }
        System.out.println("Common elements between the array are:");
        System.out.println(set);
    }
}

```

Q6. There is an array with every element repeated twice except one. Find that element



```

Run: exercise6 x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
Enter a string
to the is if the if is
to is the only element that is not repeated
Process finished with exit code 0

```

Code:-

```

package javaAssesment1;

import java.util.Scanner;

public class exercise6 {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter a string");
        String string = sc.nextLine();
    }
}


```

```

int wordcount=0;
String[] arr = string.split(" ");
for (int i = 0; i < arr.length; i++) {
    wordcount=1;
    for (int j = i+1; j < arr.length; j++) {
        if(arr[i].equals(arr[j])) {
            wordcount = wordcount + 1;
            arr[j] = "0";
        }
    }
    if(arr[i]!="0" && wordcount==1)
        System.out.println(arr[i]+" is the only element that is not repeated");
}
}
}

```

Q7. Write a program to print your Firstname,LastName & age using static block,static method & static variable respectively



```

Run: exercise7
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
Inside the static block
The Full name is :Arpit Aulak
my Age is :22
Inside the static method
The Full name is :Arpit Aulak
my Age is :22
Process finished with exit code 0

```

Code:-

```

package javaAssesment1;

public class exercise7 {
    static String Firstname,Lastname;
    static int age;
    static{
        Firstname="Arpit";
        Lastname="Aulak";
        age = 22;
        System.out.println("Inside the static block");
        System.out.println("The Full name is :"+ Firstname + " "+ Lastname);
        System.out.println("my Age is :"+ age);
    }
    static void PrintMethod()
    {
        System.out.println("Inside the static method");
        System.out.println("The Full name is :"+ Firstname + " "+ Lastname);
    }
}

```


```

        System.out.println("my Age is :" + age);
    }

    public static void main(String[] args) {
        PrintMethod();
    }
}

```

Q8. Write a program to reverse a string and remove character from index 4 to index 9 from the reversed string using String Buffer



```

Run: exercise8 x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
Enter a string
my name is arpit aulak
The old string = my name is arpit aulak
The reverse string = kalua tipra si eman ym
The reversed string after replacing characters kalua si eman ym

Process finished with exit code 0

```

Code:-

```

package javaAssesment1;


import java.util.Scanner;

public class exercise8 {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.println("Enter a string");
        String string = sc.nextLine();
        StringBuffer sb = new StringBuffer(string);
        System.out.println("The old string = " + sb);

        System.out.println("The reverse string = " + sb.reverse());
        System.out.println("The reversed string after replacing characters" + " " + sb.replace(4,10,""));
    }
}

```

Q9. Write a program to display values of enums using a constructor & getPrice() method (Example display house & their prices)



```
Run: exercise9 x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
All house prices:
Flat costs 15000
Apartment costs 70000
Bungalow costs 200000
Rent costs 12000
House costs 18000
Process finished with exit code 0
```

Code:-

```
package javaAssesment1;


enum House {

    Flat(15000), Apartment(70000), Bungalow(200000), Rent(12000), House(18000);
    private int price;
    House(int p) {
        price = p;
    }
    int getPrice() {
        return price;
    }
}

public class exercise9 {
    public static void main(String args[])
    {
        System.out.println("All house prices:");
        for (House h : House.values())
            System.out.println(h + " costs " + h.getPrice());
    }
}
```


Q10. Write a single program for following operation using overloading

- A) Adding 2 integer number
- B) Adding 2 double
- C) multiplying 2 float
- D) multiplying 2 int
- E) concatenate 2 string
- F) Concat 3 String



```
Run: exerciese10 x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
The sum of two number is :15
The sum of two double number is :22.5
The multiplication of two integer number is :65
The multiplication of two floating number is :53.039997
The concatenation of two strings is :105
The concatenation of three strings is :my name isarpitaulak

Process finished with exit code 0
```

Code:-

```
package javaAssesment1;
```

```
public class exerciese10 {
    public void sum(int a,int b)
    {
        System.out.println("The sum of two number is :"+ (a+b));
    }
    public void sum(double a,double b)
    {
        System.out.println("The sum of two double number is :"+ (a+b));
    }
    public void mul(float a,float b)
    {
        System.out.println("The multiplication of two floating number is :"+ a*b);
    }
    public void mul(int a,int b)
    {
        System.out.println("The multiplication of two integer number is :"+ a*b);
    }
    public void con(String a,String b)
    {
        System.out.println("The concatenation of two strings is :"+ a + b);
    }
    public void con(String a,String b,String c)
    {
        System.out.println("The concatenation of three strings is :"+ a + b + c);
    }
}
```


```

}

public static void main(String[] args)
{
    exerciese10 ob=new exerciese10();
    ob.sum(10,5);
    ob.sum(10.5,12.0);
    ob.mul(13,5);
    ob.mul(10.2f,5.2f);
    ob.con("10","5");
    ob.con("my name is","arpit","aulak");
}
}

```

Q11.Create 3 sub class of bank SBI,BOI,ICICI all 4 should have method called getDetails which provide there specific details like rateofinterest etc,print details of every banks



```

Run: SBI x
/home/arpit/.sdkman/candidates/java/8.0.242-zulu/bin/java ...
rate of interest: 9
Bank name: BOI
Bank address: Greater Nodia

rate of interest: 7
Bank name: SBI
Bank address: Noida

rate of interest: 8
Bank name: ICICI
Bank address: Delhi

Process finished with exit code 0

```

Code:-

```

package javaAssesment1;

public class bank {
    int rateOfInterest;
    String bankName;
    String bankAddress;
}

```

```

public static void main(String[] args) {
    SBI s1 = new SBI();
    s1.setDetails(7,"SBI","Noida");
    ICICI ic1 = new ICICI();
    ic1.setDetails(8,"ICICI","Delhi");
    BOI b1 = new BOI();
    b1.setDetails(9,"BOI","Greater Nodia");
    b1.getDetails();
    s1.getDetails();
    ic1.getDetails();
}
}

class BOI extends bank{
    public void setDetails(int roi, String name, String add){
        this.rateOfInterest=roi;
        this.bankName = name;
        this.bankAddress = add;
    }

    public void getDetails(){
        System.out.println("rate of interest: " + this.rateOfInterest);
        System.out.println("Bank name: "+this.bankName);
        System.out.println("Bank address: " + this.bankAddress);
        System.out.println("\n");
    }
}

class ICICI extends bank{
    public void setDetails(int roi, String name, String add){
        this.rateOfInterest=roi;
        this.bankName = name;
        this.bankAddress = add;
    }

    public void getDetails(){
        System.out.println("rate of interest: " + this.rateOfInterest);
        System.out.println("Bank name: "+this.bankName);
        System.out.println("Bank address: " + this.bankAddress);
        System.out.println("\n");
    }
}

class SBI extends bank {
    public void setDetails(int roi, String name, String add) {
        this.rateOfInterest = roi;
        this.bankName = name;
        this.bankAddress = add;
    }
}

```

```
public void getDetails() {  
    System.out.println("rate of interest: " + this.rateOfInterest);  
    System.out.println("Bank name: " + this.bankName);  
    System.out.println("Bank address: " + this.bankAddress);  
    System.out.println("\n");  
}  
}
```