

# Cucumber Report

6 Nov 2023, 14:20:56

Start : Nov 06, 2:20:34.880 pm

End : Nov 06, 2:20:55.345 pm

Duration : 20.465 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login for OrangeHrm PAGE</u>	20.465 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Login for OrangeHrm PAGE</u>	<u>Login with given username and password CREDENTIALS</u>





#	Feature Name	T	P	F	S	Duration
1	Login for OrangeHrm PAGE	1	0	1	0	20.465 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login for OrangeHrm PAGE</u>	<u>Login with given username and password CREDENTIALS</u>	4	0	1	3	20.459 s

## Login for OrangeHrm PAGE

<b>FAILED</b>	<b>DURATION - 20.465 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 2:20:34.880 pm // 2:20:55.345 pm /					

## Login with given username and password CREDENTIALS

<div>FAILED</div> <div>DURATION - 20.459 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 2:20:34.886 pm // 2:20:55.345 pm /				
Login for OrangeHrm PAGE				

#	Step / Hook Details	Status	Duration
1	<p>Given User is on Login Url</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class CucumberReport1.ReportTest.LoginDefintionOrange            at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)            at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)            at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)            at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)            at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)            at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)            at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)            at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)            at io.cucumber.core.runner.TestStep.run(TestStep.java:56)            at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)            at io.cucumber.core.runner.TestCase.run(TestCase.java:84)            at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)            at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)            at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)            at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)            at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p>	FAILED	7.926 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)</p> <p>at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)</p> <p>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)</p> <p>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 45 more Caused by: java.lang.NullPointerException: inStream parameter is null</p> <p>at java.base/java.util.Objects.requireNonNull(Objects.java:235)</p> <p>at java.base/java.util.Properties.load(Properties.java:407)</p> <p>at CucumberReport1.ReportTest.Utility2.login2(Utility2.java:30)</p>		

#	Step / Hook Details	Status	Duration
	at CucumberReport1.ReportTest.Utility2.<init>(Utility2.java:16) at CucumberReport1.ReportTest.LoginDefintionOrange.<init>(LoginDefintionOrange.java:18)		
2	When User gives username , password	SKIPPED	0.001 s
3	And User clicks login	SKIPPED	0.001 s
4	Then User successfully logged	SKIPPED	0.000 s