

Cucumber Report

6 Nov 2023, 15:07:37

Start : Nov 06, 3:04:25.854 pm

End : Nov 06, 3:07:30.889 pm

Duration : 3 m 5.035 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login for OrangeHrm PAGE</u>	3 m 5.035 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>Login for OrangeHrm PAGE</u>	<u>Login with given username and password CREDENTIALS</u>





#	Feature Name	T	P	F	S	Duration
1	Login for OrangeHrm PAGE	1	0	1	0	3 m 5.035 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login for OrangeHrm PAGE</u>	<u>Login with given username and password CREDENTIALS</u>	4	3	1	0	3 m 5.013 s

Login for OrangeHrm PAGE

FAILED	DURATION - 3 m 5.035 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 3:04:25.854 pm // 3:07:30.889 pm /					

Login with given username and password CREDENTIALS

<div><div>FAILED</div><div>DURATION - 3 m 5.013 s</div></div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:04:25.876 pm // 3:07:30.889 pm /				
Login for OrangeHrm PAGE				

#	Step / Hook Details	Status	Duration
1	Given User is on Login Url	PASSED	1 m 23.783 s
2	When User gives username , password	PASSED	5.983 s
3	And User clicks login	PASSED	4.842 s
4	Then User successfully logged java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.isDisplayed()" because "this.loc.error" is null at CucumberReport1.ReportTest.LoginDefintionOrange.user_successfully_logged(LoginDefintionOrange.java:44) at ?.User successfully logged(file:///C:/Users/ashekharangya/eclipse-workspace/ReportTest/src/test/resources/Features/Loginfeature.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.558 s
	AFTER - CucumberReport1.ReportTest.hookClass3.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: MicrosoftEdge=118.0.2088.76) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [7c08578601e01842bbf0bb2536e906ef, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59827}, msedge: {msedgedriverVersion: 118.0.2088.88 (b181cee621c1..., userDataDir: C:\Users\ASHEKH~1\AppData\Local..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59827/devtools..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	1 m 0.600 s

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7c08578601e01842bbf0bb2536e906ef</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at CucumberReport1.ReportTest.hookClass3.tearDown(hookClass3.java:23)</p>		