

Cucumber Report

7 Nov 2023, 14:54:30

Start : Nov 07, 2:53:14.155 pm

End : Nov 07, 2:54:28.706 pm

Duration : 1 m 14.551 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page of Demo Web Shop</u>	1 m 14.551 s	2	0	2	0	8	0	2	6

#	Feature Name	Scenario Name
1	<u>Login Page of Demo Web Shop</u>	<u>Checking with valid</u>
2		<u>Checking with invalid</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Page of Demo Web Shop	2	0	2	0	1 m 14.551 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Page of Demo Web Shop</u>	<u>Checking with valid</u>	4	0	1	3	42.726 s
2		<u>Checking with invalid</u>	4	0	1	3	31.804 s

Login Page of Demo Web Shop

FAILED	DURATION - 1 m 14.551 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 0 Fail - 2 Skip - 6	
/ 2:53:14.155 pm // 2:54:28.706 pm /					



Checking with valid

<div>FAILED</div> <div>DURATION - 42.726 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 2:53:14.161 pm // 2:53:56.887 pm /				
Login Page of Demo Web Shop				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User goes to login page <pre> java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:83) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:130) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.Arptha.TechAssessment.HelperClass.OpenUrl(HelperClass.java:17) at com.Arptha.TechAssessment.LoginDefinition.user_goes_to_login_page(LoginDefinition.java:24) at ?.User goes to login page(file:///C:/Users/ashekharangya/Assessment3_Selenium_Arptha/com.Arptha.TechAssessment/src/test/resources/features/Login.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.042 s
2	When User enters email and password	SKIPPED	0.001 s
3	And Clicks on Login	SKIPPED	0.000 s
4	Then User will login or fail	SKIPPED	0.000 s
	AFTER - com.Arptha.TechAssessment.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.285 s

#	Step / Hook Details	Status	Duration
	Checking with valid		

Checking with invalid

<div>FAILED</div> <div>DURATION - 31.804 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 2:53:56.902 pm // 2:54:28.706 pm /				
Login Page of Demo Web Shop				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User goes to login page <pre> java.lang.NullPointerException: null value in entry: url=null at com.google.common.collect.CollectPreconditions.checkNotNull(CollectPreconditions.java:33) at com.google.common.collect.SingletonImmutableBiMap.<init>(SingletonImmutableBiMap.java:43) at com.google.common.collect.ImmutableBiMap.of(ImmutableBiMap.java:83) at com.google.common.collect.ImmutableMap.of(ImmutableMap.java:130) at org.openqa.selenium.remote.DriverCommand.GET(DriverCommand.java:191) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.Arptha.TechAssessment.HelperClass.OpenUrl(HelperClass.java:17) at com.Arptha.TechAssessment.LoginDefinition.user_goes_to_login_page(LoginDefinition.java:24) at ?.User goes to login page(file:///C:/Users/ashekharangya/Assessment3_Selenium_Arptha/com.Arptha.TechAssessment/src/test/resources/features/Login.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	When User enters email and password	SKIPPED	0.000 s
3	And Clicks on Login	SKIPPED	0.000 s
4	Then User will login or fail	SKIPPED	0.000 s
	AFTER - com.Arptha.TechAssessment.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.171 s
	Checking with invalid		

#	Step / Hook Details	Status	Duration