

# Cucumber Report

Nov 22, 2023, 4:21:53 PM

**Start : Nov 22, 4:19:17.173 PM**

**End : Nov 22, 4:21:52.569 PM**

**Duration : 2 m 35.396 s**

Features







PASSED - 3  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 5  
FAILED - 3  
SKIPPED - 0

Steps


PASSED - 49  
FAILED - 3  
SKIPPED - 3




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Check AboutUs in lenskart application</u>	53.662 s	1	1	0	0	9	9	0	0
<u>Follow page</u>	19.308 s	3	2	1	0	12	11	1	0
<u>Login page</u>	25.753 s	2	0	2	0	11	6	2	3
<u>feature of lenskart</u>	19.893 s	1	1	0	0	8	8	0	0
<u>sunglass feature of lenskart</u>	36.716 s	1	1	0	0	15	15	0	0

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Follow page</u>	<u>To follow on instagram</u>
2	<u>Login page</u>	<u>Checking credentials on Login</u>
3		<u>Checking Forgot password</u>

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	@AboutUs	1	1	0	0	1	1	0	0
	@ValidCredentials	1	0	1	0	1	0	1	0
	@ForgotPassword	1	0	1	0	1	0	1	0
	@Wishlist	1	1	0	0	1	1	0	0
	@EyeGlassescategory	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Check AboutUs in lenskart application</u>	1	1	0	0	53.662 s
2	<u>Follow page</u>	3	2	1	0	19.308 s
3	<u>Login page</u>	2	0	2	0	25.753 s
4	<u>feature of lenskart</u>	1	1	0	0	19.893 s
5	<u>sunglass feature of lenskart</u>	1	1	0	0	36.716 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check AboutUs in lenskart application</u>	<u>Checking AboutUs features in lenskart application</u>	9	9	0	0	53.658 s
2	<u>Follow page</u>	<u>To follow on facebook</u>	4	4	0	0	6.667 s
3		<u>To follow on instagram</u>	4	3	1	0	7.238 s
4		<u>To follow on twitter</u>	4	4	0	0	5.373 s
5	<u>Login page</u>	<u>Checking credentials on Login</u>	6	5	1	0	15.234 s
6		<u>Checking Forgot password</u>	5	1	1	3	10.507 s
7	<u>feature of lenskart</u>	<u>Selecting and Buying Glasses</u>	8	8	0	0	19.893 s
8	<u>sunglass feature of lenskart</u>	<u>checking the sunglass category of lenskart</u>	15	15	0	0	36.716 s

## Check AboutUs in lenskart application



PASSED	DURATION - 53.662 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:19:17.173 PM // 4:20:10.835 PM /					

## Checking AboutUs features in lenskart application


PASSED	DURATION - 53.658 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:19:17.177 PM // 4:20:10.835 PM /					
Check AboutUs in lenskart application					
@AboutUs					

#	Step / Hook Details	Status	Duration
1	Given User goes to lenskart webpage	PASSED	8.584 s
2	When User goes to about us and clicks We are hiring	PASSED	0.161 s
3	Then User should be able to see the we are hiring page	PASSED	9.017 s
4	When User clicks Refer and Earn	PASSED	0.344 s
5	Then User should be able to see the Refer and Earn page	PASSED	5.366 s
6	When User clicks About us	PASSED	0.226 s
7	Then User should be able to see the About us page	PASSED	2.929 s
8	When User clicks lenskart coupons	PASSED	0.238 s
9	Then User should be able to see the lenskart coupons page	PASSED	2.836 s

[Follow page](#)

**To follow on facebook**


#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	3.473 s
2	When Scroll Down	PASSED	0.019 s
3	And Click on FaceBook	PASSED	0.178 s
4	Then Goes to Facebook page	PASSED	2.993 s

**To follow on instagram**

#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	3.037 s

#	Step / Hook Details	Status	Duration
2	When Scroll Down	PASSED	0.009 s
3	And Click on instagram icon	PASSED	0.186 s
4	Then Goes to instagram page  java.lang.AssertionError: expected [https://www.instagram.com] but found [https://www.instagram.com/lenskart/] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at Definitions.FollowDef.goes_to_instagram_page(FollowDef.java:51) at ?.Goes to instagram page(file:///C:/Users/osaravanakarthikeyan/TestDreamers_Lenskart/src/test/resources/Feature/FollowUs.feature:13) * Not displayable characters are replaced by '?'.	FAILED	3.676 s
	AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario)  To follow on instagram  	PASSED	0.323 s

### To follow on twitter




#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	3.032 s
2	When Scroll Down	PASSED	0.017 s
3	And Click on twitter icon	PASSED	0.231 s
4	Then Goes to twitter page	PASSED	2.091 s

## Login page



## Checking credentials on Login



#	Step / Hook Details	Status	Duration
1	Given Login page URL of Lenskart	PASSED	3.496 s
2	When User enters username <input type="text" value="email"/> <input type="text" value="arpi.angya@gmail.com"/>	PASSED	0.188 s
3	And user clicks next	PASSED	0.153 s
4	And User enters password <input type="text" value="password"/> <input type="text" value="Sunflower123"/>	PASSED	0.571 s
5	And User clicks login and goes to home	PASSED	0.117 s
6	Then User will logout  <pre>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b2ac9bbbf614d8ce2ccac1b8545b2c2, actions {actions=[org.openqa.selenium.interactions.Sequence@37348491]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDatumDir: C:\Users\OSARAV~1\AppData\Local\Temp..., goog:chromeOptions: {debuggerAddress: localhost:64977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64977/devtoo...}}</pre>	FAILED	10.303 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b2ac9bbbf614d8ce2ccac1b8545b2c2 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at Actions.LoginPage.logout(LoginPage.java:80) at Definitions.LoginDef.user_will_login_or_fails(LoginDef.java:67) at ?.User will logout(file:///C:/Users/osaravanakarthikeyan/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:19) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431)      at org.openqa.selenium.json.Json. </pre>		

#	Step / Hook Details	Status	Duration
	<pre> toJson(Json.java:131)      at org.openqa.selenium.json.Json.toJson(Json.java:119)      at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)      at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)      at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)      at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)      at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688)      at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605)      at Actions.LoginPage.logout(LoginPage.java:80)      at Definitions.LoginDef.user_will_login_or_fails(LoginDef.java:67)      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)      at java.base/java.lang.reflect.Method.invoke(Method.java:568)      at io.cucumber.java.Invoker.dohInvoke(Invoker.java:66)      at io.cucumber.java.Invoker.invoke(Invoker.java:24)      at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)      at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)      at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)      at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)      at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)      at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)      at io.cucumber.core.runner.TestStep.run(TestStep.java:56)      at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)      at io.cucumber.core.runner.TestCase.run(TestCase.java:84)      at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)      at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)      at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)      at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)      at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)      at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)      at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)      at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)      at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)      at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)      at org.junit.runners.ParentRunner.run(ParentRunner.java:413)      at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)      at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)      at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)      at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)      at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)      at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)      at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)      at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)      at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)      at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)      at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)      at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)      at org.junit.runners.ParentRunner.run(ParentRunner.java:413)      at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)      at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)      at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516) </pre>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400) at org.openqa.selenium.json.Json.toJson(Json.java:133) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at Actions.LoginPage.logout(LoginPage.java:80) at Definitions.LoginDef.user_will_login_or_fails(LoginDef.java:67) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		


#	Step / Hook Details	Status	Duration
	<p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:          {"method":"xpath","selector":"//a[text()='Logout']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b2ac9bbbf614d8ce2ccac1b8545b2c2, findElement {using=xpath, value="//a[text()='Logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\OSARAV~1\AppData\Local\Temp\scoped_dir31084_1510}, goog:chromeOptions: {debuggerAddress: localhost:64977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64977/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b2ac9bbbf614d8ce2ccac1b8545b2c2</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asList(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario) Checking credentials on Login	PASSED	0.403 s

#	Step / Hook Details	Status	Duration
			

## Checking Forgot password




#	Step / Hook Details	Status	Duration
1	Given goes to Lenskart URL	PASSED	0.073 s
2	<p>When User enters email1 or phone number</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='emailOrPhone']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b2ac9bbbf614d8ce2ccac1b8545b2c2, findElement {using=name, value=emailOrPhone}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\OSARAV~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:64977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64977/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b2ac9bbbf614d8ce2ccac1b8545b2c2</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>	FAILED	10.050 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy39.sendKeys(Unknown Source) at Actions.LoginPage.setUserName(LoginPage.java:99) at Actions.LoginPage.email(LoginPage.java:103) at Definitions.LoginDef.user_enters_email1_or_phone_number(LoginDef.java:79) at ?.User enters email1 or phone number(file:///C:/Users/osaravananakarthikeyan/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:28) * Not displayable characters are replaced by '?'. </pre>		
3	And clicks next	SKIPPED	0.000 s
4	And clicks on forgot password	SKIPPED	0.000 s
5	Then User clicks to send link for reset	SKIPPED	0.001 s
	AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario) Checking Forgot password 	PASSED	0.382 s

## feature of lenskart



## Selecting and Buying Glasses




#	Step / Hook Details	Status	Duration
1	Given User opens the lenskart Webpage	PASSED	7.995 s
2	When User clicks the eyeglasses category	PASSED	11.244 s
3	And User clicks product	PASSED	0.110 s
4	And User adds to wish list	PASSED	0.127 s
5	And User clicks the second product	PASSED	0.138 s
6	And User adding the second product in wishlist	PASSED	0.133 s
7	And User Clears the WishList	PASSED	0.141 s
8	Then Asserting the WishList	PASSED	0.000 s

## sunglass feature of lenskart



## checking the sunglass category of lenskart



#	Step / Hook Details	Status	Duration
1	Given launch the webpage of lenskart	PASSED	12.088 s
2	When Hover the mouse to sunglasses and click	PASSED	11.124 s
3	And check the variety of sunglasses	PASSED	6.727 s
4	And click the range	PASSED	0.001 s
5	And Sort the product by price:low to high	PASSED	0.350 s
6	And Filtering frame type by half rim	PASSED	0.440 s
7	And chose the sunglass	PASSED	0.340 s
8	And switch to another tab	PASSED	0.277 s
9	And click the power	PASSED	0.224 s
10	And choose the lens for sunglass	PASSED	0.494 s
11	And choose the lens color for sunglass	PASSED	0.348 s
12	And choose the color coating for sunglass	PASSED	0.115 s
13	And click the continue	PASSED	0.154 s
14	And user given the checkout	PASSED	3.975 s
15	Then asserting the bill details	PASSED	0.056 s