
Cucumber Report



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login page	1 m 11.781 s	2	0	2	0	11	0	2	9	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login page	Checking Forgot password
2		Checking credentials on Login


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ForgotPassword	1	0	1	0	1	0	1	0
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login page	2	0	2	0	1 m 11.781 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page	Checking Forgot password	5	0	1	4	48.351 s
2		Checking credentials on Login	6	0	1	5	1 m 11.771 s

DETAILED SECTION -- 7 -

Login page

FAILED	DURATION - 1 m 11.781 s	Scenarios		Steps	
		Total - 2		Total - 11	
/ 1:31:47.214 pm // 1	:32:58.995 pm /	Pass - 0	2	Pass - 0	11
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 9	


Checking Forgot password



#	Step / Hook Details	Status	Duration
1	Given goes to Lenskart URL	FAILED	10.487 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="header"]/div[2]/div/div[3]/div[2]/span[1]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [89f5b9a1463aea35c02be6260656dfc4, findElement {using=xpath, value=//*@id="header"]/div[2]/div/div[3]/div[2]/span[1]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:Users\ASHEKH=1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60655}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60655/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 89f5b9a1463aea35c02be6260656dfc4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.click(Unknown Source) at Actions.LoginPage.signBtn(LoginPage.java:34) at Definitions.LoginPage.signBtn(LoginPage.java:34) at Definitions.LoginPof.goes_to_lenskart_url(LoginDef.java:75) at ?.goes to Lenskart URL(file:///C:/Users/ashekharangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:27) * Not displayable characters are replaced by '?'.		
2	When User enters email1 or phone number	SKIPPED	0.000 s
3	And clicks next	SKIPPED	0.000 s
4	And clicks on forgot password	SKIPPED	0.000 s
5	Then User clicks to send link for reset	SKIPPED	0.000 s

Checking credentials on Login



	#	Step / Hook Details	Status	Duration
1	.	Given Login page URL of Lenskart	FAILED	33.438 s
		org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch:		

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [89f5b9a1463aea35c02be6260656dfc4, findElement (using=xpath, value=/H/@id="header"]div[2/divid/2]/divid/3]div[2/gspafl]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.190, chrome (chromedriverVersion: 114.0.5735.90) (386bc09e8f4f, userDataDir: C:\Users\ASHEKH-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60655}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformMame: windows, proxy: Proxy(), secdy-wsi/localhost:60655/devtoo, secdy-versi/localhost:60655.3.199, setWindowRect: true, strateFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:ripelBob: true, webauthn:extension:mipl.nelpdir: true, webauthn:extension:ripelBob: true, webauthn:extension:mipl.nelpdir: true, webauthn:extension:ripelBob: true, webauthn:extension:nipell.compt.comp		
2	* Not displayable characters are replaced by '?'. When User enters username	SKIPPED	0.022 s
_	email arpi.angya@gmail.com		
3	And user clicks next	SKIPPED	0.000 s
4	And User enters password	SKIPPED	0.000 s
	password Sunflower123		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
5	And User clicks login and goes to home	SKIPPED	0.000 s
6	Then User will logout	SKIPPED	0.000 s