Cucumber Report

Nov 21, 2023, 9:53:00 AM

| Start : Nov 21, 9:51:35.625 AM	End : Nov 21, 9:52:54.464 AM	Duration : 1 m 18.839 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 6 FAILED - 3 SKIPPED - 32

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
My account of lenskart	49.923 s	1	0	1	0	12	6	1	5
sunglass feature of lenskart	13.353 s	1	0	1	0	13	0	1	12
features of lenskart	15.437 s	1	0	1	0	16	0	1	15

#	Feature Name	Scenario Name
1	*My account of lenskart*	*Checking the MyAccount of lenskart*
2	*sunglass feature of lenskart*	*checking the sunglass category of lenskart*
3	*features of lenskart*	*checking the search product of lenskart*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@MyAccount	1	0	1	0	1	0	1	0
@EyeGlassescategory	1	0	1	0	1	0	1	0
@Searchproduct	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	My account of lenskart	1	0	1	0	49.923 s
2	sunglass feature of lenskart	1	0	1	0	13.353 s
3	features of lenskart	1	0	1	0	15.437 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	My account of lenskart	Checking the MyAccount of lenskart	12	6	1	5	49.920 s
2	sunglass feature of lenskart	checking the sunglass category of lenskart	13	0	1	12	13.353 s
3	features of lenskart	checking the search product of lenskart	16	0	1	15	15.437 s

My account of lenskart

FAILED	DURATION - 49.923 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 6 Fail - 1 Skip - 5	
/ 9:51:35.625 AM // 9:52:25.548 AM /			1		12

Checking the MyAccount of lenskart

FAILED	DURATION - 49.920 s		Steps Total - 12 Pass - 6 Fail - 1 Skip - 5	
/ 9:51:35.628 AM // 9:52:25.548 AM /				12
My account of lenskart				
@MyAccount				

#	Step / Hook Details	Status	Duration
1	Given Launching the lenskart webpage	PASSED	21.023 s
2	When User enters valid username	PASSED	0.364 s
	email arpi.angya@gmail.com		
3	And user clicks the next for login	PASSED	0.102 s
4	And User enters valid password	PASSED	1.102 s
	password Sunflower123		
5	And User clicks the login button	PASSED	3.545 s
6	And user clicks the user account	PASSED	2.213 s
7	And user clicks the My orders	FAILED	12.153 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.edge. EdgeDriver Command: [1eae71edcbfc1b6b91449d53af31ab8a, actions {actions=[org.openqa.selenium.interactions.Sequence@5b9499fe]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions:		

| #	Step / Hook Details	Status	Duration

	{debuggerAddress: localhost:59842}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\pkannan2\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59842/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1eae71edcbfc1b6b91449d53af31ab8a
	  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)
	  at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
	  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	  at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1921)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	  at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
	  at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)
	  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
	  at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)
	  at org.openqa.selenium.json.Json.toJson(Json.java:133)
	  at org.openqa.selenium.json.Json.toJson(Json.java:119)
	  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)
	  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688)
	  at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)
	  at Actions.AccountAction.myorder(AccountAction.java:64)
	  at Definitions.AccountDefinitions.user_clicks_the_my_orders(AccountDefinitions.java:53)
	  at ?.user clicks the My orders(file:///C:/Users/pkannan2/LenskartPilotProject1/TestDreamers_Lenskart/src/test/resources/Feature/account.feature:21)		

#	Step / Hook Details	Status	Duration
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json. toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:605) at Actions.AccountAction.myorder(AccountAction.java:64) at Definitions. AccountDefinitions.user_clicks_the_my_orders(AccountDefinitions.java:53) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor. invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java. Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners$NoStepDescriptions. lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext. lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector. executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner. java:28) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit.runners. ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit. runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber. core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime. CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun. evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners. ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner. RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:119) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1921)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at Actions.AccountAction.myorder(AccountAction.java:64)		
	at Definitions.AccountDefinitions.user_clicks_the_my_orders(AccountDefinitions.java:53)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/customer/account']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error,		

| #	Step / Hook Details	Status	Duration
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa. selenium.edge.EdgeDriver Command: [1eae71edcbfc1b6b91449d53af31ab8a, findElement {using=xpath, value=//a[@href='/customer/ account']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:59842}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\pkannan2\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59842/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1eae71edcbfc1b6b91449d53af31ab8a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy35.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:259) at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:208) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) * Not displayable characters are replaced by '?'.		
8	And again clicks the user account	SKIPPED	0.002 s
9	And user clicks the my prescription	SKIPPED	0.000 s
10	And user clicks the store credit	SKIPPED	0.000 s
11	And user clicks the account information	SKIPPED	0.000 s
12	Then asserting the value of first name	SKIPPED	0.000 s

sunglass feature of lenskart

FAILED	DURATION - 13.353 s		Scenarios		Steps	
			Total - 1		Total - 13	
/ 9:52:25.665 AM // 9:52:39.018 AM /			Pass - 0	1	Pass - 0	13
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 12	

checking the sunglass category of lenskart

FAILED	DURATION - 13.353 s		Steps	
			Total - 13	
/ 9:52:25.665 AM // 9:52:39.018 AM /			Pass - 0	13
sunglass feature of lenskart			Fail - 1	
@EyeGlassescategory			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given launch the webpage of lenskart	FAILED	13.347 s

	java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null
	    at Definitions.SunglassDefinition.launch_the_webpage_of_lenskart(SunglassDefinition.java:25)
	    at ?.launch the webpage of lenskart(file:///C:/Users/pkannan2/LenskartPilotProject1/TestDreamers_Lenskart/src/test/resources/Feature/categorysunglass.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When Hover the mouse to sunglasses and click	SKIPPED	0.000 s
3	And check the variety of sunglasss	SKIPPED	0.000 s
4	And click the range	SKIPPED	0.000 s
5	And Sort the product by price:low to high	SKIPPED	0.000 s
6	And Filtering frame type by half rim	SKIPPED	0.000 s
7	And chose the sunglass	SKIPPED	0.000 s
8	And switch to another tab	SKIPPED	0.000 s
9	And click the power	SKIPPED	0.000 s
10	And choose the color for sunglass	SKIPPED	0.001 s
11	And click the continue	SKIPPED	0.000 s
12	And user given the checkout	SKIPPED	0.000 s
13	Then asserting the bill details	SKIPPED	0.000 s

features of lenskart

FAILED	DURATION - 15.437 s	Scenarios		Steps	
/ 9:52:39.027 AM // 9:52:54.464 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 0 Fail - 1 Skip - 15	16

checking the search product of lenskart

FAILED	DURATION - 15.437 s		Steps	
/ 9:52:39.027 AM // 9:52:54.464 AM / *features of lenskart* @Searchproduct			Total - 16 Pass - 0 Fail - 1 Skip - 15	16

#	Step / Hook Details	Status	Duration
1	Given launching the lenskart	FAILED	15.431 s

	java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null
	    at Definitions.SearchDefition.launching_the_lenskart(SearchDefition.java:36)
	    at ?.launching the lenskart(file:///C:/Users/pkannan2/LenskartPilotProject1/TestDreamers_Lenskart/src/test/resources/Feature/search.feature:6)
	* Not displayable characters are replaced by '?'.		

2	And given the product name to search	SKIPPED	0.000 s
3	And given the enter	SKIPPED	0.000 s
4	And given the filter for frame shape	SKIPPED	0.000 s
5	And given the filter for frame size	SKIPPED	0.000 s
6	And given the filter for frame type	SKIPPED	0.001 s
7	And given the sort for result high to low	SKIPPED	0.000 s
8	And user selects the eyeglass	SKIPPED	0.000 s
9	And switch to newly opened tab	SKIPPED	0.000 s
10	And user clicks the select lens	SKIPPED	0.000 s
11	And user clicks the select lens type	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	And user clicks the select premium lens	SKIPPED	0.000 s
13	And user clicks the select lens coating.	SKIPPED	0.000 s
14	And user click the continue	SKIPPED	0.000 s
15	And user click the checkout glass	SKIPPED	0.000 s
16	Then asserting the product user selected with details	SKIPPED	0.000 s