

Cucumber Report

Nov 21, 2023, 12:11:02 PM

Start : Nov 21, 12:08:23.961 PM

End : Nov 21, 12:11:02.020 PM

Duration : 2 m 38.059 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 10

SKIPPED - 0

PASSED - 2




FAILED - 10

SKIPPED - 0

PASSED - 27

FAILED - 10


SKIPPED - 67



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Check AboutUs in lenskart application</u>	5.801 s	1	0	1	0	9	0	1	8
<u>Buy an item in lenskart application</u>	0.008 s	1	0	1	0	9	0	1	8
<u>feature of lenskart</u>	24.430 s	1	0	1	0	10	7	1	2
<u>Follow page</u>	3.941 s	1	0	1	0	4	2	1	1
<u>Kids Category</u>	12.131 s	1	1	0	0	4	4	0	0
<u>Login page</u>	10.099 s	1	0	1	0	6	4	1	1
<u>Register to Lenskart web application</u>	0.004 s	1	0	1	0	5	0	1	4
<u>feature of lenskart</u>	16.351 s	1	0	1	0	8	2	1	5
<u>feature of lenskart</u>	23.391 s	1	1	0	0	8	8	0	0
<u>My account of lenskart</u>	37.015 s	1	0	1	0	12	0	1	11
<u>sunglass feature of lenskart</u>	14.927 s	1	0	1	0	13	0	1	12
<u>features of lenskart</u>	9.642 s	1	0	1	0	16	0	1	15

#	Feature Name	Scenario Name
1	<u>Check AboutUs in lenskart application</u>	<u>Checking AboutUs features in lenskart application</u>
2	<u>Buy an item in lenskart application</u>	<u>Buying a computerglass item</u>
3	<u>feature of lenskart</u>	<u>checking the eyeglasses category of lenskart</u>
4	<u>Follow page</u>	<u>To follow on facebook</u>
5	<u>Login page</u>	<u>Checking credentials on Login</u>
6	<u>Register to Lenskart web application</u>	<u>Registering the application with valid credentials</u>
7	<u>feature of lenskart</u>	<u>Clicking the services option</u>
8	<u>My account of lenskart</u>	<u>Checking the MyAccount of lenskart</u>
9	<u>sunglass feature of lenskart</u>	<u>checking the sunglass category of lenskart</u>
10	<u>features of lenskart</u>	<u>checking the search product of lenskart</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AboutUs	1	0	1	0	1	0	1	0
@ComputerGlassesCategory	1	0	1	0	1	0	1	0
@EyeGlassescategory	2	0	2	0	2	0	2	0
@ValidCredentials	1	0	1	0	1	0	1	0
@RegisterPage	1	0	1	0	1	0	1	0
@Wishlist	2	1	1	0	2	1	1	0
@MyAccount	1	0	1	0	1	0	1	0
@Searchproduct	1	0	1	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Check AboutUs in lenskart application</u>	1	0	1	0	5.801 s
2	<u>Buy an item in lenskart application</u>	1	0	1	0	0.008 s
3	<u>feature of lenskart</u>	1	0	1	0	24.430 s
4	<u>Follow page</u>	1	0	1	0	3.941 s
5	<u>Kids Category</u>	1	1	0	0	12.131 s
6	<u>Login page</u>	1	0	1	0	10.099 s
7	<u>Register to Lenskart web application</u>	1	0	1	0	0.004 s
8	<u>feature of lenskart</u>	1	0	1	0	16.351 s
9	<u>feature of lenskart</u>	1	1	0	0	23.391 s
10	<u>My account of lenskart</u>	1	0	1	0	37.015 s



#	Feature Name	T	P	F	S	Duration
11	<u>sunglass feature of lenskart</u>	1	0	1	0	14.927 s
12	<u>features of lenskart</u>	1	0	1	0	9.642 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check AboutUs in lenskart application</u>	<u>Checking AboutUs features in lenskart application</u>	9	0	1	8	5.796 s
2	<u>Buy an item in lenskart application</u>	<u>Buying a computerglass item</u>	9	0	1	8	0.008 s
3	<u>feature of lenskart</u>	<u>checking the eyeglasses category of lenskart</u>	10	7	1	2	24.430 s
4	<u>Follow page</u>	<u>To follow on facebook</u>	4	2	1	1	3.941 s
5	<u>Kids Category</u>	<u>To search for kids sunglasses</u>	4	4	0	0	12.131 s
6	<u>Login page</u>	<u>Checking credentials on Login</u>	6	4	1	1	10.098 s
7	<u>Register to Lenskart web application</u>	<u>Registering the application with valid credentials</u>	5	0	1	4	0.004 s
8	<u>feature of lenskart</u>	<u>Clicking the services option</u>	8	2	1	5	16.351 s
9		<u>Selecting and Buying Glasses</u>	8	8	0	0	23.391 s
10	<u>My account of lenskart</u>	<u>Checking the MyAccount of lenskart</u>	12	0	1	11	37.015 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>sunglass feature of lenskart</u>	<u>checking the sunglass category of lenskart</u>	13	0	1	12	14.927 s
12	<u>features of lenskart</u>	<u>checking the search product of lenskart</u>	16	0	1	15	9.642 s

Check AboutUs in lenskart application

FAILED	DURATION - 5.801 s	Scenarios		Steps	
/ 12:08:23.961 PM // 12:08:29.762 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

Checking AboutUs features in lenskart application



<div>FAILED</div> <div>DURATION - 5.796 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 12:08:23.965 PM // 12:08:29.761 PM /				
Check AboutUs in lenskart application				
@AboutUs				

#	Step / Hook Details	Status	Duration
1	<p>Given User goes to lenskart webpage</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class Definitions>AboutUsStepDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p>	FAILED	0.007 s



#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: inStream parameter is null at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.Properties.load(Properties.java:407) at Utility.RegisterUtility.registerData(RegisterUtility.java:33) </p>		

#	Step / Hook Details	Status	Duration
	at Utility.RegisterUtility.<init>(RegisterUtility.java:18) at Definitions.AboutUsStepDef.<init>(AboutUsStepDef.java:13)		
2	When User goes to about us and clicks We are hiring	SKIPPED	0.001 s
3	Then User should be able to see the we are hiring page	SKIPPED	0.000 s
4	When User clicks Refer and Earn	SKIPPED	0.000 s
5	Then User should be able to see the Refer and Earn page	SKIPPED	0.000 s
6	When User clicks About us	SKIPPED	0.000 s
7	Then User should be able to see the About us page	SKIPPED	0.001 s
8	When User clicks lenskart coupons	SKIPPED	0.000 s
9	Then User should be able to see the lenskart coupons page	SKIPPED	0.000 s

Buy an item in lenskart application

FAILED	DURATION - 0.008 s	Scenarios		Steps	
/ 12:08:29.916 PM // 12:08:29.924 PM /		Total - 1	1	Total - 9	9
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

Buying a computerglass item



FAILED	DURATION - 0.008 s		Steps	
/ 12:08:29.916 PM // 12:08:29.924 PM /			Total - 9	
Buy an item in lenskart application			Pass - 0	
@ComputerGlassesCategory			Fail - 1	
			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given User goes to the lenskart webpage	FAILED	0.003 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class Definitions.ComputerGlassStepDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		



#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: inStream parameter is null at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.Properties.load(Properties.java:407) at Utility.RegisterUtility.registerData(RegisterUtility.java:33) at Utility.RegisterUtility.<init>(RegisterUtility.java:18) at Definitions.ComputerGlassStepDef.<init>(ComputerGlassStepDef.java:15)		
2	When User clicks the computerglasses	SKIPPED	0.000 s
3	And User clicks sortby	SKIPPED	0.000 s
4	And User clicks the product	SKIPPED	0.000 s
5	And User clicks the buy now	SKIPPED	0.000 s
6	Then User should be able to buy the product successfully	SKIPPED	0.000 s
7	When User clicks the remove	SKIPPED	0.000 s
8	And User clicks yes,remove	SKIPPED	0.000 s
9	Then User should be able to see the cart is empty	SKIPPED	0.000 s

feature of lenskart

FAILED	DURATION - 24.430 s	Scenarios		Steps	
/ 12:08:29.936 PM // 12:08:54.366 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



checking the eyeglasses category of lenskart

<div>FAILED</div>	<div>DURATION - 24.430 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 12:08:29.936 PM // 12:08:54.366 PM /</div>				
<div>feature of lenskart</div>				
<div>@EyeGlassescategory</div>				



#	Step / Hook Details	Status	Duration
1	Given User opens the lenskart webpage	PASSED	14.912 s
2	When User clicks the eyeglasses	PASSED	5.806 s
3	And User sorts the product by price:high to low	PASSED	0.369 s
4	And Filter the frame type by full rim	PASSED	0.640 s
5	And Filter the frame shape by aviator	PASSED	0.655 s
6	And User add the product to the wishlist	PASSED	0.572 s
7	And user clicking the wishlist option	PASSED	0.000 s
8	And user clicking the product in the wishlist	FAILED	1.472 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (909, 932) (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b79055fcc34f6ac6269fc2fc4e06377f, clickElement {id=D3D64F443B1BC54C47F9D068681B7E5_element_397}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60935}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\OSARAV~1\AppData\Local\Temp\119.0.2151.72 (e8225cce8e47..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60935/devtools, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (b79055fcc34f6ac6269fc2fc4e06377f)] -> xpath: //div[@class='ItemContainer--zw71mv ikRDxY']] Session ID: b79055fcc34f6ac6269fc2fc4e06377f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at Actions.EyeGlassesAct.ClickProduct(EyeGlassesAct.java:51) at Definitions.EyeGlassesDef.user_clicking_the_product_in_the_wishlist(EyeGlassesDef.java:73) at ?.user clicking the product in the wishlist(file:///C:/Users/osaravanakarhikeyan/TestDreamers_Lenskart/src/test/resources/Feature/EyeGlasses.feature:13) * Not displayable characters are replaced by '?'. </pre>		
9	And user clicking buy now option	SKIPPED	0.001 s
10	Then Asserting the Total payable	SKIPPED	0.000 s

Follow page



FAILED	DURATION - 3.941 s	Scenarios		Steps	
/ 12:08:54.374 PM // 12:08:58.315 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

To follow on facebook



FAILED	DURATION - 3.941 s		Steps	
/ 12:08:54.374 PM // 12:08:58.315 PM /			Total - 4	
Follow page			Pass - 2	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	3.864 s
2	When Scroll Down	PASSED	0.034 s
3	And Click on FaceBook java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because "this.follow.facebook" is null at Actions.KidsAct.fb(KidsAct.java:42) at Definitions.FollowDef.click_on_face_book(FollowDef.java:25) at ?.Click on FaceBook(file:///C:/Users/osaravanakarathikeyan/TestDreamers_Lenskart/src/test/resources/Feature/FollowUs.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	0.040 s
4	Then Goes to Facebook page	SKIPPED	0.000 s

Kids Category



PASSED	DURATION - 12.131 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:08:58.322 PM // 12:09:10.453 PM /					

To search for kids sunglasses



PASSED	DURATION - 12.131 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:08:58.322 PM // 12:09:10.453 PM /				
Kids Category				

#	Step / Hook Details	Status	Duration
1	Given Go to Url of Lenskart	PASSED	5.426 s
2	When Click on Kids Glasses	PASSED	0.395 s
3	And Go to sunglasses	PASSED	6.136 s
4	Then click on first one	PASSED	0.171 s

Login page

FAILED	DURATION - 10.099 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 12:09:10.555 PM // 12:09:20.654 PM /					



Checking credentials on Login

FAILED	DURATION - 10.098 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 12:09:10.556 PM // 12:09:20.654 PM /				
Login page				
@ValidCredentials				



#	Step / Hook Details	Status	Duration
1	Given Login page URL of Lenskart	PASSED	8.432 s
2	When User enters username	PASSED	0.268 s
	<div>email</div> <div>arpi.angya@gmail.com</div>		
3	And user clicks next	PASSED	1.153 s
4	And User enters password	PASSED	0.113 s
	<div>password</div> <div>Sunflower123</div>		
5	And User clicks login and goes to home	FAILED	0.130 s
	<p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b79055fcc34f6ac6269fc2fc4e06377f, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60935}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\OSARAV~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60935/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,</p>		

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b79055fcc34f6ac6269fc2fc4e06377f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1202) at Actions.LoginPage.close(LoginPage.java:75) at Definitions.LoginDef.user_clicks_login(LoginDef.java:57) at ?.User clicks login and goes to home(file:///C:/Users/osaravanakarhikeyan/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:18) * Not displayable characters are replaced by '?'.		
6	Then User will logout	SKIPPED	0.000 s

Register to Lenskart web application

FAILED	DURATION - 0.004 s	Scenarios		Steps	
/ 12:09:20.660 PM // 12:09:20.664 PM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



Registering the application with valid credentials

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 12:09:20.660 PM // 12:09:20.664 PM /				
Register to Lenskart web application				
@RegisterPage				



#	Step / Hook Details	Status	Duration
1	<p>Given User opens the Lenskart register page</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class Definitions.RegisterStepDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 45 more Caused by: java.lang.NullPointerException: inStream parameter is null at java.base/java.util.Objects.requireNonNull(Objects.java:233) at java.base/java.util.Properties.load(Properties.java:407) at Utility.RegisterUtility.registerData(RegisterUtility.java:33) at Utility.RegisterUtility.<init>(RegisterUtility.java:18) at Definitions.RegisterStepDef.<init>(RegisterStepDef.java:15) </pre>		
2	When User clicks the signup	SKIPPED	0.000 s
3	When User enters the valid credentials	SKIPPED	0.000 s
4	And User clicks the createAccount	SKIPPED	0.000 s
5	Then User should be able to register successfully	SKIPPED	0.000 s

feature of lenskart

FAILED	DURATION - 16.351 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	
/ 12:09:20.669 PM // 12:09:37.020 PM /					



Clicking the services option

FAILED	DURATION - 16.351 s		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	
/ 12:09:20.669 PM // 12:09:37.020 PM /				
feature of lenskart				
@Wishlist				


#	Step / Hook Details	Status	Duration
1	Given User opens the lenskart Webpage and scroll and find the services	PASSED	5.847 s
2	When User clicks the store locator option	PASSED	0.296 s
3	And User clicks the search option and giving location org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@placeholder='Search by state/pincode/Locality']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b79055fcc34f6ac6269fc2fc4e06377f, findElement {using=xpath, value=//input[@placeholder='Search by state/pincode/Locality']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60935}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\OSARAV~1\AppData\Local\Microsoft\Edge\User Data\Default\Profile 1\Extensions\...), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60935/devtools, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b79055fcc34f6ac6269fc2fc4e06377f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	10.205 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at Actions.ServicesAct.Search(ServicesAct.java:30) at Definitions.ServicesDef.user_clicks_the_search_option_and_giving_location(ServicesDef.java:32) at ?.User clicks the search option and giving location(file:///C:/Users/osaravanakarthikeyan/TestDreamers_Lenskart/src/test/resources/Feature/Services.feature:7) * Not displayable characters are replaced by '?'. </pre>		
4	And User clicks the buying guide option	SKIPPED	0.000 s
5	And Asserting the Buying guide page	SKIPPED	0.000 s
6	And User clicks the frame size option	SKIPPED	0.000 s
7	And Asserting the frame size page	SKIPPED	0.000 s
8	Then Asserting the feature	SKIPPED	0.001 s

feature of lenskart


PASSED	DURATION - 23.391 s	Scenarios		Steps	
/ 12:09:37.027 PM // 12:10:00.418 PM /		Total - 1		Total - 8	
		Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Selecting and Buying Glasses





#	Step / Hook Details	Status	Duration
1	Given User opens the lenskart Webpage	PASSED	9.300 s
2	When User clicks the eyeglasses category	PASSED	11.367 s
3	And User clicks product	PASSED	0.265 s
4	And User adds to wish list	PASSED	0.136 s
5	And User clicks the second product	PASSED	0.137 s
6	And User adding the second product in wishlist	PASSED	0.169 s
7	And User Clears the WishList	PASSED	2.014 s
8	Then Asserting the WishList	PASSED	0.000 s

My account of lenskart





Checking the MyAccount of lenskart

<div>FAILED</div> <div>DURATION - 37.015 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 11</div>	
/ 12:10:00.427 PM // 12:10:37.442 PM /				
My account of lenskart				
@MyAccount				


#	Step / Hook Details	Status	Duration
1	<p>Given Launching the lenskart webpage</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#wzrk-confirm"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b79055fcc34f6ac6269fc2fc4e06377f, findElement {using=id, value=wzrk-confirm}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60935}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\OSARAV~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60935/devtoo..., se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b79055fcc34f6ac6269fc2fc4e06377f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p>	FAILED	37.011 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source) at Actions.AccountAction.pop(AccountAction.java:27) at Definitions.AccountDefinitions.launching_the_lenskart_webpage(AccountDefinitions.java:20) at ?.Launching the lenskart webpage(file:///C:/Users/osaravanakarthikeyan/TestDreamers_Lenskart/src/test/resources/Feature/account.feature:6) * Not displayable characters are replaced by '?'.		
2	When User enters valid username	SKIPPED	0.000 s
	email arpi.angya@gmail.com		
3	And user clicks the next for login	SKIPPED	0.000 s
4	And User enters valid password	SKIPPED	0.000 s
	password Sunflower123		
5	And User clicks the login button	SKIPPED	0.000 s
6	And user clicks the user account	SKIPPED	0.000 s
7	And user clicks the My orders	SKIPPED	0.000 s
8	And again clicks the user account	SKIPPED	0.000 s
9	And user clicks the my prescription	SKIPPED	0.000 s
10	And user clicks the store credit	SKIPPED	0.000 s
11	And user clicks the account information	SKIPPED	0.000 s
12	Then asserting the value of first name	SKIPPED	0.000 s

sunglass feature of lenskart



FAILED	DURATION - 14.927 s	Scenarios		Steps	
/ 12:10:37.447 PM // 12:10:52.374 PM /		Total - 1	1	Total - 13	13
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

checking the sunglass category of lenskart





#	Step / Hook Details	Status	Duration
1	Given launch the webpage of lenskart java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null at Definitions.SunglassDefinition.launch_the_webpage_of_lenskart(SunglassDefinition.java:25) at ?.launch the webpage of lenskart(file:///C:/Users/osaravanakarathikeyan/TestDreamers_Lenskart/src/test/resources/Feature/categorysunglass.feature:5) * Not displayable characters are replaced by '?'.	FAILED	14.924 s
2	When Hover the mouse to sunglasses and click	SKIPPED	0.000 s
3	And check the variety of sunglasss	SKIPPED	0.000 s
4	And click the range	SKIPPED	0.000 s
5	And Sort the product by price:low to high	SKIPPED	0.000 s
6	And Filtering frame type by half rim	SKIPPED	0.000 s
7	And chose the sunglass	SKIPPED	0.000 s
8	And switch to another tab	SKIPPED	0.000 s
9	And click the power	SKIPPED	0.000 s
10	And choose the color for sunglass	SKIPPED	0.000 s
11	And click the continue	SKIPPED	0.001 s
12	And user given the checkout	SKIPPED	0.000 s
13	Then asserting the bill details	SKIPPED	0.000 s

features of lenskart

FAILED	DURATION - 9.642 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 0 Fail - 1 Skip - 15	
/ 12:10:52.378 PM // 12:11:02.020 PM /					

checking the search product of lenskart

FAILED	DURATION - 9.642 s		Steps Total - 16 Pass - 0 Fail - 1 Skip - 15	
/ 12:10:52.378 PM // 12:11:02.020 PM /				
features of lenskart				
@Searchproduct				

#	Step / Hook Details	Status	Duration
1	Given launching the lenskart java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null at Definitions.SearchDefition.launching_the_lenskart(SearchDefition.java:36) at ?.launching the lenskart(file:///C:/Users/osaravanakarhikeyan/TestDreamers_Lenskart/src/test/resources/Feature/search.feature:6) * Not displayable characters are replaced by '?'.	FAILED	9.640 s
2	And given the product name to search	SKIPPED	0.000 s
3	And given the enter	SKIPPED	0.000 s
4	And given the filter for frame shape	SKIPPED	0.000 s
5	And given the filter for frame size	SKIPPED	0.000 s
6	And given the filter for frame type	SKIPPED	0.000 s
7	And given the sort for result high to low	SKIPPED	0.000 s
8	And user selects the eyeglass	SKIPPED	0.000 s
9	And switch to newly opened tab	SKIPPED	0.000 s
10	And user clicks the select lens	SKIPPED	0.000 s
11	And user clicks the select lens type	SKIPPED	0.000 s
12	And user clicks the select premium lens	SKIPPED	0.000 s
13	And user clicks the select lens coating.	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And user click the continue	SKIPPED	0.000 s
15	And user click the checkout glass	SKIPPED	0.000 s
16	Then asserting the product user selected with details	SKIPPED	0.000 s