

# Cucumber Report

21 Nov 2023, 10:11:50

Start : Nov 21, 10:08:16.912 am

End : Nov 21, 10:11:34.747 am

Duration : 3 m 17.835 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0


PASSED - 1  
FAILED - 6  
SKIPPED - 20




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Follow page</u>	3 m 17.750 s	3	0	3	0	12	1	3	8
<u>Kids Category</u>	0.013 s	1	0	1	0	4	0	1	3
<u>Login page</u>	0.036 s	2	0	2	0	11	0	2	9

#	Feature Name	Scenario Name
1	<u>Follow page</u>	<u>To follow on facebook</u>
2		<u>To follow on instagram</u>
3		<u>To follow on twitter</u>
4	<u>Kids Category</u>	<u>To search for kids sunglasses</u>
5	<u>Login page</u>	<u>Checking credentials on Login</u>
6		<u>Checking Forgot password</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@ValidCredentials	1	0	1	0	1	0	1	0
@ForgotPassword	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Follow page</u>	3	0	3	0	3 m 17.750 s
2	<u>Kids Category</u>	1	0	1	0	0.013 s
3	<u>Login page</u>	2	0	2	0	0.036 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Follow page</u>	<u>To follow on facebook</u>	4	1	1	2	3 m 16.537 s
2		<u>To follow on instagram</u>	4	0	1	3	0.008 s
3		<u>To follow on twitter</u>	4	0	1	3	0.008 s
4	<u>Kids Category</u>	<u>To search for kids sunglasses</u>	4	0	1	3	0.013 s
5	<u>Login page</u>	<u>Checking credentials on Login</u>	6	0	1	5	0.015 s
6		<u>Checking Forgot password</u>	5	0	1	4	0.011 s

## Follow page

<b>FAILED</b>	<b>DURATION - 3 m 17.750 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 1 Fail - 3 Skip - 8	
/ 10:08:16.912 am // 10:11:34.662 am /					



## To follow on facebook

<b>FAILED</b>	<b>DURATION - 3 m 16.537 s</b>		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:08:16.934 am // 10:11:33.471 am /				
Follow page				

#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	2 m 16.856 s
2	When Scroll Down  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da0e7ee81cce44a23a3558cee7b097ef, executeScript {script=window.scrollTo(0, document.body.scrollHeight), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63532}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ASHEKH~1\AppData\Local\Microsoft\Edge\DevTools\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63532/devtools/page/119.0.2151.58, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da0e7ee81cce44a23a3558cee7b097ef at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.489 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:467) at Actions.KidsAct.scroll(KidsAct.java:39) at Definitions.FollowDef.scroll_down(FollowDef.java:25) at ?.Scroll Down(file:///C:/Users/ashekharingya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/FollowUs.feature:5) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
3	And Click on FaceBook	SKIPPED	0.002 s
4	Then Goes to Facebook page	SKIPPED	0.000 s

### To follow on instagram



FAILED	DURATION - 0.008 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:11:34.638 am // 10:11:34.646 am /				
Follow page				

#	Step / Hook Details	Status	Duration
1	<p>Given Home page of Lenskart</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da0e7ee81cce44a23a3558cee7b097ef, get {url=https://www.lenskart.com/}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63532}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ASHEKH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63532/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da0e7ee81cce44a23a3558cee7b097ef </pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>	FAILED	0.006 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utility.HelperClass.openPage(HelperClass.java:61) at Definitions.FollowDef.home_page_of_lenskart(FollowDef.java:18) at ?.Home page of Lenskart(file:///C:/Users/ashekharrangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/FollowUs.feature:10) * Not displayable characters are replaced by '?'. </pre>		
2	When Scroll Down	SKIPPED	0.001 s
3	And Click on instagram icon	SKIPPED	0.000 s
4	Then Goes to instagram page	SKIPPED	0.000 s



### To follow on twitter

<b>FAILED</b>	<b>DURATION - 0.008 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:11:34.654 am // 10:11:34.662 am /				
Follow page				



#	Step / Hook Details	Status	Duration
1	<p>Given Home page of Lenskart</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da0e7ee81cce44a23a3558cee7b097ef, get {url=https://www.lenskart.com/}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63532}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ASHEKH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63532/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da0e7ee81cce44a23a3558cee7b097ef</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)  at Utility.HelperClass.openPage(HelperClass.java:61)  at Definitions.FollowDef.home_page_of_lenskart(FollowDef.java:18)  at ?.Home page of Lenskart(file:///C:/Users/ashekharangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/FollowUs.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When Scroll Down	SKIPPED	0.000 s
3	And Click on twitter icon	SKIPPED	0.000 s
4	Then Goes to twitter page	SKIPPED	0.000 s

## Kids Category

<b>FAILED</b> DURATION - 0.013 s / 10:11:34.672 am // 10:11:34.685 am /		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	---	--	---



To search for kids sunglasses

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:11:34.672 am // 10:11:34.685 am /				
Kids Category				



#	Step / Hook Details	Status	Duration
1	<p>Given Go to Url of Lenskart</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da0e7ee81cce44a23a3558cee7b097ef, get {url=https://www.lenskart.com/}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63532}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ASHEKH~1\AppData\Local\Microsoft\Edge\DevTools\119.0.2151.72\userDataDir}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63532/devtools, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da0e7ee81cce44a23a3558cee7b097ef at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utility.HelperClass.openPage(HelperClass.java:61) at Definitions.KidsDef.go_to_url_of_lenskart(KidsDef.java:17) at ?.Go to Url of Lenskart(file:///C:/Users/ashekharangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/KidsGlasses.feature:4) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.011 s
2	When Click on Kids Glasses	SKIPPED	0.000 s
3	And Go to sunglasses	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then click on first one	SKIPPED	0.000 s

## Login page

FAILED	DURATION - 0.036 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 11 Pass - 0 Fail - 2 Skip - 9	
/ 10:11:34.711 am // 10:11:34.747 am /					

## Checking credentials on Login

FAILED		DURATION - 0.015 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 10:11:34.712 am // 10:11:34.727 am /						
Login page						
@ValidCredentials						

#	Step / Hook Details	Status	Duration
1	<p>Given Login page URL of Lenskart</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da0e7ee81cce44a23a3558cee7b097ef, get {url=https://www.lenskart.com/}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63532}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ASHEKH~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63532/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da0e7ee81cce44a23a3558cee7b097ef</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utility.HelperClass.openPage(HelperClass.java:61) at Definitions.LoginDef.login_page_url_of_lenskart(LoginDef.java:26) at ?.Login page URL of Lenskart(file:///C:/Users/ashekarangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When User enters username	SKIPPED	0.004 s
	<div>email</div> <div>arpi.angya@gmail.com</div>		
3	And user clicks next	SKIPPED	0.000 s
4	And User enters password	SKIPPED	0.000 s
	<div>password</div> <div>Sunflower123</div>		
5	And User clicks login and goes to home	SKIPPED	0.001 s
6	Then User will logout	SKIPPED	0.000 s

### Checking Forgot password

<b>FAILED</b>	DURATION - 0.011 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:11:34.736 am // 10:11:34.747 am /				
Login page				
@ForgotPassword				

#	Step / Hook Details	Status	Duration
1	Given goes to Lenskart URL	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da0e7ee81cce44a23a3558cee7b097ef, findElement {using=xpath, value=//*[@id="header"]/div[2]/div/div[3]/div[2]/span[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:63532}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ASHEKH~1\AppData\Local\Microsoft\EdgeDevToolsClient\}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63532/devtools, se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da0e7ee81cce44a23a3558cee7b097ef</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy35.click(Unknown Source)  at Actions.LoginPage.signBtn(LoginPage.java:34)  at Definitions.LoginDef.goes_to_lenskart_url(LoginDef.java:77)  at ?.goes to Lenskart URL(file:///C:/Users/ashekharangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:27)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User enters email1 or phone number	SKIPPED	0.000 s
3	And clicks next	SKIPPED	0.000 s
4	And clicks on forgot password	SKIPPED	0.000 s
5	Then User clicks to send link for reset	SKIPPED	0.000 s